



**Power cable**  
Model: **AK-OT-03A**



Product code	AK-OT-03A
Product type	Power cable
Output voltage	250 V
Output amperage	13 A
Ground wire	Yes
Cable length	1.5 m
The cable plug #1	Type G
The cable plug #2	Without termination
Wire gauge	3 x 1.5 mm <sup>2</sup>
Cable markings	H05-VV-F3G
Isolation material	PVC
Cable diameter	7 mm
Product color	Black
Product size (L x W x H)	150 x 80 x 40 mm
Package size (L x W x H)	200 x 200 x 41 mm
Net weight	223 g
Gross weight	225 g
CE compatibility	Yes
FCC compatibility	No
RoHS compatibility	Yes
REACH compatibility	Yes
EAN code	5901720136336
Warranty	24 months



# Description

**Akyga® AK-OT-03A** is a solidly constructed **1.5 m self-assembly cable**. It can be used both to repair a damaged cord and to replace the cable end with a **G-type UK plug**.

The product is **prepared for direct soldering**. Its ends are covered with a soldering alloy to improve assembly. Thanks to this, you can easily and quickly replace the cable in a computer power supply unit as well as in other everyday use devices.

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [AC Power Leads](#) category:*

*Click to view products by [Akyga](#) manufacturer:*

Other Similar products are found below :

[62500-1774](#) [1300000023](#) [312033-01](#) [YP-61+YC12](#) [P28818-M2](#) [YP21A+YC13](#) [FTP-629Y603](#) [1702002600](#) [1700001947](#) [J2014004L001-CC](#)  
[SHELF](#) [IL13-EU1-H05-3100-300-S](#) [P28976-M45](#) [BB-3271V86](#) [HFE/C19UO](#) [MWOC-PCA-3-3-2](#) [P29844-M5](#) [P29844-M10](#) [3-100-354](#)  
[S002020062](#) [S007220307](#) [P28818-M6](#) [1019123](#) [387005324](#) [387005325](#) [59903000000](#) [VL-0136-14-200](#) [387007040](#) [387006821](#) [387006827](#)  
[387006823](#) [387006932](#) [387006822](#) [AC06C13EU](#) [1036702](#) [AC06C05UK](#) [P28984-M2](#) [50365](#) [W-97023](#) [W-01528](#) [W-01529](#) [W-01530](#) [W-](#)  
[01531](#) [W-97020](#) [W-97022](#) [W-97021](#) [W-97025](#) [W-97057](#) [W-97288](#) [W-97292](#) [W-97370](#)