



Power cable
Model: **AK-PC-08C**



| | |
|--------------------------|-----------------------------------|
| Product code | AK-PC-08C |
| Product type | Power cable |
| Series | Copper |
| Output voltage | 250 V |
| Output amperage | 10 A |
| Ground wire | Yes |
| Cable length | 10 m |
| The cable plug #1 | Hybrid standard C/E/F (CEE 7/7) |
| The cable plug #2 | IEC C13 |
| Cable material | Copper |
| Wire gauge | 3x 1 mm ² |
| Product color | Black |
| Product size (L x W x H) | 260 x 180 x 80 mm |
| Package size (L x W x H) | 261 x 181 x 81 mm |
| Net weight | 834 g |
| Gross weight | 841 g |
| CE compatibility | Yes |
| FCC compatibility | No |
| RoHS compatibility | Yes |
| REACH compatibility | Yes |
| EAN code | 5901720139092 |
| Warranty | 24 months |



Description

The **Akyga® AK-PC-08C power cable** has two ends: an **IEC C13 connector** and a **Schuko plug**. The IEC C13 connector is used to connect electrical equipment such as monitors, printers and power supplies. The Schuko connector, on the other hand, is a popular electrical connector standard in Europe.

This cable is **made of copper**, which ensures high quality and reliability during use. Copper is one of the best electrical conductors, with high conductivity and corrosion resistance. This makes the AK-PC-08C cable ideal for use wherever high quality and reliability are important. What's more, the cable has a **length of 10 m**, which allows you to connect your device in a location away from the power source without any problems. As a result, you don't have to worry about the cable being too short and can freely position your device in the desired location.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [AC Power Leads](#) category:

Click to view products by [Akyga](#) manufacturer:

Other Similar products are found below :

[YP-61+YC12](#) [YP21A+YC13](#) [6601](#) [FTP-629Y603](#) [1700001947](#) [IL13-EU1-H05-3100-300-S](#) [2217913-1](#) [P28976-M45](#) [BB-3271V86](#) [P29844-M5](#) [P29844-M10](#) [P28818-M6](#) [387005324](#) [387005325](#) [59903000000](#) [387007040](#) [IL13P-EU1-H05-3100-300](#) [PCAK2](#) [EM9169](#) [32004](#) [32002](#) [W-98979](#) [W-98980](#) [W-98983](#) [W-98987](#) [W-99183](#) [AM TO TYPE-C-0.3M](#) [HC-3C1.5MM-Z-P](#) [HC-CE1.2MM-W-K](#) [AK-RD-07A](#) [LPS275](#) [18049236](#) [LA0055](#) [HC-3C1.5MM-W-P](#) [NUFPWC-03PMMS-LC500](#) [NUF-MSAP-08BMMM-RJ](#) [BEST 053](#) [W-99469](#) [W2243](#) [W-99945](#) [W-99764](#) [W-98642](#) [W-98643](#) [W-99440](#) [W-97783](#) [W-99175](#) [W-97760](#) [W-99243](#) [M02411](#) [W-98692](#)