



Service cord
Model: **AK-SC-32**



Product type	Service cord
Connector resistance	550 Ω
Output connector	4.0 x 1.35 mm
Cable length	1.2 m
Ferrite filter	Yes
Material	PVC
Product color	Black
Package	UniBag
Product size (L x W x H)	130 x 90 x 25 mm
Package size (L x W x H)	230 x 130 x 26 mm
Net weight	45.5 g
Gross weight	59 g
RoHS compatibility	Yes
REACH compatibility	Yes
EAN code	5901720136305
Warranty	24 months



Description

The **Akyga® AK-SC-32 cable** is a service item for laptop power supplies. It has specially prepared for soldering **cables without a termination**. This makes the cable installation much simpler and thus faster. In addition, the product is characterised by high durability of materials, which ensures its long life. Its length is 1.2 m and is comparable to the length of the original cables in power supplies. In addition, the applied ferrite filter effectively eliminates interference caused by the flow of current, which positively influences the work of the notebook. All this makes it an ideal replacement for an already faulty power cord with **a 4.0 x 1.35 mm plug**.

Akyga® offer includes many cables of various parameters. Make sure that the dimensions and shape of the plug are compatible with your device.

The product is packed in standardized UniBag packaging.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [DC Power Cords](#) category:

Click to view products by [Akyga](#) manufacturer:

Other Similar products are found below :

[2R6006A20A120](#) [172-4000](#) [172-4101](#) [172-7443-E](#) [21033836407](#) [2J-1865A](#) [426055400-3](#) [MN47A4BC01M010](#) [H-OU-2](#) [420680840-3](#)
[426451500-3](#) [P162PT4-36](#) [1-832692-4](#) [FJ-VSP 3M](#) [96CB-POWER-B-1.8M2](#) [426040200](#) [H-OU-27](#) [1700019464](#) [FJ-VSP 10M](#)
[MN47B4BC01M040](#) [H-OU-20](#) [2-836917-8](#) [867566-1](#) [804001P03M050G](#) [2031KK2-BK](#) [2050KH1-BK](#) [58257-1069](#) [216603-0037](#) [1011147](#)
[1011324](#) [1012028](#) [BXC-10567](#) [172-2555](#) [32102-022800-200-RS](#) [P29000-M2](#) [P29004-M2](#) [H-IN-10](#) [DC.CAB.0201.0150](#)
[DC.CAB.0301.0150](#) [DC.CAB.0610.0150](#) [DC.CAB.0700.0150](#) [DC.CAB.1000.0150](#) [DC.CAB.1000.0300](#) [DC.CAB.1100.0150](#)
[DC.CAB.1400.0150](#) [DC.CAB.1410.0150](#) [DC.CAB.1500.0150](#) [DC.CAB.1811.0150](#) [DC.CAB.1900.0150](#) [DC.CAB.1911.0150](#)