



Service cord
Model: **AK-SC-35**



Product code	AK-SC-35
Product type	Service cord
Output connector	5.5 x 2.1 mm
Ground wire	None
Cable length	1.2 m
Material	PVC
Product color	Black
Package	UniBag
Product size (L x W x H)	130 x 20 x 20 mm
Package size (L x W x H)	140 x 190 x 20 mm
Net weight	50 g
Gross weight	53 g
CE compatibility	Yes
RoHS compatibility	Yes
EAN code	5901720136916
Warranty	24 months



Description

Akyga® AK-SC-35 service cable is a rescue for damaged wires in the power supply. The long **1.2 m cable** is terminated with a **5.5x2.1 mm connector**. It will allow for convenient connection of various types of power and lighting equipment. Its undoubted advantage is specially prepared for soldering **wires without termination**, which will not only facilitate, but also significantly improve the installation of the cable in the device. In addition, the product is characterised by a solid performance and high quality of used components. This translates into its high durability and resistance to a current load of **4.74 A**. Therefore, it is also an ideal solution for replacing heating cables in various types of power supplies, not only for a router, switch, LCD monitor, but also for LED strips consuming up to **90 W of power**.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [DC Power Cords](#) category:

Click to view products by [Akyga](#) manufacturer:

Other Similar products are found below :

[2R6006A20A120](#) [172-4000](#) [172-4101](#) [2J-1865A](#) [2R7006A20A120](#) [426055400-3](#) [420680840-3](#) [96CB-POWER-B-1.8M2](#) [H-OU-27](#)
[2052KH2-BK](#) [804001P03M050G](#) [2031KK2-BK](#) [2050KH1-BK](#) [216603-0037](#) [1011324](#) [1012028](#) [862545-5](#) [BXC-10567](#) [172-2555](#) [32102-](#)
[022800-200-RS](#) [P29000-M2](#) [P29004-M2](#) [H-IN-10](#) [DC.CAB.0201.0150](#) [DC.CAB.0301.0150](#) [DC.CAB.0610.0150](#) [DC.CAB.1000.0150](#)
[DC.CAB.1000.0300](#) [DC.CAB.1400.0150](#) [DC.CAB.1410.0150](#) [DC.CAB.1500.0150](#) [DC.CAB.1811.0150](#) [DC.CAB.1900.0150](#)
[DC.CAB.1911.0150](#) [DC.CAB.2110.0150](#) [DC.CAB.2200.0020](#) [DC.CAB.2200.0300](#) [DC.CAB.2201.0020](#) [DC.CAB.2201.0300](#)
[DC.CAB.2400.0020](#) [DC.CAB.2600.0020](#) [DC.CAB.2610.0150](#) [DC.CAB.2701.0300](#) [DC.CAB.3011.0150](#) [DC.CAB.3111.0150](#)
[DC.EXT.0200.0300](#) [DC.EXT.0200.0500](#) [DC.EXT.1200.0300](#) [DC.INV.0200.0050](#) [DC.INV.0200.0100](#)