



## USB Cable

Model: **AK-USB-45**



Product code	AK-USB-45
Product type	USB Cable
Signal frequency	8K@60HZ, 4K@120Hz
Maximum power	240 W (48 V / 5 A)
Cable length	1.0 m
The cable plug #1	USB Male connector type C
The cable plug #2	USB Male connector type C
Data transmission	40 Gb/s
Version	USB4
Plated plugs	Yes - nickel plated
Material	Copper
Product color	Grey
Package	UniBag
Product size (L x W x H)	120 x 100 x 20 mm
Package size (L x W x H)	175 x 130 x 21 mm
Net weight	51 g
Gross weight	54 g
RoHS compatibility	Yes
REACH compatibility	Yes
EAN code	5901720137968
Warranty	24 months
E-Mark	Yes



# Description

The **Akyga® AK-USB-45 USB-C cable** is designed for maximum performance and data transfer speed. It is a **USB4** standard cable, which offers significantly more possibilities than previous USB solutions. One of its biggest advantages is the **high data transfer rate** of up to **40 Gbps**. Thanks to this, even very large files can be transferred in a short time with the help of the cable. In addition, the AK-USB-45 cable supports processing frequencies of **4K@120Hz** and **8K@60Hz**, which makes the transmitted image extremely smooth and clear.

The AK-USB-45 USB-C cable not only ensures the high quality of the transmitted signal, but also enables **fast charging** of any device with a USB-C connector. To this end, it is equipped with the **E-Mark chip**, which is responsible for monitoring and controlling the flow of energy and data. Thanks to this, the cable is able to deliver as much as **240 watts of power**, making it possible to charge even the most demanding devices, such as gaming laptops. What's more, the cable is highly durable and resistant to mechanical damage. Its **flexible braid** makes it ideal for use in adverse conditions.

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Audio Cables](#) / [Video Cables](#) / [RCA Cables](#) category:*

*Click to view products by [Akyga](#) manufacturer:*

Other Similar products are found below :

[1-3737-600-3216](#) [LF3BLX](#) [30-513](#) [28-511-0](#) [RCA05RCAB](#) [427493000-3](#) [49152A-010-S2](#) [32-3766](#) [32HR07284X](#) [CAB-LFH-V16A16S0](#)  
[DB25M02XLRMXLRFY](#) [426052000-3](#) [LF1BKX](#) [TT746](#) [CA-MINIDP-DVIM-6FT](#) [CA-MINIDP-DVIM-3FT](#) [CA-MINIDP-DVIM-10FT](#)  
[CA-MINIDP-VGAF-3FT](#) [CA-MINIDP-HDMIF-6FT](#) [MDC8P53](#) [LF10GNX](#) [427492100-3](#) [LF4BLX](#) [cab-DP to HDMI Passive](#) [VGA CABLE](#)  
[DISPLAYPORT TO VGA CABLE](#) [TT3GNX](#) [1700021831-01](#) [Audio Cable](#) [427491690-3](#) [427528000-3](#) [TT2PX](#) [SPEAKER CABLE](#)  
[L=300mm](#) [Speaker cable](#) [594E3412000E](#) [32007-005500-200-RS](#) [BCLBH](#) [BANHF](#) [BAPHG](#) [COQBI](#) [COQBG](#) [COEHG](#) [COJBI](#) [DAEBK](#)  
[51771](#) [39448](#) [VAB-S04-L](#) [VAS-A13-B200](#) [VAS-A13-B300](#) [KABADA USBC/JACK OEM-C11](#)