




## MEMS Pressure Sensor HSPPA (Water-proof Type) Series

Size	φ4、2.24mmt	
Features	Water-proof pressure sensor with temperature-compensated digital output	
Interface	I2C	
Output	Pressure/temperature: 16-bit	
Operating temperature range	-10°C to +60°C	
Pressure measurement range	300 to 1100hPa	
Supply voltage	1.7 to 3.6V	
Pressure accuracy	±2hPa	
Noise	2Pa (RMS)	
Current consumption	9.5μA (1Hz Sampling)	
Output type	I2C	
Measured pressure type	Absolute pressure	
Minimum order unit (pcs.)	Japan	3,000
	Export	3,000

### Dimensions



## Packing Specifications

### Tray

Number of packages (pcs.)	1 case / Japan	6,000
---------------------------	----------------	-------

	1 case / export packing	6,000
--	-------------------------	-------

Export package measurements (mm)	210×210×230
----------------------------------	-------------

### Notes are common to this series/models.

1. This site catalog shows only outline specifications. When using the products, please obtain formal specifications for supply.
2. Place your purchase order in N minimum package units (N: integer).

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Board Mount Pressure Sensors](#) category:*

*Click to view products by [ALPS](#) manufacturer:*

Other Similar products are found below :

[6407-249V-17343P](#) [6407-250V-09273P](#) [80527-25.0H2-05](#) [80541-B00000150-01](#) [80541-B00000200-05](#) [80554-00700100-05](#) [80568-00300050-01](#) [93.631.4253.0](#) [93.731.4353.0](#) [93.932.4553.0](#) [136PC15A1](#) [142PC95AW71](#) [142PC05DW70](#) [MPXV2202DPT1](#) [15PSI-G-4V](#) [1805-01A-L0N-B](#) [26PCBKT](#) [26PCCFA6D26](#) [26PCCFS2G](#) [26PCCVA6D](#) [93.632.7353.0](#) [93.731.3653.0](#) [93.931.4853.0](#) [93.932.4853.0](#) [SCDA120-XSC05DC](#) [SDP510-500PA](#) [185PC30DH](#) [20INCH-G-MV-MINI](#) [26PCAFJ3G](#) [26PCCEP5G24](#) [26PCCFJ3G](#) [26PCDFA3G](#) [26PCJEU5G19](#) [30INCH-D1-MV-MINI](#) [ASCX15AN-90](#) [4426-015G](#) [4525-DS5A030DP](#) [TSCSAAN001PDUCV](#) [DCAL401DN](#) [DCAL401GN](#) [4515-DS5A020DP](#) [XZ202798SSC](#) [XZ203676HSC](#) [6407-249V-09343P](#) [6407-249V-17273P](#) [6407-250V-17343P](#) [81717-00000050-05](#) [81794-B00001200-01](#) [HSCDLNN100PGAA5](#) [82681-B00000100-01](#)