

TK 97 – Polystyrene and Polycarbonate – 94 x 65 mm (3.70 x 2.56 in.)

Standard Features

- **Protection Level:** IP66 (NEMA Type: 4X with gray cover, 12K with transparent cover)
- **Technical:** Smooth or Knockout Sidewalls
Gray or Tinted Transparent Cover
Multiple Enclosure Mounting Options
- **UL Recognized**
Enclosure Materials: Polystyrene or Polycarbonate
Gasket Material: Polyurethane
Color: Light Gray
Material
Temperature Range: Polystyrene
-40°C to 70°C (-40°F to 158°F)
Polycarbonate
-40°C to 120°C (-40°F to 248°F)
- **Accessories:** See section below



Smooth Sidewalls

| Ordering Information | Height mm (in) | Polystyrene | | | | Polycarbonate | | | |
|--------------------------|-----------------|-------------|------------|-------------|----------|---------------|------------|-------------|----------|
| | | Cat. No. | Type | Cover Color | Std. Pk. | Cat. No. | Type | Cover Color | Std. Pk. |
| ☐ Enclosure - low cover | 57 mm (2.24 in) | 110-402 | PS 97-6-o | gray | 5 | 120-402 | PC 97-6-o | gray | 5 |
| ☐ Enclosure - high cover | 81 mm (3.19 in) | 110-902 | PS 97-8-o | gray | 5 | 120-902 | PC 97-8-o | gray | 5 |
| ☐ Enclosure - low cover | 57 mm (2.24 in) | 111-002 | PS 97-6-to | trans. | 5 | 130-002 | PC 97-6-to | trans. | 5 |
| ☐ Enclosure - high cover | 81 mm (3.19 in) | 111-502 | PS 97-8-to | trans. | 5 | 130-502 | PC 97-8-to | trans. | 5 |

Sidewalls with Metric Knockouts

| Ordering Information | Height mm (in) | Polystyrene | | | | Polycarbonate | | | |
|--------------------------|-----------------|-------------|------------|-------------|----------|---------------|------------|-------------|----------|
| | | Cat. No. | Type | Cover Color | Std. Pk. | Cat. No. | Type | Cover Color | Std. Pk. |
| ☐ Enclosure - low cover | 57 mm (2.24 in) | 105-402 | PS 97-6-m | gray | 5 | 127-402 | PC 97-6-m | gray | 5 |
| ☐ Enclosure - high cover | 81 mm (3.19 in) | 105-902 | PS 97-8-m | gray | 5 | 127-902 | PC 97-8-m | gray | 5 |
| ☐ Enclosure - low cover | 57 mm (2.24 in) | 106-002 | PS 97-6-tm | trans. | 5 | 137-002 | PC 97-6-tm | trans. | 5 |
| ☐ Enclosure - high cover | 81 mm (3.19 in) | 106-502 | PS 97-8-tm | trans. | 5 | 137-502 | PC 97-8-tm | trans. | 5 |

Accessories

| Ordering Information | Cat. No. | Type | Std. Pk. |
|--------------------------|----------|----------|----------|
| Mounting Plate (plastic) | 195-002 | TKMPI-97 | 1 |
| Mounting Plate (steel) | 197-002 | TKMPS-97 | 1 |
| DIN Rail TS15-80mm | 197-080 | TS 15/80 | 1 |
| Hinge Kit Set | 190-002 | HK1 | 1 |
| Mounting Tab Kit | 194-001 | MT1 | 1 |

Please refer to pages 149-152 for additional accessories and detailed information.

Dimensions



Knockout Positions

Side A



Side B



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Electrical Enclosures](#) category:

Click to view products by [Altech](#) manufacturer:

Other Similar products are found below :

[120-401](#) [120-905](#) [120-909](#) [120-403](#) [130-004](#) [MR-25L+](#) [30-8739](#) [PIP-11774SCREW](#) [30-9715](#) [30-9777-BU](#) [105-905](#) [110-901](#) [A16N12BLP](#)
[110-406](#) [110-401](#) [110-403](#) [110-404](#) [120-405](#) [34861601](#) [106-009](#) [106-505](#) [111-005](#) [127-909](#) [106-502](#) [130-503](#) [127-401](#) [127-455](#) [9511150](#)
[9820011](#) [137-455](#) [130-001](#) [105-904](#) [120-404](#) [137-005](#) [130-505](#) [127-406](#) [AB 1,5.0](#) [AB2.0](#) [ABM.0](#) [73345601](#) [F-MP](#) [M-MP](#) [PAT 12040](#)
[9121230](#) [79541301](#) [19001001](#) [19001101](#) [TM 1224](#) [79503401](#) [79506401](#)