30mm Non-Illuminated Metal Operators



Certified for NEMA Type 4X 12 environment.

Mushroom with Key



All keys are "keyed alike". Different keys are available on request. Other colors are available on request.

Function	Cat No.			
, Key to Release				
Maintained	AMLKB2			
Maintained	AMLKB4			
Key to Lock, Key to Release				
Maintained	AMKB2			
Maintained	AMKB4			
	A Key to Release Maintained Maintained Key to Release Maintained			

Mushroom with Indicating Arrows (Press to lock, turn to release.)



Other colors are available on request.



Color	Function	Cat No.		
Press to Lock, Turn to Release				
Black	Maintained	AML2		
Red	Maintained	AML4		

Color	Function	Cat No.
□ White	Momentary	AM1
Black	Momentary	AM2
Green	Momentary	AM3
Red	Momentary	AM4
Blue	Momentary	AM6
Yellow	Momentary	AM8




30mm Non-Illuminated Metal Operators


Dimensional Drawings

All dimensions shown in millimeters. To convert to inches multiply by 0.03937


Mushroom with Indicating Arrows

Mushroom with Key





Mushroom Momentary



Contact Elements


Description	Cat. No.
1 Normally Open + 1 Normally Closed Silver Contacts	S11
2 Normally Open + 2 Normally Closed Silver Contacts	S11 + S12
For additional contacta, and diagram at righ	+

For additional contacts, see diagram at right.


Contact Installation Screws		
Туре	Dimensions	Used with
SC25	M4 x 25 mm	S11
SC45	M4 x 45 mm	S11 + S12
SC65	M4 x 65 mm	2x S11 + S12
SC90	M4 x 90 mm	2x S11 + 2x S12

* When using more than two contact blocks, additonal screws must be purchased separately (SC65 and SC90).





Exploded Assembly View



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Switch Actuators category:

Click to view products by Altech manufacturer:

Other Similar products are found below :

 LW1B-A0L
 LW1B-M0
 680-4000-00
 704.012.618
 704.411.018I
 704.412.0
 704.633.1
 704.730.1
 704.733.0
 84-1221.7
 862.8102
 G6083

 9PA24
 A0107X
 A019307
 ADC-418G
 12MA7
 ASDHHY-B
 HW1F-3G
 HW1M-L2222
 HW4S-31L
 200-.704-00
 JS-10008
 JS-10083
 JS

 10118
 JS-10133
 JS-10277
 JS-10389
 JS-552
 JS-555
 JS-68
 JS-91
 JS-94
 22-211.011
 9001KXSDC
 92-458.500
 SAPT654133

 2PA3
 SW53AA2
 302561
 LW2L-A0
 3E-10.4
 3E-12.0
 468-10243-001
 51-030.005
 JM-13
 JS-10120
 JS-138-B