



NOTES:

1. MATERIALS AND FINISHES  
 AMC R/A PLUG - PHOSPHOR BRONZE, GOLD PLATING  
 CABLE - 1.13 mm CABLE
2. ELECTRICAL  
 A. IMPEDANCE: 50 OHM
3. ENVIRONMENTAL  
 A. TEMPERATURE RANGE: -40°C TO +90°C
4. PACKAGING  
 A. QUANTITY : SINGLE PACK  
 B. MARKING : BAG TO BE MARKED  
 "AMPHENOL RF, 95-666-50056-X AND DATE CODE"

THIRD ANGLE PROJ.

REVISIONS

REV	DESCRIPTION	DATE	ECO	APPR
A	RELEASE TO MFG	26-Oct-16	2245	NR



95-666-50056-5	356.00±2.00 [14.016±0.079]	0.89±0.30 [0.035±0.012]	1.40±0.30 [0.055±0.012]	2.29±0.30 [0.090±0.012]
PART NUMBER	DIM 'A' MM [INCH]	DIM 'B' MM (INCH)	DIM 'C' MM [INCH]	DIM 'D' MM [INCH]

DESIGN REQUIREMENTS:

- |  |  |
|--|--|
| <input checked="" type="checkbox"/> FREQUENCY: DC TO 6 GHz | <input checked="" type="checkbox"/> CONTINUITY |
| <input type="checkbox"/> VSWR: _____ MAX                   | <input type="checkbox"/> HI-POT : _____ VRMS   |
| <input type="checkbox"/> INS. LOSS: _____ MAX              | <input type="checkbox"/> OTHER                 |

**CUSTOMER OUTLINE DRAWING**

ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN METRIC AND TOLERANCES ARE:  
 <0.5mm ±0.05mm    0.5 - 6mm ±0.1mm    6 - 30mm ±0.2mm    30 - 120mm ±0.3mm    ANGLES ±1°

NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. the furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights to permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.

MATERIAL SEE NOTES	DRAWN RAJAGOPAL N	DATE 18-Feb-16	TITLE AMC R/A PLUG PIGTAIL ASSEMBLY USING 1.13 mm CABLE 356.00 mm LENGTH	Amphenol RF www.amphenolrf.com
REFERENCE EAR # 7116	ENGINEER RAJAGOPAL N	DATE 18-Feb-16	SCALE: 7.7:1.0 SHEET 2 OF 2	
CONFIGURATION LEVEL: In Work	APPROVED K.CAPOZZI	DATE 26-Oct-16	DWG SIZE B	DRAWING NO.95-666-50056-X
FINISH	CAD FILE	REV A		ITEM NO.95-666-50056-X PART NO.95-666-50056-X

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [RF Cable Assemblies](#) category:*

*Click to view products by [Amphenol](#) manufacturer:*

Other Similar products are found below :

[73-6352-10](#) [73-6353-3](#) [73-6364-6](#) [R285001001](#) [R288940004](#) [R288940005](#) [145111-05-12.00](#) [1661-C-24](#) [1801171170914KE](#) [24P104C24J1-012](#) [24P104C24P1-006](#) [24P104C24P1-018](#) [24P204C24J1-003](#) [172-2150-EX](#) [1800920920914PJ](#) [FCB-3030-ALT](#) [21117-046](#) [21117-050](#) [PCX-24-50](#) [24P103C24P2-003](#) [25P203C25P2-003](#) [PTWY-24-78](#) [R284008001](#) [R285001021](#) [R285426000](#) [R288940003](#) [R288940008](#) [RF179-74BJ3-77RP1-0305](#) [4814-BB-24](#) [5260-72](#) [JT2N1-CL1-1F](#) [DLP-COAX1](#) [4814-K-48](#) [115101-09-06.00](#) [CCNTN2-MM-LL335-26](#) [73-6351-25](#) [73-6352-3](#) [73-6353-25](#) [1800920920610PJ](#) [GD0BQ0BQ024.0](#) [1-3636-600-5210](#) [TL8A-11SMA-11SMA-01500-51](#) [R284C0351060](#) [R288940009](#) [R284C0351028](#) [R288940002](#) [9702-1SL-1](#) [PT82NSMA](#) [73-6353-10](#) [R285020301W](#)