

NOTES:

1. MATERIALS AND FINISHES:

BNC CRIMP PLUG - 112951-11  
 CABLE - BELDEN 1505A

3. PACKAGING:

A. QUANTITY: SINGLE PACK  
 B. MARKING: BAG TO BE MARKED  
 "AMPHENOL RF, 95-850-165XXXX AND DATE CODE".


2. ELECTRICAL:

A. IMPEDANCE: 75 OHM

THIRD ANGLE PROJ.

REVISIONS

REV	DESCRIPTION	DATE	ECO	APPR
A	RELEASE TO MFG.	5/12/15	50347	NR/BCG




BNC CRIMP PLUG  
 TYP(2)

BELDEN 1505A CABLE

HEAT SHRINK TUBE  
 TYP(2)

LENGTH TABLE		
PART NUMBER (IMPERIAL)	PART NUMBER (METRIC)	LENGTH "L" IN INCHES [METERS]
95-850-165-006	-	6.00 [0.152]
	95-850-165M025	9.84 [0.250]
95-850-165-012	-	12.00 [0.305]
95-850-165-018	-	18.00 [0.457]
-	95-850-165M050	19.69 [0.500]
95-850-165-024	-	24.00 [0.610]
-	95-850-165M075	29.53 [0.750]
95-850-165-036	-	36.00 [0.914]
-	95-850-165M100	39.37 [1.000]
95-850-165-048	-	48.00 [1.219]
-	95-850-165M125	49.21 [1.250]
-	95-850-165M150	59.06 [1.500]
95-850-165-060	-	60.00 [1.524]
95-850-165-072	-	72.00 [1.829]
-	95-850-165M200	78.74 [2.000]
-	95-850-165M300	118.11 [3.000]
95-850-165-120	-	120.00 [3.048]
95-850-165-180	-	180.00 [4.572]
	95-850-165M500	196.85 [5.000]
95-850-165-300	-	300.00 [7.620]
-	95-850-165M10L	393.70 [10.000]
95-850-165L050	-	600.00 [15.240]
-	95-850-165M20L	787.40 [20.000]
95-850-165L075	-	900.00 [22.860]
-	95-850-165M30L	1181.10 [30.000]
95-850-165L100	-	1200.00 [30.480]



SCALE 0.750

DESIGN REQUIREMENTS:

FREQUENCY: DC TO 4 GHz

CONTINUITY

VSWR ----- MAX

HI-POT : 500 VRMS

INS. LOSS ----- dB MAX

OTHER

**CUSTOMER OUTLINE DRAWING**

ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES AND TOLERANCES ARE:  
 2 PLACE DECIMAL 3 PLACE DECIMAL ANGLES  
 ±.015 (0.381 mm) ±.005 (0.127 mm) ± 1°

NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. the furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights to permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.

MATERIAL	SEE NOTES
REFERENCE	EAR # 6516
CONFIGURATION LEVEL:	In Work
FINISH	

DRAWN	MADHAN G	DATE	10-Dec-14
ENGINEER	MADHAN G	DATE	10-Dec-14
APPROVED	K. CAPOZZI	DATE	5/12/15
CAD FILE			

TITLE	
BNC CRIMP PLUG TO BNC CRIMP PLUG, USING BELDEN 1505A CABLE, VARIOUS LENGTH	
SCALE: 3.0:1.0	SHEET 2 OF 2
DWG SIZE	REV
B	A

Amphenol RF	
www.amphenolrf.com	
DRAWING NO.95-850-165XXXX	
ITEM NO.95-850-165XXXX	
PART NO.95-850-165XXXX	

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [RF Cable Assemblies](#) category:*

*Click to view products by [Amphenol](#) manufacturer:*

Other Similar products are found below :

[73-6352-10](#) [73-6353-3](#) [73-6364-6](#) [R285001001](#) [R288940004](#) [R288940005](#) [145111-05-12.00](#) [1661-C-24](#) [1801171170914KE](#) [24P104C24J1-012](#) [24P104C24P1-006](#) [24P104C24P1-018](#) [24P204C24J1-003](#) [172-2150-EX](#) [1800920920914PJ](#) [FCB-3030-ALT](#) [21117-046](#) [21117-050](#) [PCX-24-50](#) [24P103C24P2-003](#) [25P203C25P2-003](#) [PTWY-24-78](#) [R284008001](#) [R285001021](#) [R285426000](#) [R288940003](#) [R288940008](#) [RF179-74BJ3-77RP1-0305](#) [4814-BB-24](#) [5260-72](#) [JT2N1-CL1-1F](#) [DLP-COAX1](#) [4814-K-48](#) [115101-09-06.00](#) [CCNTN2-MM-LL335-26](#) [73-6351-25](#) [73-6352-3](#) [73-6353-25](#) [1800920920610PJ](#) [GD0BQ0BQ024.0](#) [1-3636-600-5210](#) [TL8A-11SMA-11SMA-01500-51](#) [R284C0351060](#) [R288940009](#) [R284C0351028](#) [R288940002](#) [9702-1SL-1](#) [PT82NSMA](#) [73-6353-10](#) [R285020301W](#)