

# MEZZOSTAK<sup>®</sup> 0.5MM MEZZANINE CONNECTORS

Hermaphroditic, “mates-to-itself” design improves business

## OVERVIEW

Robust 0.5mm fine pitch mezzanine connector suitable for a wide range of high reliability applications and demanding environments.

Innovative hermaphroditic design provides a precise mating interface with extra housing guidance.

Reduced product mix simplifies customer connector qualification, documentation and maintenance.

Two versions offer a choice between supplemental PCB hold-downs and pegs for short overall length.



## FEATURES & BENEFITS

- Hermaphroditic design “mates to itself”
  - Consolidates connector selection and documentation
  - Reduces component engineering costs
- Easy, reliable mating
  - Guidance “scoops” permit easy mating when mis-aligned
  - Polarization prevents mis-mating
  - Dual-point, long wipe contacts
- High un-mating force insures connection security
- High Speeds, including PCIe<sup>®</sup>G2, supported by signal integrity reports and S-parameter models
- 0.5mm high density contact pitch in two rows
  - 7 Stack heights: 4mm to 7mm (0.5mm increments)
  - 6 Sizes: 20 to 90 positions (10 position increments)

## TARGET MARKETS/APPLICATIONS

- Portable and mobile electronic equipment
- Medical and instrumentation
- Point-Of-Sale/ retail equipment
- Hand-held terminals
- Automatic identification and data capture
- Sensors
- Military
- Communications and networking
- Data and mass-storage
- Motor vehicle
- Metering and energy



**MEZZOSTAK® 0.5MM**  
**MEZZANINE CONNECTORS**

## TECHNICAL INFORMATION

### MATERIALS

- Housing: LCP UL94V-0,  
Color: Black
- Contacts: Copper alloy
- Plating: Performance-based with gold
- All materials lead-free RoHS compatible per GS-22-008

### ELECTRICAL PERFORMANCE

- Current rating per contact: 0.50A (de-rated)
- DWV: 500V
- Voltage Rating: 50V
- Contact resistance: 30mΩ max.
- Signal Integrity  
(Differential pairs; 7mm stack height; Connectors with SMT pads and anti-pads/voids underneath)
  - 5+ Gbs capable
  - Impedance: 100Ω +/- 10 @ 50 ps edge
  - Insertion loss: < 1dB to 5+ GHz
  - NEXT and FEXT: < /= 1.0 @ 50 ps edge (10-90%)

### ENVIRONMENTAL

- Operating temperature: -40°C - +125°C
- Processing temperature: 260°C peak for 30 seconds

### MECHANICAL PERFORMANCE

- Durability: 50 mating cycles in environment
- Mating force: 42g max. per contact pair
- Un-mating force: 25g min. per contact pair
- Wipe length: 1.0mm min.
- SMT lead co-planarity: 0.08mm max.

### SPECIFICATIONS

- Product specification: GS-12-577  
Packaging specification: GS-14-1320
- Drawing numbers:  
10106813 (Standard); 10106814 (Short length)
- UL and CSA


### PACKAGING

- Tape and reel, pickup cap pre-installed

#### Disclaimer

**MEZZOSTAK™ 0.5MM  
MEZZANINE CONNECTORS**

**BASE PART NUMBER**



mm/inch	10106813 Standard Length			10106814 Short Length	
	Number Of Positions	Dim. J	Dim. A	Dim. B	Dim. A
20	9.74 / .383	9.20 / .362	4.50 / .177	7.50 / .295	4.50 / .177
30	12.24 / .482	11.70 / .461	7.00 / .276	10.00 / .394	7.00 / .276
40	14.74 / .580	14.20 / .559	9.50 / .374	12.50 / .492	9.50 / .374
50	17.24 / .679	16.70 / .657	12.00 / .472	15.00 / .591	12.00 / .472
60	19.74 / .777	19.20 / .756	14.50 / .571	17.50 / .689	14.50 / .571
70	22.24 / .876	21.70 / .854	17.00 / .669	20.00 / .787	17.00 / .669
80	N.A	N.A	N.A	22.50 / .885	19.50 / .767
90	N.A	N.A	N.A	25.00 / .984	22.00 / .866

 **MEZZOSTAK™ 0.5MM**  
**MEZZANINE CONNECTORS**



## PART NUMBERS

Number Of Positions	Product Height	With Hold Down	With Pegs	Part References
20	2.0mm	Y	Y	10106813-021112LF
20	3.0mm	Y	Y	10106813-023112LF
20	3.5mm	Y	Y	10106813-024112LF
30	2.0mm	Y	Y	10106813-031112LF
30	3.0mm	Y	Y	10106813-033112LF
30	3.5mm	Y	Y	10106813-034112LF
40	2.0mm	Y	Y	10106813-041112LF
40	3.0mm	Y	Y	10106813-043112LF
40	3.5mm	Y	Y	10106813-044112LF
50	2.0mm	Y	Y	10106813-051112LF
50	3.0mm	Y	Y	10106813-053112LF
50	3.5mm	Y	Y	10106813-054112LF
60	2.0mm	Y	Y	10106813-061112LF
60	3.0mm	Y	Y	10106813-063112LF
60	3.5mm	Y	Y	10106813-064112LF
70	2.0mm	Y	Y	10106813-071112LF
70	3.0mm	Y	Y	10106813-073112LF
70	3.5mm	Y	Y	10106813-074112LF
70	2.0mm	Y	Y	10106813-171112LF
70	3.0mm	Y	Y	10106813-173112LF
70	3.5mm	Y	Y	10106813-174112LF

**MEZZOSTAK™ 0.5MM**  
**MEZZANINE CONNECTORS**

**PART NUMBERS**

Number Of Positions	Product Height	With Hold Down	With Pegs	Part References
20	2.0mm	N	N	10106814-021002LF
20	3.0mm	N	N	10106814-023002LF
20	3.5mm	N	N	10106814-024002LF
30	2.0mm	N	N	10106814-031002LF
30	3.0mm	N	N	10106814-033002LF
30	3.5mm	N	N	10106814-034002LF
40	2.0mm	N	N	10106814-041002LF
40	3.0mm	N	N	10106814-043002LF
40	3.5mm	N	N	10106814-044002LF
50	2.0mm	N	N	10106814-051002LF
50	3.0mm	N	N	10106814-053002LF
50	3.5mm	N	N	10106814-054002LF
60	2.0mm	N	N	10106814-061002LF
60	3.0mm	N	N	10106814-063002LF
60	3.5mm	N	N	10106814-064002LF
70	2.0mm	N	N	10106814-071002LF
70	3.0mm	N	N	10106814-073002LF
70	3.5mm	N	N	10106814-074002LF
80	3.0mm	N	N	10106814-083002LF
80	3.0mm	N	Y	10106814-083202LF
90	3.0mm	N	N	10106814-093002LF
90	3.0mm	N	Y	10106814-093202LF

**Disclaimer**

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Board to Board & Mezzanine Connectors](#) category:*

*Click to view products by [Amphenol](#) manufacturer:*

Other Similar products are found below :

[589158040000018](#) [MDF7C-18P-2.54DSA\(55\)](#) [FCN-230C068-11](#) [FCN-268F012-G/BD](#) [FCN-268F036-G/BD](#) [FCN-268M012-G/0D](#) [FCN-268M024-G/1D](#) [FCN-723J004/1](#) [MIS-048-01-F-D-DP-K](#) [832-10-034-10-001000](#) [FX4C-80S-1.27DSA](#) [FCN-214Q030-G/0](#) [FCN-234P048-G/0](#) [FCN-235D050-G/C](#) [210-93-314-41-105000](#) [2-22603-0](#) [MDF7-40DP-2.54DSA\(55\)](#) [AXG720047](#) [MIT-114-03-F-D-K](#) [55323-1519](#) [DF33-2P-3.3DSA\(24\)](#) [YFT-20-05-H-03-SB-K](#) [503308-3040](#) [026-6203-PDB](#) [027-6203-PDB](#) [069159702701000](#) [10123981-102LF](#) [101A10019X](#) [55650-0588-C](#) [68682-310LF](#) [68684-306](#) [75140-7012](#) [87471-650](#) [YTW-30-07-H-Q-410-140](#) [FCN-268F024-G0D](#) [10124054-515LF](#) [68685-603](#) [8-1616154-3](#) [MIS-019-01-F-D](#) [FCN-268M024-G/3D](#) [FCN-268M036-G/BD](#) [20021832-06016C1LF](#) [KX15-20KLDL-E1000E](#) [AXE810124](#) [FCN-214J100-G/0](#) [FCN-230C068-E/S](#) [AXE812124](#) [AXE816124](#) [AXE720127](#) [354184](#)