

Modular Jack Slimline

1x2 Port, Shielded, 8 Position

HIGHER PORT DENSITY MODULAR JACK

Modular Jack Slimline occupies half the space of a traditional RJ45 ethernet link. The port spacing is on a 7mm centerline.

- Double the density offered over the standard RJ45 ethernet link
- Receptacle’s modular design allows easy and rapid deployment of product extensions
- Lowers total cost of ownership per port



TARGET MARKETS



FEATURES

- Signal pairs are oriented vertically
- Rolled sheet metal surface mating interface
- Footprint matched with similar solutions in the market
- Brush contact design
- Light pipes options available
- Press-fit termination
- Compliant to IEC 62946

BENEFITS

- Achieves higher port density and Cat 5e transmission speed
- Ensures good mating and increases life
- Interchangeable with other makes
- Defined contact point compared to traditional RJ45 modular jack
- Helps to transmit led light source to user interface
- Avoids secondary soldering process
- Suitable for use with existing solutions in the market

TECHNICAL INFORMATION

MATERIAL

- Housing: High Temperature Plastic
- Terminal: Copper Alloy
- Shield: Copper Alloy

MECHANICAL PERFORMANCE

- Port center-on-center spacing at 7mm for Cat 5e cabling
- Overall Height: 13.00mm
- Mating/Unmating Force: 20N max.

ELECTRICAL PERFORMANCE

- Current Rating: up to 1A
- Product meets Cat 5e performance for 10/100/1000BASE-T applications
 - Insertion Loss: 0.4 dB max. at 100 MHz
 - Return Loss: 20 dB min. at 100 MHz
 - NEXT Loss: 43 dB min. at 100 MHz
 - FEXT Loss: 35.1 dB min. at 100 MHz

PACKAGING

- Tray

SPECIFICATION

- Amphenol Product Specification: IEC 62946

ENVIRONMENTAL

- Operating Temperature: 0 to +70°C

APPROVALS AND CERTIFICATIONS

- UL pending

TARGET MARKETS/APPLICATIONS



Data center switching applications
High density Ethernet switching/routing products
Server I/O applications
Wiring closet switching products

PART NUMBERS

Description	Part Numbers
1x2 Port, Shielded, 8 Position Modular Jack	10133575 -001LF

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Modular Connectors](#) / [Ethernet Connectors](#) category:

Click to view products by [Amphenol](#) manufacturer:

Other Similar products are found below :

[8949-H88/06BLKA/SN](#) [74441-0010/BKN](#) [MP1010RX-1000](#) [MP44RX-1000](#) [PHJ-4P4C-1-V-4](#) [PHP-6P6C-5](#) [GAX-3-66](#) [GAX-8-62](#) [GDCX-PA-66-50](#) [GDCX-PN-64](#) [GDCX-PN-66](#) [GDCX-PN-66-50](#) [GDLX-A-66](#) [GDLX-N-66](#) [GDLX-S-66](#) [GDLX-S-88K](#) [GDTX-S-88-50](#) [GDX-PA-1010](#) [GLX-N-1010M-BLK](#) [GLX-S-88M-BLK](#) [GMX-N-1010](#) [GMX-S-1010](#) [GMX-S-66](#) [GMX-SMT4-N-88](#) [GPX-2-64](#) [GSGX-N-2-88](#) [GSGX-N-4-88](#) [GSX-NS2-88-3.05-50](#) [PT-108A-8C-UL](#) [PT-J951-8C](#) [PTS-J531-8CS-50UL](#) [1-1775629-2](#) [A-2014-0-4](#) [GWLX-S-88-GR](#) [GWLX-S9-88-YG](#) [DC-1021-8-WH-6](#) [1300530003](#) [1324640-4](#) [RJ11FTVC2G](#) [RJ11FTVC2N](#) [RJFTVX2SA1G](#) [132764-001](#) [1413235](#) [MP88X-1000](#) [MPS88RX-5000](#) [MRJR-5481-0F2](#) [E5288-S000K3-L](#) [E5908-15A242-L](#) [155302-001](#) [AX100653](#)