# BergStak® 0.40mm Self-Alignment Board-to-Board Connector

USCAR-2 COMPLIANT CONNECTORS WITH SELF-ALIGNING FEATURE

The BergStak® 0.40mm self-alignment connectors come with a stack height of 3.50mm and 30 positions extendable up to 10 to 60 positions with 10 positions incremental. It has a unique self-alignment feature that supports blind mating, ensuring a reliable connection. The USCAR-2 compliant connector is also ideal for the automotive market.

- 0.40mm fine pitch design
- Self-alignment feature
- Supports speed performance up to 8Gb/s
- Meets USCAR-2 vibration and shock limits

TARGET MARKETS

FEATURES

- Fine pitch design at 0.40mm
- Self-alignment feature
- 3.50mm stack height and 30 positions extendable up to 10 to 60 positions
- Supports speed performance up to 8Gb/s
- Meets USCAR-2 vibration and shock limits
- RoHS compliant, halogen and lead free

BENEFITS

- Suitable for applications with space constraints
- Supports blind mating
- Support different applications
- Meets PCIe® Gen 3 standards
- Suitable for automotive application
- Meets health, safety and environment requirements

> BergStak® 0.40mm Self-Alignment Board-to-Board Connector

TECHNICAL INFORMATION

MATERIAL

- Housing: High temperature thermoplastic LCP, UL94V-0, black
- Terminal: Copper alloy
- Metal Hold-down: Copper alloy
- Plating: Gold

ELECTRICAL PERFORMANCE

- Current Rating per Contact: 0.3A per contact
- Inslation Resistance: 50MΩ min.
- Voltage Rating: 30V AC

MECHANICAL PERFORMANCE

- Durability: 30 mating cycles

ENVIRONMENTAL

- Operating Temperature Range: –40°C to +125°C
- SO2 Gas: Duration 96 hours
- Mechanical Shock and Vibration: Pass USCAR-2 Class V1

SPECIFICATIONS

- Product Specification: GS-12-1404

PACKAGING

- Tape & Reel

TARGET MARKETS/APPLICATIONS

Car camera

Portable IoT devices
Gaming device

Factory automation camera

Patient monitor

PART NUMBERS

Description	Part Numbers
BergStak® 0.40mm self-alignment header, 30 positions, 3.50mm stack height	10142886-030A2EHLF
BergStak® 0.40mm self-alignment receptacle, 30 positions, 3.50mm stack height	10142890-030A3EHLF

Disclaimer
Please note that the above information is subject to change without notice.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Board to Board & Mezzanine Connectors *category:*

Click to view products by Amphenol *manufacturer:*

Other Similar products are found below :

58915804000018 MDF7C-18P-2.54DSA(55) FCN-230C068-11 FCN-268F012-G/BD FCN-268F036-G/BD FCN-268M012-G/0D FCN-268M024-G/1D FCN-723J004/1 MIS-048-01-F-D-DP-K 832-10-034-10-001000 FX4C-80S-1.27DSA FCN-214Q030-G/0 FCN-234P048-G/0 FCN-235D050-G/C 210-93-314-41-105000 2-22603-0 MDF7-40DP-2.54DSA(55) AXG720047 MIT-114-03-F-D-K 55323-1519 DF33-2P-3.3DSA(24) YFT-20-05-H-03-SB-K 503308-3040 026-6203-PDB 027-6203-PDB 069159702701000 10123981-102LF 101A10019X 55650-0588-C 68682-310LF 68684-306 75140-7012 87471-650 YTW-30-07-H-Q-410-140 FCN-268F024-G0D 10124054-515LF 68685-603 8-1616154-3 MIS-019-01-F-D FCN-268M024-G/3D FCN-268M036-G/BD 20021832-06016C1LF KX15-20KLDL-E1000E AXE810124 FCN-214J100-G/0 FCN-230C068-E/S AXE812124 AXE816124 AXE720127 354184