


| REV. | DATE | DESCRIPTION |
|------|----------|-----------------|
| NC | 08/02/05 | INITIAL RELEASE |



| QTY | FINISH | MATERIAL | DESCRIPTION |
|-----|---------|----------|-------------|
| 1 | GOLD | BRASS | CONTACT PIN |
| 1 | NATURAL | DELURIN | INSULATOR |
| 1 | NICKEL | BRASS | BODY |

| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE INCHES AND FOR CUSTOMER REFERENCE ONLY. | UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE INCHES AND FOR CUSTOMER REFERENCE ONLY. |
|---|---|
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE INCHES AND FOR CUSTOMER REFERENCE ONLY. | UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE INCHES AND FOR CUSTOMER REFERENCE ONLY. |
| TOLERANCES FOR MILLIMETERS ARE: | TOLERANCES FOR MILLIMETERS ARE: |
| 0.5 - 8mm ± 0.20mm | 0.5 - 8mm ± 0.20mm |
| 8 - 30mm ± 0.40mm | 8 - 30mm ± 0.40mm |
| 30 - 120mm ± 0.50mm | 30 - 120mm ± 0.50mm |
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE INCHES AND FOR CUSTOMER REFERENCE ONLY. | UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE INCHES AND FOR CUSTOMER REFERENCE ONLY. |
| TOLERANCES FOR INCHES ARE: | TOLERANCES FOR INCHES ARE: |
| .020 - .315 = ± 0.007" | .020 - .315 = ± 0.007" |
| .315 - 1.180 = ± 0.015" | .315 - 1.180 = ± 0.015" |
| 1.180 - 4.724 = ± 0.020" | 1.180 - 4.724 = ± 0.020" |

| APPROVALS | DATE |
|--------------|----------|
| DRAWN G.R.S. | 08/02/05 |
| CHECKED | |
| ISSUED | |
| SHEET 1 OF 1 | |

| PART NO. | DESCRIPTION |
|----------|--------------------------------------|
| 112447 | BNC MALE TO BNC MALE ADAPTER (50ohm) |

| DO NOT SCALE DRAWING | DO NOT SCALE DRAWING |
|----------------------|----------------------|
| DO NOT SCALE DRAWING | DO NOT SCALE DRAWING |

| CAO FILE | DWG. NO. | REV. | SIZE | SCALE |
|-------------------|------------|------|------|-------|
| C:/112/112447.DWG | 112447.DWG | NC | A | NA |

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [RF Adapters - In Series category:](#)

Click to view products by [Amphenol manufacturer:](#)

Other Similar products are found below :

[5916-1103-603](#) [5918-1103-000](#) [5919-1503-000](#) [651A505](#) [82-5552](#) [9030-9523-502](#) [A0407000](#) [R114703000W](#) [R125704000](#) [R125771001](#)
[R141710000W](#) [R141723161](#) [R141730000](#) [R143730700](#) [R143770000](#) [R161703000W](#) [R161730000](#) [R161753000W](#) [R161791530W](#)
[R201705000](#) [R222705200](#) [R222M40010W](#) [R223703180](#) [R316754000](#) [R405006000](#) [R443162000](#) [AD78TL](#) [HRM-513S](#) [1996352-2](#)
[2157155-1](#) [252169-75](#) [AD158](#) [2101130-1](#) [252186](#) [R114704000W](#) [R114720000W](#) [R125705001](#) [R125705701](#) [R125771000](#) [R125771001W](#)
[R125791501W](#) [R127704001](#) [R127.870.001](#) [R127872001](#) [R141717000](#) [R142710000](#) [R142723000](#) [R143703000](#) [R143704000](#) [R143705700](#)