
NOTEC		135101-R1-XX.X	X	
NOTES:		DRAWING NO.		DESCRI
1. MATERIALS AND FINISHES: SMA SEMI RIGID PLUG - P/N: 132101		THIRD ANGLE PROJ.		RELEASE
CABLE - 0.085" CONFORMABLE CABLE			В	SEE SH
2. ELECTRICAL: A. IMPEDANCE: 50 OHM				
3. PACKAGING:				
A. QUANTITY: SINGLE PACK B. BAG TO BE MARKED: AMPHENOL RF, 135101-R1-XX.XX, AND DATE CODE				
	LENGTH AND) TOLERANCE (SEE TABLE)		
SMA SEMI RIGID PLUG -0.085" C	ONFORMABLE CABLE			
		>		
	(
	ORI	DERING INFORMATION		
	PART NUMBER F	PART NUMBER LENGTH AND TOLERA		
	(IMPERIAL)	(METRIC) IN INCHES [METERS]] *	
	135101-R1-03.00 135101-R1-04.00	- <u>3.00 [0.076]</u> - <u>4.00 [0.102]</u>		
	135101-R1-05.00	- 5.00 [0.127]		
	135101-R1-06.00	- 6.00 [0.152]		
	135101-R1-07.00	- 7.00 [0.178]		
TOLERANCE TABLE	135101-R1-08.00	- 8.00 [0.203]		
LENGTH IN INCHES/FT [METERS] TOLERANCE	135101-R1-09.00	- 9.00 [0.229]		
$0^{"} - 23.90^{"} [0 - 0.607] \pm 0.25^{"} [0.006]$		35101-R1-M0.25 9.84 [0.250]		
$\begin{array}{c} \hline & 23.76 & [0 - 0.007] \\ \hline & 24.00'' & -59.00'' & [0.610 - 1.499] \\ \hline & \pm 0.50'' & [0.013] \\ \hline \end{array}$	135101-R1-10.00 135101-R1-11.00	- 10.00 [0.254] - 11.00 [0.279]		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	135101-R1-12.00	- 12.00 [0.305]		
25.0' & UP [7.620 & UP] ±5.0%	135101-R1-18.00	- 18.00 [0.457]		
		35101-R1-M0.50 19.69 [0.500]		
	135101-R1-24.00	- 24.00 [0.610]		
		35101-R1-M0.75 29.53 [0.750]		
	135101-R1-36.00	- <u>36.00 [0.914]</u>		
DESIGN REQUIREMENTS:	- 13 135101-R1-48.00	<u>- 48.00 [1.219]</u>		
X FREQUENCY: DC TO 12.4 GHz X CONTINUITY		- 40.00 [1.212]		
VSWR : 1 MAX X HI-POT : 500 VRMS		HS CAN BE PROVIDED, RF MARKETING FOR QUOTE		
	CUNTACI AMPHENUL M	AL HANNETING FOR GOULE		
INS. LOSS dB MAX				CUSTON
				ALL OT
UNLESS OTHERWISE SPECIFIED, TOLERANCES ARE AS FOLLOWS: MATERIAL 2 PLACE DECIMAL 3 PLACE DECIMAL ANGLES		DRAWN	DATE	TITLE
±.015 (0,381 mm) ±.005 (0,127 mm) ± 1° SEE NOT	ES	MOHAN	06-Mar-14	SMA SEMI RIGID
NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol Corp. (2) must be returned upon request; and (3) are		ENGINEER MOHAN	DATE 06-Mar-14	SMA SEMI RIGID
confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. The furnishing of these drawings, specifications, or		APPROVED	DATE	0.085″ CONFORM
other data by Amphenol Corp., for to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting		B.C. GLEISSNER	23-Mar-14	VARIOUS LENGTH
rights or permitting such holder or any other person to manufacture, use or sell any		CAD FILE		L C
product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.				



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for RF Cable Assemblies category:

Click to view products by Amphenol manufacturer:

Other Similar products are found below :

 73-6352-10
 73-6353-3
 73-6364-6
 R285001001
 R288940004
 R288940005
 145111-05-12.00
 1661-C-24
 1801171170914KE
 24P104C24J1

 012
 24P104C24P1-006
 24P104C24P1-018
 24P204C24J1-003
 172-2150-EX
 1800920920914PJ
 FCB-3030-ALT
 21117-046
 21117-050

 PCX-24-50
 24P103C24P2-003
 25P203C25P2-003
 PTWY-24-78
 R284008001
 R285001021
 R285426000
 R288940003
 R288940008
 RF179

 74BJ3-77RP1-0305
 4814-BB-24
 5260-72
 JT2N1-CL1-1F
 DLP-COAX1
 4814-K-48
 115101-09-06.00
 CCNTN2-MM-LL335-26
 73-6351-25

 73-6352-3
 73-6353-25
 1800920920610PJ
 GD0BQ0BQ024.0
 1-3636-600-5210
 TL8A-11SMA-11SMA-01500-51
 R284C0351060

 R288940009
 R288940002
 9702-1SL-1
 PT82NSMA
 73-6353-10
 R285020301W