



ELECTRICAL

IMPEDANCE: 100Ω ± 5% (DIFFERENTIAL TDR)  
 CAPACITANCE: 42 pF / M NOM  
 PROP DELAY: 4.25 ns / M NOM

SKEW

WITHIN PAIR\*: ≤ 50 ps / 5 M  
 PAIR/PAIR\*: ≤ 200 ps / 5 M

\* TDT METHOD, SHIELD(S) GROUNDED  
 DIFFERENTIAL 50%-50%

ATTENUATION (ESTIMATED NOMINAL):

- 1.21 dB / M @ 1.50 GHz (1.13 dB TYP)
- 1.83 dB / M @ 3.00 GHz (1.70 dB TYP)
- 2.40 dB / M @ 4.50 GHz (2.21 dB TYP)
- 2.95 dB / M @ 6.00 GHz (2.68 dB TYP)
- 3.55 dB / M @ 7.50 GHz (3.20 dB TYP)
- 4.00 dB / M @ 8.50 GHz (3.57 dB TYP)

REVISIONS

REV.	DESCRIPTION	ECN	DATE
5	REMOVE TINT		
A	CHANGE DRAIN DIRECTION	8751	05/15/2018

PHYSICAL

(4) SHIELDED PARALLEL PAIRS  
 26 AWG SOLID SILVER PLATED COPPER  
 Ø 1.12 NOM FOAM POLYOLEFIN, NATURAL  
 PARALLEL PAIR WITH DRAIN: 29 AWG SOLID TINNED COPPER  
 .025 ALUMINIZED POLYESTER, FOIL IN, NUMBERS IN SEQUENCE  
 NUMBERED 1 THRU 2 ON SIDE OPPOSITE DRAIN, WHITE  
 NUMBERED 3 THRU 4 ON SIDE OPPOSITE DRAIN, YELLOW  
 CLEAR POLYESTER, HEAT SEALED

CABLING: PAIRS TWISTED OVER FILLER

BUFFER: POLYOLEFIN TAPE

OVERALL SHIELD {1}: .025 ALUMINIZED POLYESTER, FOIL OUT,  
 20% MIN OVERLAP

OVERALL SHIELD {2}: 36 AWG TINNED COPPER BRAID,  
 85% COVERAGE MIN

JACKET: 0.76 NOM WALL PVC

DIAMETER: Ø 6.94 ± .38

PRINT LEGEND

AMPHENOL SPECTRA-STRIP <-S>\*  
 SKEWCLEAR® 4 PAIR 26 AWG SAS  
 (UL) 75°C CL2 OR ~~AWM~~ AWM STYLE 20276 80°C  
 CSA SWM I/II A 75°C 30V FT4  
 RoHS COMPLIANT <LOT CODE>

\*CHINA PRODUCT ONLY

CONFORMANCE

RoHS COMPLIANT

DRAWN BY GPV 06/25/2002	REVIEWED	APPROVED	DOCUMENT NO. 166-2699-990	<b>AMPHENOL SPECTRA-STRIP®</b> 720 SHERMAN AVENUE TEL (203) 281-3200 HAMDEN CT 06514 FAX (203) 281-5872	Rev A
			TITLE: (4) SHIELDED PAIRS, 26 AWG, 100 OHM		SHEET 1 OF 1

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Multi-Conductor Cables](#) category:*

*Click to view products by [Amphenol](#) manufacturer:*

Other Similar products are found below :

[8916-GRY-100](#) [8917-BLK-100](#) [8917-GRN/YEL-100](#) [8918-GRN/YEL-100](#) [8920-BRN-1000](#) [8920-RED-1000](#) [89907-LT-DEC/GRY-500](#)  
[CR3909-000](#) [CR3927-000](#) [01342.35T.01](#) [01364.35T.01](#) [003201-000](#) [CS2885-000](#) [CS8782-000](#) [CS9912-000](#) [6200UE-NAT-U1000](#) [CTC-](#)  
[0062-20-9/5-9](#) [CTC-0062-22-9/5-9](#) [6304FE-877-U500](#) [6309UE-877-1000](#) [6320UE-NAT-U1000](#) [644833-000](#) [6502FE 8771000](#) [6504UE-877-](#)  
[U1000](#) [CW9530-000](#) [CX6543-000](#) [CXA-0066-20-4-9CS2973](#) [CXA-0078-16-1-9CS2405](#) [CXA-0078-22-4-9CS2405](#) [CXA-0078-24-4-](#)  
[9CS2405](#) [CXA-0140-16-6/9-9CS2405](#) [CY0660-000](#) [706/2R-BLACK-EACH](#) [720451-000](#) [730859-000](#) [MCC-USB-4-250](#) [752687-000](#)  
[768146-000](#) [773159-000](#) [7934A-BLK-1000](#) [8125-CHR-100](#) [8164-CHR-1000](#) [820457-000](#) [8205-CHR-1000](#) [8240-BLK-U1000](#) [82723-NAT-](#)  
[1000](#) [82907-NAT-500](#) [83003-YEL-500](#) [83005-WHT-500](#) [83006-DK-GRN-100](#)