





PART NO.	POS.	DIM X*	DIM Y*	DIM Z*	DIM P*
20021221-XX06XXLF	2 X 3	6.99	4.45	2.54	5.72
20021221-XX08XXLF	2 X 4	8.26	5.72	3.81	6.99
20021221-XX10XXLF	2 X 5	9.53	6.99	5.08	8.26
20021221-XX12XXLF	2 X 6	10.80	8.26	6.35	9.53
20021221-XX14XXLF	2 X 7	12.07	9.53	7.62	10.80
20021221-XX16XXLF	2 X 8	13.34	10.80	8.89	12.07
20021221-XX18XXLF	2 X 9	14.61	12.07	10.16	13.34
20021221-XX20XXLF	2 X 10	15.88	13.34	11.43	14.61
20021221-XX22XXLF	2 X 11	17.15	14.61	12.70	15.88
20021221-XX24XXLF	2 X 12	18.42	15.88	13.97	17.15
20021221-XX26XXLF	2 X 13	19.69	17.15	15.24	18.42
20021221-XX28XXLF	2 X 14	20.96	18.42	16.51	19.69
20021221-XX30XXLF	2 X 15	22.23	19.69	17.78	20.96
20021221-XX32XXLF	2 X 16	23.50	20.96	19.05	22.23
20021221-XX34XXLF	2 X 17	24.77	22.23	20.32	23.50
20021221-XX36XXLF	2 X 18	26.04	23.50	21.59	24.77
20021221-XX38XXLF	2 X 19	27.31	24.77	22.86	26.04
20021221-XX40XXLF	2 X 20	28.58	26.04	24.13	27.31
20021221-XX42XXLF	2 X 21	29.85	27.31	25.40	28.58
20021221-XX44XXLF	2 X 22	31.12	28.58	26.67	29.85
20021221-XX46XXLF	2 X 23	32.39	29.85	27.94	31.12
20021221-XX48XXLF	2 X 24	33.66	29.21	29.21	32.39
20021221-XX50XXLF	2 X 25	34.93	32.39	30.48	33.66
20021221-XX52XXLF	2 X 26	36.20	33.66	31.75	34.93
20021221-XX54XXLF	2 X 27	37.47	34.93	33.02	36.20
20021221-XX56XXLF	2 X 28	38.74	36.20	34.29	37.47
20021221-XX58XXLF	2 X 29	40.01	37.47	35.56	38.74
20021221-XX60XXLF	2 X 30	41.28	38.74	36.83	40.01
20021221-XX62XXLF	2 X 31	42.55	40.01	38.10	41.28
20021221-XX64XXLF	2 X 32	43.82	41.28	39.37	42.55
20021221-XX66XXLF	2 X 33	45.09	42.55	40.64	43.82
20021221-XX68XXLF	2 X 34	46.36	43.82	41.91	45.09
20021221-XX70XXLF	2 X 35	47.63	45.09	43.18	46.36
20021221-XX72XXLF	2 X 36	48.90	46.36	44.45	47.63
20021221-XX74XXLF	2 X 37	50.17	47.63	45.72	48.90
20021221-XX76XXLF	2 X 38	51.44	48.90	46.99	50.17
20021221-XX78XXLF	2 X 39	52.71	50.17	48.26	51.44
20021221-XX80XXLF	2 X 40	53.98	51.44	49.53	52.71
20021221-XX82XXLF	2 X 41	55.25	52.71	50.80	53.98
20021221-XX84XXLF	2 X 42	56.52	53.98	52.07	55.25
20021221-XX86XXLF	2 X 43	57.79	55.25	53.34	56.52
20021221-XX88XXLF	2 X 44	59.06	56.52	54.61	57.79
20021221-XX90XXLF	2 X 45	60.33	57.79	55.88	59.06
20021221-XX92XXLF	2 X 46	61.60	59.06	57.15	60.33
20021221-XX94XXLF	2 X 47	62.87	60.33	58.42	61.60
20021221-XX96XXLF	2 X 48	64.14	61.60	59.69	62.87
20021221-XX98XXLF	2 X 49	65.41	62.87	60.96	64.14
20021221-XXA0XXLF	2 X 50	66.68	64.14	62.23	65.41



- LEAD FREE
- PLATING CODE(OTHER SEE NOTES)
- 1: GOLD FLASH AT CONTACT, 127um MIN. MATTE TIN AT TAIL
- 2: GOLD FLASH AT CONTACT, GOLD FLASH AT TAIL
- 3: 0.25um Au MIN. AT CONTACT, GOLD FLASH AT TAIL
- 4: 0.25um Au MIN. AT CONTACT, GOLD FLASH AT TAIL
- 5: 0.25um Au MIN. AT CONTACT, GOLD FLASH AT TAIL
- 6: 0.38um GXT MIN. AT CONTACT, 127um MIN.MATTE TIN AT TAIL
- 7: 0.38um GXT MIN. AT CONTACT, GOLD FLASH AT TAIL
- 8: 0.76um GXT MIN. AT CONTACT, 127um MIN.MATTE TIN AT TAIL
- 9: 0.76um GXT MIN. AT CONTACT, GOLD FLASH AT TAIL
- PACKING STYLE
- T1 TUBE
- D1 TUBE + CAP
- C1 TAPE & REEL + CAP
- O1 TAPE & REEL W/D CAP
- PIN NO. SEE TABLE
- SELECTED LOADED
- O FULLY LOADED, OTHER SEE SHEET 3 NOTE 2
- MATING LENGTH(DIM P47)
- O 305MM
- POST OPTION
- O WITHOUT POST
- O WITH POST


mat'l. code	ISO 1302	surface tolerance	ISO 406 ISO 1101	projection	product family	MINITEK127®
ISO 1302	ISO 1302	tolerances unless otherwise specified	ISO 406 ISO 1101	projection	SHROUDED HDR VT SMT	MINITEK127®
angle	0.4±.30	inlet	0.004±.10	scale 1:1		
dr	ZK HU	08/07/12	0.4±.2*			
eng	ZK HU	08/07/12				
chr	BIAN RICK	08/07/12				
appd	BIAN RICK	08/07/12				
sheet revision						
index sheet						



© 2016 AF CI

6 5 4 3 2 1 1 2 3 4 5 6

PART NUMBER 20021221-XX214XXLF  
 REMOVE PIN 1 FOR REFERENCE



PART NUMBER	AMOUNT OF PINS	PIN FREE LEAD
20021221-XX108XXLF	7	PIN #3
20021221-XX110XXLF	9	PIN #3
20021221-XX214XXLF	13	PIN #1
20021221-XX206XXLF	5	PIN #1
20021221-XX312XXLF	11	PIN #8
20021221-XX410XXLF	9	PIN #4

mat'l. code	ISO 1302	surface	tolerance	ISO 406 ISO 1101	projection	product family	MINITEK127®
ltr	ecn no	dr	date	tolerances unless otherwise specified	110°	title	
		angles	.0±.30	linear	.00±.20	SHROUDED HDR VT SMT	
			0±.2°		.000±.10		
					scale 1:1		
		dr	ZK HU	08/07/12		dwg no	20021221
		eng	ZK HU	08/07/12		sheet 3 of 3 size	A3
		chr	BIAN RICK	08/07/12		type	Product Customer Drawing
		appd	BIAN RICK	08/07/12			
sheet	revision						
index	sheet						

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Headers & Wire Housings](#) category:*

*Click to view products by [Amphenol](#) manufacturer:*

Other Similar products are found below :

[95000-104TRLF](#) [10135584-644402LF](#) [DF62W-EP2022PCA](#) [95000-106TRLF](#) [DF62W-2022SCA](#) [DF62W-EP2022PC](#) [2203348](#) [DF62W-2022SC](#) [1084018](#) [1029039](#) [1084017](#) [802-10-012-10-002000](#) [1112640](#) [1112639](#) [891-007-9SS-BST1T](#) [000-34000](#) [0008550134](#) [0009482033](#) [0009507031](#) [57102-F02-18ULF](#) [57102-S06-03LF](#) [57202-S52-04LF](#) [PCN6-15S-2.5E](#) [0039019024](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [0009508121](#) [0022285053](#) [0050291907](#) [018731A](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#) [60101931](#) [60598-1 \(Cut Strip\)](#) [M1625-3R/100](#) [61062-3](#) [61082-181009](#) [CSU011177004](#) [636-1427](#) [638009-1](#) [641938-9](#) [641991-4](#) [644168-1](#) [644827-2](#) [647662-1](#) [65039-019ELF](#) [65692-001LF](#) [65781-018](#) [65781-047](#)