










PART NO.  
20021321





Amphenol  
FCI

© 2016 AFCI



mat'l. code		surface ISO 1302 ✓		tolerance ISO 406 ISO 1101		projection		product family	
ltr		ecn no		dr		date		MINITEK127®	
M	ELX-N-24544	TONY	07/21/16	engr	Tony Leng	07/19/16		title	
N		TONY	03/14/17	chr	ZK Hu	07/19/16		RECEPTACLE VT SMT	
				angles		linear		tolerances unless otherwise specified	
				0°±2'		.00±.10		mm	
				dr		Tony Leng 07/19/16		scale 1:1	
				engr		Tony Leng 07/19/16		dwg no	
				chr		ZK Hu 07/19/16		sheet 1 of 4	
				app'd		Tim Yao 07/19/16		size	
								A3	
								type Product Customer Drawing	
sheet index		revision sheet		N 1					



P/N: 20021321-X0108XXLF



P/N:  
20021321-X0214XXLF / 20021321-X0206XXLF




P/N: 20021321-X0312XXLF


TABLE 3

DASH NO.	AMOUNT OF PINS	PIN FILLED
-X0108XXLF	7	PIN #4
-X0214XXLF	13	PIN #2
-X0206XXLF	5	PIN #2
-X0312XXLF	11	PIN #7


mat'l. code		surface	tolerance	projection	product family
ISO 1302 ✓		ISO 406	ISO 1101	MINITEK127®	
ltr	ecn no	dr	date	tolerances unless otherwise specified	title
				angles linear	RECEPTACLE VT SMT
				0°±2'	mm
				.0±.30	scale 1:1
				.00±.20	
				.000±.10	
		dr	Tony Leng	07/19/16	Amphenol FCI
		engr	Tony Leng	07/19/16	dwg no
		chr	ZK Hu	07/19/16	sheet 2 of 4
		appd	Tim Yao	07/19/16	size
					20021321
					A3
					type Product Customer Drawing
sheet index	revision sheet	N	2		




RECOMMENDED PCB LAYOUT - WITHOUT POST  
LAYOUT TOLERANCE= ±0.05mm




WITHOUT POST,  
P/N: 20021321-0XXXXXLF




RECOMMENDED PCB LAYOUT - POST STYLE 1,  
LAYOUT TOLERANCE= ±0.05mm




WITH POST STYLE 1,  
P/N: 20021321-1XXXXXLF




RECOMMENDED PCB LAYOUT - POST STYLE 2,  
LAYOUT TOLERANCE= ±0.05mm



WITH POST STYLE 2,  
P/N: 20021321-2XXXXXLF



RECOMMENDED PCB LAYOUT - POST STYLE 3,  
LAYOUT TOLERANCE= ±0.05mm



WITH POST STYLE 3,  
P/N: 20021321-3XXXXXLF

mat'l. code		surface ISO 1302 ✓		tolerance ISO 406 ISO 1101		projection		product family	
ltr		ecn no		dr		date		MINITEK127®	
M		ELX-N-24544		TONY		07/21/16		title	
				angles		linear		RECEPTACLE VT SMT	
				0°±2'		.00±.20		mm	
						.000±.10		scale 1:1	
				dr		Tony Leng		07/19/16	
				engr		Tony Leng		07/19/16	
				chr		ZK Hu		07/19/16	
				appd		Tim Yao		07/19/16	
sheet index		revision sheet		N		3		dwg no	
								sheet 3 of 4	
								size	
								A3	
								type	
								Product Customer Drawing	

TABLE 1

PRODUCT NO.	POSITIONS	DIM. A	DIM. B
20021321-X0X06XXLF	2 X 3	2.54	4.27
20021321-X0X08XXLF	2 X 4	3.81	5.54
20021321-X0X10XXLF	2 X 5	5.08	6.81
20021321-X0X12XXLF	2 X 6	6.35	8.08
20021321-X0X14XXLF	2 X 7	7.62	9.35
20021321-X0X16XXLF	2 X 8	8.89	10.62
20021321-X0X18XXLF	2 X 9	10.16	11.89
20021321-X0X20XXLF	2 X 10	11.43	13.16
20021321-X0X22XXLF	2 X 11	12.7	14.43
20021321-X0X24XXLF	2 X 12	13.97	15.7
20021321-X0X26XXLF	2 X 13	15.24	16.97
20021321-X0X28XXLF	2 X 14	16.51	18.24
20021321-X0X30XXLF	2 X 15	17.78	19.51
20021321-X0X32XXLF	2 X 16	19.05	20.78
20021321-X0X34XXLF	2 X 17	20.32	22.05
20021321-X0X36XXLF	2 X 18	21.59	23.32
20021321-X0X38XXLF	2 X 19	22.86	24.59
20021321-X0X40XXLF	2 X 20	24.13	25.86
20021321-X0X42XXLF	2 X 21	25.4	27.13
20021321-X0X44XXLF	2 X 22	26.67	28.4
20021321-X0X46XXLF	2 X 23	27.94	29.67
20021321-X0X48XXLF	2 X 24	29.21	30.94
20021321-X0X50XXLF	2 X 25	30.48	32.21
20021321-X0X52XXLF	2 X 26	31.75	33.48
20021321-X0X54XXLF	2 X 27	33.02	34.75
20021321-X0X56XXLF	2 X 28	34.29	36.02
20021321-X0X58XXLF	2 X 29	35.56	37.29
20021321-X0X60XXLF	2 X 30	36.83	38.56
20021321-X0X62XXLF	2 X 31	38.1	39.83
20021321-X0X64XXLF	2 X 32	39.37	41.1
20021321-X0X66XXLF	2 X 33	40.64	42.37
20021321-X0X68XXLF	2 X 34	41.91	43.64


PRODUCT NO.	POSITIONS	DIM. A	DIM. B
20021321-X0X70XXLF	2 X 35	43.18	44.91
20021321-X0X72XXLF	2 X 36	44.45	46.18
20021321-X0X74XXLF	2 X 37	45.72	47.45
20021321-X0X76XXLF	2 X 38	46.99	48.72
20021321-X0X78XXLF	2 X 39	48.26	49.99
20021321-X0X80XXLF	2 X 40	49.53	51.26
20021321-X0X82XXLF	2 X 41	50.8	52.53
20021321-X0X84XXLF	2 X 42	52.07	53.8
20021321-X0X86XXLF	2 X 43	53.34	55.07
20021321-X0X88XXLF	2 X 44	54.61	56.34
20021321-X0X90XXLF	2 X 45	55.88	57.61
20021321-X0X92XXLF	2 X 46	57.15	58.88
20021321-X0X94XXLF	2 X 47	58.42	60.15
20021321-X0X96XXLF	2 X 48	59.69	61.42
20021321-X0X98XXLF	2 X 49	60.96	62.69
20021321-X0XA0XXLF	2 X 50	62.23	63.96

NOTES:

- MATERIAL:  
HOUSING: HIGH TEMPERATURE PLASTIC; UL94-V0; BLACK.  
TERMINAL: PHOSPHOR BRONZE.  
CAP: STAINLESS STEEL.
- FINISH:  
TERMINAL: GOLD OR GXT PLATING AT CONTACT AREA (SEE TABLE);  
GOLD FLASH OR 2.54um/100u' MIN MATTE TIN AT SOLDER TAIL AREA;  
1.27um/50u' MIN NI OVER ALL AS UNDERPLATIN.
- PRODUCT SPEC PER GS-12-629.
- PACKAGE SPEC PER GS-14-1420.
- THE HOUSING WILL WITHSTAND EXPOSURE TO 260~C PEAK TEMPERATURE FOR 10 SECONDS IN A CONVECTION INFRA-RED OR VAPOR PHASE REFLOW OVEN.
- PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
- THE METAL CAP IS OPTION AS CUSTOMER REQUIREMENT.

PART NUMBER DESCRIPTION:

20021321 - X 0 X X X X X L F



Amphenol FCI

© 2016 AFCI

mat'l. code		surface <input checked="" type="checkbox"/> tolerance		projection		product family	
		ISO 1302 <input checked="" type="checkbox"/> ISO 406 ISO		1101		MINITEK127®	
ltr		ecn no		dr		date	
		tolerances unless otherwise specified		mm		title	
		angles linear		.0±.30		RECEPTACLE VT SMT	
		0±2'		.00±.20			
				.000±.10		scale 1:1	
		dr		Tony Leng		07/19/16	
		eng		Tony Leng		07/19/16	
		chr		ZK Hu		07/19/16	
		appd		Tim Yao		07/19/16	
sheet		revision		N			
index		sheet		4			

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Headers & Wire Housings](#) category:*

*Click to view products by [Amphenol](#) manufacturer:*

Other Similar products are found below :

[892-18-020-10-001101](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [009176003701906](#) [0050291907](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#)  
[609-3404](#) [61062-3](#) [622-0430](#) [622-3653LF](#) [63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [641991-4](#) [644827-2](#) [65817-010LF](#)  
[65817-015LF](#) [65863-015LF](#) [66207-023LF](#) [67095-007LF](#) [67601157](#) [68648-049](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#) [70-4853B](#) [707-5020](#) [707-](#)  
[5028](#) [71.350.2428.0](#) [71918-208LF](#) [71961-016LF](#) [733-134](#) [733-162](#) [754199-000](#) [760-3052](#) [787-8014-00](#) [79531-3000](#) [FCN-360C032-B](#) [FCN-](#)  
[367T-T012/H](#) [FCN-723D010/2](#) [80.063.4001.1](#) [800-90-001-10-001000](#) [800-90-010-10-002000](#) [801-43-002-10-013000](#) [801-43-006-10-002000](#)