


REV.	DATE	ECR NO.	DESCRIPTION
NC	08/04/03	XXXXXX	INITIAL RELEASE
A	03/27/05	XXXXXX	UPDATE DRAWING FORMAT
B	01/08/14	2682	CORRECT DIMENSIONAL ERRORS,CORRECT BODY PLATING, UPDATE DRAWING FORMAT



1. IMPEDANCE: 50 OHM
2. FREQUENCY RANGE: DC-6 GHZ
3. VSWR: 1.3 MAX.
4. DIELECTRIC WITHSTANDING VOLTAGE: 1500 VRMS, MIN.
5. DURABILITY: 500 CYCLES MIN.
6. TEMPERATURE RANGE: -65°C TO +165°C

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS. DIMENSIONS IN [ ] ARE IN INCHES AND FOR CUSTOMER REFERENCE ONLY. UNLESS OTHERWISE SPECIFIED					APPROVALS	DATE	<b>Amphenol Connex</b>			
8	SHELL	BRASS	NICKEL	1	DRAWN J.CHENG	01/08/14				
7	GASKET	RUBBER	RED	1			PART NO. <b>242148</b>			
6	RETAINER RING	BRASS	NICKEL	1	CHECKED					
5	SPRING	SK5	NATURAL	1	ISSUED		REV. B	SIZE A	SCALE NA	
4	WASHER	BRASS	NICKEL	1	SHEET 1 OF 1					
3	CONTACT PIN	PHOSPHOR BRONZE	GOLD	1	CAD FILE C:/CONNEX/242148.DWG					
2	INSULATOR	PTFE	NATURAL	1	DO NOT SCALE DRAWING					
1	BODY	BRASS	NICKEL	1						
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS. DIMENSIONS IN [ ] ARE IN INCHES AND FOR CUSTOMER REFERENCE ONLY. UNLESS OTHERWISE SPECIFIED										
TOLERANCES FOR MILLIMETERS ARE:										
<math><0.5 \pm 0.05\text{mm}</math>										
<math>0.5 - 6\text{mm} \pm 0.10\text{mm}</math>										
<math>6 - 30\text{mm} \pm 0.20\text{mm}</math>										
<math>30 - 120\text{mm} \pm 0.30\text{mm}</math>										
ANGLES $\pm 1^\circ$										
UNLESS OTHERWISE SPECIFIED TOLERANCES FOR INCHES ARE:										
<math><.020 \pm 0.002''</math>										
<math>.020 - .236 = \pm 0.004''</math>										
<math>.236 - 1.180 = \pm 0.007''</math>										
<math>1.180 - 4.724 = \pm 0.012''</math>										
ANGLES $\pm 1^\circ$										

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [RF Adapters - Between Series category:](#)*

*Click to view products by [Amphenol manufacturer:](#)*

Other Similar products are found below :

[5945-9503-000](#) [MCX/F-SMA/M](#) [R192417010](#) [ADBJ20-E1-BJ379](#) [ADM2](#) [ADPL75-A1-PL75](#) [242191](#) [9317505](#) [AD130](#) [ADBJ20-E1-PL74](#)  
[ADBJ77-E1-UPL20](#) [ADRMF370](#) [242190](#) [242215](#) [242228](#) [R125680000W](#) [R192430000](#) [UAD95](#) [1057367-1](#) [8311505](#) [R114704000](#)  
[R451034500](#) [R451030500](#) [R451543000](#) [HDVDPN](#) [ADBJ20-K1-PL20](#) [R451570000](#) [R192419000](#) [R451034000](#) [J9](#) [J3WE-5](#) [R451032500](#)  
[242201RP](#) [17K132-K00S5](#) [03K719-S22S3](#) [AD-RSMAF-RTNC](#) [53K156-K00N5](#) [53K160-KIMN1](#) [29S132-K01N5](#) [53S156-K00N5](#) [02S119-](#)  
[S00E3](#) [28K132-K00N5](#) [02S109-K00S3](#) [27-8200TP](#) [242235](#) [ADBJ20-E1-BJ89](#) [ADP-SMAF-MMCXM](#) [000-2900](#) [321-102-003 \(SMA-50/2-](#)  
[H155/W1.03 AU\)](#) [1057377-1](#)