



- Cross reference
- RoHS/LF P/N Search
- Industry Standards
- Alphabetical List
- 3D model search
- Customer drawing search
- Free search
- Search by category
- E-Services
- Distributor list

Start > Search=61729-1010R* > 61729-1010RLF

61729-1010RLF

61729-1010RLF - USB : Type B, Receptacle, Through Hole, 30u GXT Contact, 4 Pins, Full Back Shield with Bright Tin Plating, 1.57 mm PCB, Black HSG, Tape and Reel packing

ACTIVE



[Add to Favorites](#)

[Print Datasheet](#)



[Customer drawing](#)

[Environmental Compliance Report](#)

FCI Brings You More

[Contact our sales/technical support](#)

[Sample request](#)

[Price request](#)

[Specifications](#)
[Download document](#)

[Approvals / Certifications](#)
[Dimensional](#)
[General](#)
[Mounting](#)
[Physical](#)
[Other Features](#)

Approvals / Certifications

USB 2.0 Qualified	Yes
USB 3.0 Qualified	No
Dimensional	
Thickness (Board - recommended)	1.57 mm
Thickness (Panel - max)	2.67 mm

General

Hold Down Style	Standard
Number of contacts	4
Orientation	Right Angle
Pin Orientation	Standard
Product Type	Receptacle
Shell Options	Back Shield
Style	B Type
Sensor Contact Options	w/without Sensor Contact
Series Number	61729
Single or Dual Stack	Single
Mounting	
Mounting flange / Hole options	None
Mounting style	Through Hole
Physical	
Color (Housing)	Black
Material (Housing)	Glass - Fiber Filled Thermoplastic, UL 94V-0
Plating (Contact area)	30u" GXT
Plating (Shell)	Pure Tin / Nickel Under Plating
Plating (Tail)	100u" Pure Tin
Other Features	
Most Popular Configuration	Not Applicable
Packaging (Options)	Tape and Reel

FCI copyrights 2007 - 2012 All rights reserved for all countries - Privacy Policy

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [USB Connectors](#) category:

Click to view products by [Amphenol](#) manufacturer:

Other Similar products are found below :

[65-647-8-BK-BU](#) [950](#) [E8144-B01021-L](#) [A-USB A-LP-SMT-C](#) [A-USB B-TOP-C](#) [MUSBA511N5](#) [MUSBD11135](#) [217450-1](#) [CA 6 W LD](#)
[KMBVX-TH-5S-B30](#) [896-30-004-00-000000](#) [KUSBVX-BS1N-W30](#) [KUSBX-AP-KIT-SCBLK](#) [KUSBX-AS2N-W](#) [KUSBX-SMT2AP1S-W](#)
[KUSBX-SMT2AP1S-W30](#) [935](#) [957](#) [30-498-6](#) [17-210051](#) [1734082-1](#) [30-1574](#) [30-470](#) [30-489](#) [30-541](#) [30-572-3](#) [MAB 8 SN V](#) [A-USB A-](#)
[2P-C](#) [MIKROE-1451](#) [USBFTV2PEM2G](#) [USBFTVC6ZN](#) [KUSBX-AS2N-W30](#) [KUSBX-SLAS1N-W](#) [KUSBX-SMT-AS1N-W30](#) [4689-1](#) [1-](#)
[1734084-2](#) [E8110-001-01](#) [MUSBA81130](#) [33UBARS1-04SW11](#) [33UBAR-04SW11](#) [USBF21ZNSCC](#) [USBBFTV6ZC](#) [10135326-001LF](#)
[M9177/3-1](#) [USB-A-S-F-B-VT](#) [925](#) [4198](#) [690-024-633-031](#) [KUSBEX-BSFS1N-W](#) [USBFTVC6MRG](#)