



PRODUCT NO	SIZE	DIM A	DIM B	DIM C	DIM D	DIM E	DIM J	TERM TYPE	TERM PLATING	STYLE
65692-001	2X5	24.1/.95	18.3/.72	10.16/.400	19.81/.780	17.78/.700	2.67/.105	90	.76 μ /30 μ "Au OVER 1.27/50 μ "Ni	A
-002							3.8/.15	90		
-003							17.15/.675	90		
-004							2.67/.105	90		
-005							3.8/.15	90	3.81 μ /150 μ " TIN	
-006	2X5	24.1/.95	18.3/.72	10.16/.400	19.81/.780	17.78/.700	17.15/.675	90		A
-007	2X10	36.8/1.45	30.9/1.22	22.86/.900	32.51/1.280	30.48/1.200	2.67/.105	90	.76 μ /30 μ "Au OVER 1.27/50 μ "Ni	D
-008							3.8/.15	90		
-009							17.15/.675	90		
-010							2.67/.105	90		
-011							3.8/.15	90	3.81 μ /150 μ " TIN	
-012	2X10	36.8/1.45	30.9/1.22	22.86/.900	32.51/1.280	30.48/1.200	17.15/.675	90		
-013	2X13	44.5/1.75	38.6/1.52	30.48/1.200	40.13/1.580	38.10/1.500	2.67/.105	90	.76 μ /30 μ "Au OVER 1.27/50 μ "Ni	
-014							3.8/.15	90		
-015							17.15/.675	90		
-016							2.67/.105	90		
-017							3.8/.15	90	3.81 μ /150 μ " TIN	
-018	2X13	44.5/1.75	38.6/1.52	30.48/1.200	40.13/1.580	38.10/1.500	17.15/.675	90		
-019	2X17	54.6/2.15	48.8/1.92	40.64/1.600	50.29/1.980	48.26/1.900	2.67/.105	90	.76 μ /30 μ "Au OVER 1.27/50 μ "Ni	
-020							3.8/.15	90		
-021							17.15/.675	90		
-022							2.67/.105	90		
-023							3.8/.15	90	3.81 μ /150 μ " TIN	
-024	2X17	54.6/2.15	48.8/1.92	40.64/1.600	50.29/1.980	48.26/1.900	17.15/.675	90		
-025	2X20	62.2/2.45	56.4/2.22	48.26/1.900	57.91/2.280	55.88/2.200	2.67/.105	90	.76 μ /30 μ "Au OVER 1.27/50 μ "Ni	
-026							3.8/.15	90		
-027							17.15/.675	90		
-028							2.67/.105	90		
-029							3.8/.15	90	3.81 μ /150 μ " TIN	
65692-030	2X20	62.2/2.45	56.4/2.22	48.26/1.900	57.91/2.280	55.88/2.200	17.15/.675	90		D

REVISIONS			
REV	DESCRIPTION	BY	DATE
1			

DATE 11/1/08		ISSUE 11/1/08		CUSTOMER COPY CODE IDENT 23884		 www.fcjconnect.com	
SCALE 1:1		OR NOT SCALE DRAWING YES		PLATING 0.000, 0.000, 0.000		DATE 11/1/08	
TOLERANCE SHEETS REQUIRED		NO 1		LINEAR 0.000, 0.000, 0.000		DATE 11/1/08	
ANGLES 45°		NO 1		ANGLED 0.000, 0.000, 0.000		DATE 11/1/08	
NO 1		NO 1		NO 1		NO 1	

PRODUCT NO	SIZE	DIM A	DIM B	DIM C	DIM D	DIM E	DIM J	TERM TYPE	TERM PLATING	STYLE
65692-031	2X25	74.9/2.95	69.1/2.72	60.96/2.400	70.61/2.780	68.58/2.700	2.67/.105	RD		D
-032							3.8/.15	RD	.75 μ /30 μ *Au OVER 1.27 μ /50 μ *Ni	
-033							17.15/.675	SO		
-034							2.67/.105	SO		
-035							3.8/.15	SO	3.81 μ /150 μ * TIN	
-036	2X25	74.9/2.95	69.1/2.72	60.96/2.400	70.61/2.780	68.58/2.700	17.15/.675	SO		D
-037	2X7	29.2/1.15	23.4/.92	15.24/.600	24.89/.980	22.86/.900	2.67/.105	RD		C
-038							3.8/.15	RD	.75 μ /30 μ *Au OVER 1.27 μ /50 μ *Ni	
-039							17.15/.675	SO		
-040							2.67/.105	SO		
-041							3.8/.15	SO	3.81 μ /150 μ * TIN	
-042	2X7	29.2/1.15	23.4/.92	15.24/.600	24.89/.980	22.86/.900	17.15/.675	SO		C
-043	2X8	31.8/1.25	25.9/1.02	17.78/.700	27.43/1.080	25.40/1.000	2.67/.105	RD		D
-044							3.8/.15	RD	.75 μ /30 μ *Au OVER 1.27 μ /50 μ *Ni	
-045							17.15/.675	SO		
-046							2.67/.105	SO		
-047							3.8/.15	SO	3.81 μ /150 μ * TIN	
-048	2X8	31.8/1.25	25.9/1.02	17.78/.700	27.43/1.080	25.40/1.000	17.15/.675	SO		D
-049	2X5	24.1/.95	18.3/.72	10.16/.400	19.81/.780	17.78/.700	3.8/.15	RD		A
-050	2X10	36.8/1.45	30.9/1.22	22.86/.900	32.51/1.280	30.48/1.200				D
-051	2X13	44.9/1.75	38.6/1.52	30.48/1.200	40.12/1.580	38.10/1.500				
-052	2X17	54.6/2.15	48.8/1.92	45.64/1.600	50.29/1.980	48.26/1.900			.75 μ /30 μ * GXT/GOLD FLASH	
-053	2X20	62.3/2.45	56.4/2.22	48.26/1.900	57.91/2.280	55.88/2.200				
-054	2X25	74.9/2.95	69.1/2.72	60.96/2.400	70.61/2.780	68.58/2.700				D
-055	2X7	29.2/1.15	23.4/.92	15.24/.600	24.89/.980	22.86/.900				C
-056	2X8	31.8/1.25	25.9/1.02	17.78/.700	27.43/1.080	25.40/1.000	3.8/.15	RD		D
-057	2X30	87.6/3.45	81.8/3.22	73.66/2.900	83.31/3.280	81.28/3.200	2.67/.105	RD	.75 μ /30 μ *Au OVER 1.27 μ /50 μ *Ni	
-058							3.8/.15	RD		
-059							17.15/.675	SO		
-060							2.67/.105	SO		
-061							3.8/.15	SO	3.81 μ /150 μ * TIN	
-062							17.15/.675	SO		
-063							2.67/.105	RD		
-064							3.8/.15	RD	.75 μ /30 μ * GXT/GOLD FLASH	
65692-065	2X30	87.6/3.45	81.8/3.22	73.66/2.900	83.31/3.280	81.28/3.200	17.15/.675	SO		D

REVISIONS			
REV	DESCRIPTION	BY	DATE
01			

SHEET NO: 1 DATE: 11/1/00	ISSUE NO: 1	CUSTOMER COPY CODE IDENT: 25890	 www.fcjconnect.com
DO NOT SCALE DIMENSIONS ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE SPECIFIED	TOLERANCES UNLESS OTHERWISE SPECIFIED: DIMENSIONS: .125mm (1/8") ANGLES: .125mm (1/8") HOLE DIA: .125mm (1/8") HOLE LOC: .125mm (1/8")	FINISH: 100000 SURF: 100000 DIM: 100000 HOLE: 100000	WELD: 1/8" MAX HEAD: 1/8" MAX VERT: 1/8" MAX 65692 1/1 D

PRODUCT NO	SIZE	DIM A	DIM B	DIM C	DIM D	DIM E	DIM J	TERM TYPE	TERM PLATING	STYLE	REVISIONS		
											REV	DESCRIPTION	BY
65692-066	2X5	24.17/.95	18.37/.72	10.16/.400	19.81/.780	17.78/.700	2.67/.105	RD	.76u/30u* GXT/GOLD FLASH	A			
-067	2X5	24.17/.95	18.37/.72	10.16/.400	19.81/.780	17.78/.700	17.15/.675	SO		A			
-068	2X7	29.2/1.15	23.47/.92	15.24/.600	24.89/.980	22.86/.900	2.67/.105	RD		C			
-069	2X7	29.2/1.15	23.47/.92	15.24/.600	24.89/.980	22.86/.900	17.15/.675	SO		C			
-070	2X8	31.8/1.25	25.9/1.02	17.78/.700	27.43/1.080	25.40/1.000	2.67/.105	RD		D			
-071	2X8	31.8/1.25	25.9/1.02	17.78/.700	27.43/1.080	25.40/1.000	17.15/.675	SO					
-072	2X10	36.8/1.45	30.9/1.22	22.86/.900	32.51/1.280	30.48/1.200	2.67/.105	RD					
-073	2X10	36.8/1.45	30.9/1.22	22.86/.900	32.51/1.280	30.48/1.200	17.15/.675	SO					
-074	2X13	44.5/1.75	38.6/1.52	30.48/1.200	40.12/1.580	38.10/1.500	2.67/.105	RD					
-075	2X13	44.5/1.75	38.6/1.52	30.48/1.200	40.12/1.580	38.10/1.500	17.15/.675	SO					
-076	2X17	54.6/2.15	48.8/1.92	40.64/1.600	50.29/1.980	48.26/1.900	2.67/.105	RD					
-077	2X17	54.6/2.15	48.8/1.92	40.64/1.600	50.29/1.980	48.26/1.900	17.15/.675	SO					
-078	2X20	62.2/2.45	56.4/2.22	48.26/1.900	57.91/2.280	55.88/2.200	2.67/.105	RD					
-079	2X20	62.2/2.45	56.4/2.22	48.26/1.900	57.91/2.280	55.88/2.200	17.15/.675	SO					
-080	2X25	74.9/2.95	69.1/2.72	60.96/2.400	70.61/2.780	68.58/2.700	2.67/.105	RD					
-081	2X25	74.9/2.95	69.1/2.72	60.96/2.400	70.61/2.780	68.58/2.700	17.15/.675	SO					
-082	2X5	24.17/.95	18.37/.72	10.16/.400	19.81/.780	17.78/.700	2.67/.105	RD	.35u/15u*Au OVER 1.27u/50u*Ni	A			
-083	2X5	24.17/.95	18.37/.72	10.16/.400	19.81/.780	17.78/.700	3.8/.15	RD		A			
-084	2X5	24.17/.95	18.37/.72	10.16/.400	19.81/.780	17.78/.700	17.15/.675	SO		A			
-085	2X7	29.2/1.15	23.47/.92	15.24/.600	24.89/.980	22.86/.900	2.67/.105	RD		C			
-086	2X7	29.2/1.15	23.47/.92	15.24/.600	24.89/.980	22.86/.900	3.8/.15	RD		C			
-087	2X7	29.2/1.15	23.47/.92	15.24/.600	24.89/.980	22.86/.900	17.15/.675	SO		C			
-088	2X8	31.8/1.25	25.9/1.02	17.78/.700	27.43/1.080	25.40/1.000	2.67/.105	RD		D			
-089	2X8	31.8/1.25	25.9/1.02	17.78/.700	27.43/1.080	25.40/1.000	3.8/.15	RD					
-090	2X8	31.8/1.25	25.9/1.02	17.78/.700	27.43/1.080	25.40/1.000	17.15/.675	SO					
-091	2X10	36.8/1.45	30.9/1.22	22.86/.900	32.51/1.280	30.48/1.200	2.67/.105	RD					
-092	2X10	36.8/1.45	30.9/1.22	22.86/.900	32.51/1.280	30.48/1.200	3.8/.15	RD					
-093	2X10	36.8/1.45	30.9/1.22	22.86/.900	32.51/1.280	30.48/1.200	17.15/.675	SO					
-094	2X13	44.5/1.75	38.6/1.52	30.48/1.200	40.12/1.580	38.10/1.500	2.67/.105	RD					
-095	2X13	44.5/1.75	38.6/1.52	30.48/1.200	40.12/1.580	38.10/1.500	3.8/.15	RD					
-096	2X13	44.5/1.75	38.6/1.52	30.48/1.200	40.12/1.580	38.10/1.500	17.15/.675	SO					
-097	2X17	54.6/2.15	48.8/1.92	40.64/1.600	50.29/1.980	48.26/1.900	2.67/.105	RD					
-098	2X17	54.6/2.15	48.8/1.92	40.64/1.600	50.29/1.980	48.26/1.900	3.8/.15	RD					
-099	2X17	54.6/2.15	48.8/1.92	40.64/1.600	50.29/1.980	48.26/1.900	17.15/.675	SO					
65692-100	2X20	62.2/2.45	56.4/2.22	48.26/1.900	57.91/2.280	55.88/2.200	2.67/.105	RD					

CUSTOMER COPY
 CODE 10000
 DATE 1/8/08
 FCJ www.fcjconnect.com
 TITLE: HEADER, QUICKIE BLIN LINE, VERTICAL
 SHEET SIZE: 100 X 100
 SHEET NO: 65692
 SHEET: 5

DO NOT SCALE DIMENSIONS
 DIMENSIONS IN MILLIMETERS
 DIMENSIONS IN INCHES
 DIMENSIONS IN FEET AND INCHES
 DIMENSIONS IN METERS
 DIMENSIONS IN KILOMETERS

PRODUCT NO	SIZE	DIM A	DIM B	DIM C	DIM D	DIM E	DIM J	TERM TYPE	TERM PLATING	STYLE	REVISIONS			
											REV	DESCRIPTION	BY	DATE
65692-101	2X20	62.2/2.45	56.4/2.22	48.26/1.900	57.91/2.280	56.88/2.200	3.8/.15	RD	.38 μ /15 μ *Au OVER 1.27 μ /50 μ *Ni	D				
-102	2X20	62.2/2.45	56.4/2.22	48.26/1.900	57.91/2.280	56.88/2.200	17.15/.675	SO						
-103	2X25	74.9/2.95	69.1/2.72	60.96/2.400	70.61/2.780	68.58/2.700	2.67/.105	RD						
-104	2X25	74.9/2.95	69.1/2.72	60.96/2.400	70.61/2.780	68.58/2.700	3.8/.15	RD						
-105	2X25	74.9/2.95	69.1/2.72	60.96/2.400	70.61/2.780	68.58/2.700	17.15/.675	SO						
-106	2X30	87.6/3.45	81.8/3.22	73.66/2.900	83.31/3.280	81.28/3.200	2.67/.105	RD						
-107	2X30	87.6/3.45	81.8/3.22	73.66/2.900	83.31/3.280	81.28/3.200	3.8/.15	RD						
-108	2X30	87.6/3.45	81.8/3.22	73.66/2.900	83.31/3.280	81.28/3.200	17.15/.675	SO			D			
-109	2X5	24.1/.95	18.3/.72	10.16/.400	19.81/.780	17.78/.700	2.67/.105	RD		.76 μ /30 μ *Au OVER 1.27 μ /50 μ *Ni	B			
-110							3.8/.15	RD						
-111							17.15/.675	SO						
-112							2.67/.105	SO	3.81 μ /150 μ * TIN					
-113							3.8/.15	SO						
-114							17.15/.675	SO						
-115							2.67/.105	RD	.38 μ /15 μ *Au OVER 1.27 μ /50 μ *Ni					
-116							3.8/.15	RD						
-117							17.15/.675	SO						
-118							2.67/.105	RD	.76 μ /30 μ * GXT/GOLD FLASH					
-119							3.8/.15	RD						
65692-120	2X5	24.1/.95	18.3/.72	10.16/.400	19.81/.780	17.78/.700	17.15/.675	SO		B				
65692-121	OBSOLETE													
65692-216	OBSOLETE													
65692-217	2X12	41.9/1.65	36.1/1.42	27.94/1.100	37.59/1.480	35.56/1.400	2.67/.105	RD	.38 μ /15 μ *Au OVER 1.27 μ /50 μ *Ni	D				
-218							3.81/.150	RD						
-219							17.15/.675	SO						
-220							2.67/.105	RD		.76 μ /30 μ *Au OVER 1.27 μ /50 μ *Ni				
-221							3.81/.150	RD						
-222							17.15/.675	SO						
-223							2.67/.105	RD		.76 μ /30 μ * GXT/Au FLASH				
-224							3.81/.150	RD						
-225							17.15/.675	SO						
-226							2.67/.105	SO		3.81 μ /150 μ * TIN				
-227							3.81/.150	SO						
65692-228	2X12	41.9/1.65	36.1/1.42	27.94/1.100	37.59/1.480	35.56/1.400	17.15/.675	SO		D				

SHEET NO		TIME		DATE		CUSTOMER COPY		CODE IDENT		DATE		FCJ www.fcj.com
1		1		1		2285		1/8/99		1/8/99		
NO. OF SCALE BANDS		NO. OF SCALE BANDS		NO. OF SCALE BANDS		NO. OF SCALE BANDS		NO. OF SCALE BANDS		NO. OF SCALE BANDS		TITLE HEADER, QUICKIE SLID L.I.N.E. VERTICAL
XXXX		XXXX		XXXX		XXXX		XXXX		XXXX		
TABULATION SHEETS REQUIRED		TABULATION SHEETS REQUIRED		TABULATION SHEETS REQUIRED		TABULATION SHEETS REQUIRED		TABULATION SHEETS REQUIRED		TABULATION SHEETS REQUIRED		FORM SIZE 1/1
1		1		1		1		1		1		
DATE		DATE		DATE		DATE		DATE		DATE		FORM NO 65692
1		1		1		1		1		1		SHEET 6

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) category:

Click to view products by [Amphenol](#) manufacturer:

Other Similar products are found below :

[95000-104TRLF](#) [10135584-644402LF](#) [DF62W-EP2022PCA](#) [95000-106TRLF](#) [DF62W-2022SCA](#) [DF62W-EP2022PC](#) [2203348](#) [DF62W-2022SC](#) [1084018](#) [1029039](#) [1084017](#) [802-10-012-10-002000](#) [1112640](#) [1112639](#) [891-007-9SS-BST1T](#) [000-34000](#) [0008550134](#) [0009482033](#) [0009507031](#) [57102-F02-18ULF](#) [57102-S06-03LF](#) [57202-S52-04LF](#) [PCN6-15S-2.5E](#) [0039019024](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [0009508121](#) [009176003701906](#) [0022285053](#) [0050291907](#) [018731A](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#) [60101931](#) [60598-1 \(Cut Strip\)](#) [M1625-3R/100](#) [61062-3](#) [61082-181009](#) [CSU011177004](#) [636-1427](#) [638009-1](#) [641938-9](#) [641991-4](#) [644168-1](#) [644827-2](#) [647662-1](#) [65039-019ELF](#) [65692-001LF](#) [65781-018](#)