





PRODUCT NUMBER

SEE TABLE



NOTE 4, 8



- NOTE:
- 1 ADD "LF" SUFFIX AT THE END OF PART NUMBER FOR LEAD FREE OPTION.
 - 2 IF "LF" P/N THE PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATION AS DESCRIBED IN GS-22-008.
 - 3 THE HOUSING WILL WITHSTAND EXPOSURE TO 260° PEAK TEMPERATURE FOR 15 SECONDS IN A WAVE SOLDER APPLICATION WITH A 1.5mm MINIMUM THICK CIRCUIT BOARD. SEE APPLICATION NOTES/PROCEDURES IF THEY ARE AVAILABLE.

REVISIONS				SHEET INDEX	ISSUE		B		B												
REV	ECN/DDR#	BY	DATE		SH NO.	1	2														
A	NEW	DEW	5/22/89																		
B	V71195	SAR	10/1/97																		
C	N06-0112	LONG	4/18/06																		

TOLERANCES UNLESS OTHERWISE SPECIFIED	MAT	DR	D	WHITING	DATE	CUSTOMER COPY
.00±.01 / .00±.13	-	ENGR	M	SMYK	5/22/89	
.000±.005 / .00±.13	FINISH	CHK	M	SMYK	5/22/89	
.0000±.0020 / .000±.051	PRODUCT FAMILY	APPD	M	SMYK	5/22/89	
0±	QKE	M	SMYK	5/22/89		
ANGLES						

BERG ELECTRONICS

TITLE: SPL STRAIN RELIEF QUICKIE II

SCALE: 5/11

SIZE: A

DWG. NO.: 658731

DATE: 5/11/06

APP'D: [Signature]

STATUS: Released

FORM E-3067 REV 8/93

SHEET 1 OF 2

PRODUCT NUMBER	SIZE	DIM K	DIM L	COLOR
65873-001	2 X 5	.565/14.35	.680/17.27	BLUE
-002	2 X 7	.765/19.43	.880/22.35	↑
-003	2 X 8	.865/21.97	.980/24.89	
-004	2 X 10	1.065/27.05	1.180/29.970	
-005	2 X 13	1.365/34.67	1.480/37.59	
-006	2 X 17	1.775/45.09	1.890/48.00	
-007	2 X 20	2.075/52.71	2.190/55.63	
-008	2 X 25	2.580/65.53	2.695/68.45	
-009	2 X 30	3.085/78.36	3.200/81.28	BLUE
-010	UNAVAILABLE			
-011	UNAVAILABLE			
-012	2 X 12	1.265/32.13	1.380/35.05	BLUE
-013	2 X 15	1.565/39.75	1.680/42.67	BLUE
-014	2 X 22	2.275/57.79	2.390/60.71	BLUE
-015	UNAVAILABLE			
-016	UNAVAILABLE			
-205	2 X 5	.565/14.35	.680/17.272	BLACK
-207	2 X 7	.765/19.43	.880/22.35	↑
-208	2 X 8	.865/21.97	.980/24.89	
-210	2 X 10	1.065/27.05	1.180/29.97	
-212	2 X 12	1.265/32.13	1.380/35.05	
-213	2 X 13	1.365/34.67	1.480/37.59	
-215	2 X 15	1.565/39.75	1.680/42.67	
-217	2 X 17	1.775/45.09	1.890/48.00	
-220	2 X 20	2.075/52.71	2.190/55.63	
-222	2 X 22	2.275/57.79	2.390/60.71	
-225	2 X 25	2.580/65.53	2.695/68.45	↓
65873-230	2 X 30	3.085/78.36	3.200/81.28	BLACK

REVISIONS				SHEET INDEX	ISSUE SH NO.																	
REV	ECN/DDR#	BY	DATE																			
P																						
TOLERANCES UNLESS OTHERWISE SPECIFIED						MAT	-	DR	D WHITING	DATE	5/22/89	CUSTOMER COPY										
LINEAR						FINISH	-	ENGR	M SMYK	5/22/89	THRD ANGLE PROJ											
						PRODUCT FAMILY	QKE	CHK	M SMYK	5/22/89	UNIT: INCH											
						ANGLES	0±	APPD	M SMYK	5/22/89	STATUS	Released										

BERG ELECTRONICS

TITLE: SPL STRAIN RELIEF QUICKIE II

SCALE: 1"=1" DWG. NO. 65873-11 SHEET 2 OF 2

Printed: Apr 6 2011

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) category:

Click to view products by [Amphenol](#) manufacturer:

Other Similar products are found below :

[95000-104TRLF](#) [10135584-644402LF](#) [DF62W-EP2022PCA](#) [95000-106TRLF](#) [DF62W-2022SCA](#) [DF62W-EP2022PC](#) [2203348](#) [DF62W-2022SC](#) [1084018](#) [1029039](#) [1084017](#) [802-10-012-10-002000](#) [1112640](#) [1112639](#) [891-007-9SS-BST1T](#) [000-34000](#) [0008550134](#) [0009482033](#) [0009507031](#) [57102-F02-18ULF](#) [57102-S06-03LF](#) [57202-S52-04LF](#) [PCN6-15S-2.5E](#) [0039019024](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [0009508121](#) [009176003701906](#) [0022285053](#) [0050291907](#) [018731A](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#) [60101931](#) [60598-1 \(Cut Strip\)](#) [M1625-3R/100](#) [61062-3](#) [61082-181009](#) [CSU011177004](#) [636-1427](#) [638009-1](#) [641938-9](#) [641991-4](#) [644168-1](#) [644827-2](#) [647662-1](#) [65039-019ELF](#) [65692-001LF](#) [65781-018](#)