

1



2 3

4

5

6

PRODUCT NUMBER  
SEE TABLE




FCI  
FCIconnect.com

Copyright FCI

mat'l. code		surface ISO 1302 ✓		tolerance ISO 406 ISO 1101		projection ASME Y14.5		product family JUMPER	
A RELEASE		B 7/22/91		tolerances unless otherwise specified		INCH/MM		title S.R. MULTI POSITION BUS BAR LOW PROFILE JUMPER ASS'Y	
C V80323		EPK 5/26/98		angles		linear		.XX±.01/.3 .XXX±.005/.13 .XXX±.0020/.05	
D M05-0205		ERE 09/29/05		0°±2'		scale 5:1		dwg no 69144	
E M06-0238		MN 6/16/06		dr J. SHREINER		3/27/91		sheet of 2 A3	
F M06-0389		AGS 10/4/06		engr M.HAHN		3/27/91		type Product Customer Drawing	
G ELX-N-011708		J.Z 2012-05-04		chr M.HAHN		3/27/91			
				appd M.HAHN		3/27/91			
sheet index		revising sheet		G 1 2					

PRODUCT NUMBER	NO. OF POSITIONS	DIM A	LEAD FREE OPTION
69144-X04	1 X 4	.398/10.11	NOTE 3,4
-X06	1 X 6	.598/15.19	
-X08	1 X 8	.798/20.27	
-X10	1 X 10	.998/25.35	
-X12	1 X 12	1.198/30.43	
-X14	1 X 14	1.398/35.51	
-X16	1 X 16	1.598/40.59	
-X18	1 X 18	1.798/45.67	
69144-X20	1 X 20	1.998/50.75	



NOTES :

- ① MATERIAL : POLYESTER, FLAME RETARDENT PER UL-94-V0. COLOR : BLACK
2. RECOMMENDED APPLICATION DATA :
  - A. ALL MATING PINS TO BE .025/0.64 SQ. ON TRUE CENTER OF GIVEN TERMINAL SPACING WITHIN .015/0.38 DIA.
  - B. SUGGESTED MATING PIN LENGTH : .160/4.06 MIN.
- ③ ADD "LF" SUFFIX AT THE END OF PART NUMBER FOR LEAD FREE OPTION.
- ④ THESE PRODUCTS MEET EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
5. THE PRODUCT IS NOT INTENDED TO BE EXPOSED TO A MANUFACTURING SOLDER PROCESS
- ⑥ "THIS PRODUCT HAS 100% TIN PLATING IN THE INTERFACE AND HAS NOT BEEN TESTED FOR WHISKERS GROWTH IN ALL INTERCONNECT ENVIRONMENTS."
7. PRODUCT SPECIFICATION: BUS-12-071.

PLATING : CONTACT AREA

- 1XX 15 $\mu$ "/0.38 $\mu$  Au OR GXT
- 2XX 30 $\mu$ "/0.76 $\mu$  Au OR GXT
- 3XXLF 100 $\mu$ "/2.54 $\mu$  Sn (NOTE 6)
- 4XX Au FLASH OBSOLETE

mat'l. code		surface ISO 1302 ✓	tolerance ISO 406 ISO 1101	projection 	product family JUMPER
l	tr	ec	n	o	r
date	tolerances unless otherwise specified				title
G	angles	linear	.XX±.01/.3 .XXX±.005/.13 .XXX±.0020/.051	INCH/MM	S.R. MULTI POSITION BUS BAR LOW PROFILE JUMPER ASS'Y
	0°±2'			scale 5:1	dwg no 69144
	dr	J. SHREINER	3/27/91		shee 2 of 2 size A3
	engr	M.HAHN	3/27/91		
	chr	M.HAHN	3/27/91		
	appd	M.HAHN	3/27/91		type Product Customer Drawing
sheet index	revision sheet				

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Headers & Wire Housings](#) category:*

*Click to view products by [Amphenol](#) manufacturer:*

Other Similar products are found below :

[892-18-020-10-001101](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [009176003701906](#) [0050291907](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#)  
[609-3404](#) [61062-3](#) [622-0430](#) [622-3653LF](#) [63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [641991-4](#) [644827-2](#) [65817-010LF](#)  
[65817-015LF](#) [65863-015LF](#) [66207-023LF](#) [67095-007LF](#) [67601157](#) [68648-049](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#) [70-4853B](#) [707-5020](#) [707-5028](#) [71.350.2428.0](#) [71918-208LF](#) [71961-016LF](#) [733-134](#) [733-162](#) [754199-000](#) [760-3052](#) [787-8014-00](#) [79531-3000](#) [FCN-360C032-B](#) [FCN-367T-T012/H](#) [FCN-723D010/2](#) [80.063.4001.1](#) [800-90-001-10-001000](#) [800-90-010-10-002000](#) [801-43-002-10-013000](#) [801-43-006-10-002000](#)