


DIMENSIONS mm (inches)



GENERAL CHARACTERISTICS AND ROHS INFORMATIONS:  
SEE DRAWING C-8609-0000A

Application specific part-numbers: See sheet 2

TIN LEAD	LEAD FREE	
8609 324 G1 13 755 000 E1	8609 324 G1 13 755 E1 LF	Style M header, 24 Position, solder to board, class 2
	8609324G113755DMLF	Style M header, 24 Position, solder to board, class 2 With 1 short signal contact in position C13


European Views

www.fciconnect.com		surface ISO 1302 <input checked="" type="checkbox"/>	tolerance std ISO 406 ISO 1101	projection 	mm
TOLERANCES UNLESS OTHERWISE SPECIFIED					
ANGULAR	LINEAR	0.X	±0.1	size A3	Scale 1.5:1
0.XX	±2°	0.XX	±0.1	ECN	LS07-0076
0.XXX		0.XXX	±0.1	Product family	DIN Spec ref -
Dr	ROUILLARD	1992/09/16			
Eng	TARON	1992/09/16			
Chr	LEGARE	1992/09/16			
Appr	LEGARE	1992/09/16			
Rev.	title HEADER RA- STYLE M SOLDER TO BOARD				dwg no C-8609-0306-1
	catalog no	-		CUSTOMER	sheet 1 of 2

rev	ecn no	dr	date
D	-	ROU	2002/08/30
E	LS05-001	JTA	2005/03/01
F	LS06-0034	HLE	2006/02/20
G	LS07-0076	LGO	2007/03/15
-	-	-	-
-	-	-	-
-	-	-	-

PART NUMBER	8609		G1			5	
PIN OUT	rows a-b-c	3	24				
	rows a-c	4	16				
NUMBER OF CONTACTS							
TERMINATION		0	+0.3				
L = 2.75 ±0.15 (.108)	A = ∅0.6	-0.08	B = ∅0.8			13	
L = 4.15 ±0.15 (.163)	A = 0.6X0.6		B = ∅1±0.1			23	
no option						7	
with harpoons						H	
DIN 41612 class 3						4	
DIN 41612 class 2						5	
DIN 41612 class 1						6	
TERMINATION TYPE							
TIN LEAD							: 000E1
LEAD FREE							: E1LF

PCB DRILLING



GENERAL CHARACTERISTICS AND ROHS INFORMATIONS:

SEE DRAWING C-8609-0000A

European Views

www.fciconnect.com		surface ISO 1302 ✓	tolerance std ISO 406 ISO 1101	projection mm
TOLERANCES UNLESS OTHERWISE SPECIFIED				
ANGULAR	LINEAR	0.X	±0.1	size A3
0.XX' ±2'		0.XX	±0.1	Scale 1.5
		0.XXX	±0.1	ECN LS07-0076
Dr	ROUILLARD	1992/09/16	Product family DIN 8609	Spec ref -
Eng	TARON	1992/09/16		
Chr	LEGARE	1992/09/16		
Appr	LEGARE	1992/09/16		
title RIGHT ANGLE HEADER - STYLE M		dwg no C-8609-0306-2		Rev. G
SOLDER TO BOARD		CUSTOMER		sheet 2 of 2
catalog no				

rev	ecn no	dr	date
D	-	ROU	2002/08/30
E	LS05-001	JTA	2005/03/04
F	LS06-0097	LGO	2006/07/11
G	LS07-0076	LGO	2007/03/15
-	-	-	-
-	-	-	-
-	-	-	-

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [DIN 41612 Connectors](#) category:*

*Click to view products by [Amphenol](#) manufacturer:*

Other Similar products are found below :

[09231126901](#) [PCN10F-24P-2.54DS\(72\)](#) [004.767](#) [02221602702](#) [024069](#) [602427301412000](#) [013275](#) [691327-1](#) [74670-0732](#) [74680-0340](#)  
[75880-0015](#) [76453-0014](#) [86093159ALF](#) [923454](#) [QLC260R](#) [120X10099X](#) [120X10019X](#) [120X10089X](#) [120X10129X](#) [121A10039X](#)  
[121A10309X](#) [122A10019X](#) [122A10029X](#) [122A10249X](#) [122A10669X](#) [122A11089X](#) [122A13089X](#) [122A10089X](#) [122A10129X](#)  
[122A10349X](#) [122A13359X](#) [1377391-4](#) [1393583-2](#) [1393726-7](#) [140X10059X](#) [140X10129X](#) [143-1913-000](#) [143-1908-000](#) [1484472-1](#) [173052](#)  
[2110070-1](#) [2110070-2](#) [CBC20T00-008FDS5-0-1-002VR](#) [983-0SE12-12P6](#) [17041102202](#) [172699-5036](#) [173051](#) [PCN10-96S-2.54DSA\(77\)](#) [2-](#)  
[1393557-4](#) [2-1437084-2](#)