






PRODUCT NUMBER  
91269-XXXXLF

PLATING  
ROHS COMPATIBLE, SEE NOTE 6  
PACKAGING TYPE, NOTE 3  
TOTAL NB OF POSITIONS, 3 TO 17

- NOTES:
- 0 = 0.20µm GOLD/GXT ON CONTACT AREA
  - 1 = 2.0µm MIN MATTE TIN ON TAILS
  - 1 = 0.76µm GOLD/GXT ON CONTACT AREA
  - 3 = 2.0µm MIN MATTE TIN ON TAILS
  - 3 = 0.38µm GOLD/GXT ON CONTACT AREA
  - 2.0µm MIN MATTE TIN ON TAILS
  - 1.27µm NI MIN UNDERPLATING

- 1 - HOUSING MAT'L: HIGH TEMPERATURE THERMOPLASTIC, UL94V-0 COLOR: CREAM
- 2 - PIN MATERIAL: COPPER ALLOY
- 3 - PACKAGING = POLYBAGS
- TR = TAPE & REEL AS AVAILABLE.
- 4 - 7N MIN RETENTION IN EITHER DIRECTION
- 5 - TO DETERMINE DIMENSIONS: N = NUMBER OF POSITIONS  
EXAMPLE: 8 POS N x 2.0 = 16.0mm
- 6 - ROHS COMPATIBLE PRODUCT SPECIFICATIONS
- a - MANUFACTURING PROCESS COMPATIBILITY  
- THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C SOLDER BATH TEMPERATURE FOR 5 SECONDS IN A WAVE SOLDER APPLICATION WITH A 1.6mm MIN THICK CIRCUIT BOARD.
- b - LABELLING: MEETS PACKAGING SPECS AS PER GS-14-920 AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-47-0004
- c - THIS PRODUCT MEETS EUROPEAN DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED
- 7 - HOLE DIMENSION TO BE  $\phi 1.6 \pm 0.03$  FOR INTERFERENCE FIT APPLICATIONS, SEE SHEET 2.  
HOLE DIMENSIONS TO BE  $\phi 1.95 \pm 0.05$  FOR LOCATION APPLICATION WITH AUTOMATIC PICK AND PLACE MACHINES.
- 8 - ODD NBR OF POS: 7.00mm  
EVEN NBR OF POS: 5.00mm



mat'l. code		surface tolerance	ISO 1302	ISO 1302	ISO 406	ISO 150	projection	product family	product family	MINITEK	MINITEK
SEE TABLE		tolerances unless otherwise specified	±0.3	X ±0.13	mm						
L	B-16822 JCO	14.01.23	angles	±2°							
M	B-19186 LMU	14.10.24	linear	XXX ±0.05	scale 5:1						
N	B-19986 JCO	15.01.13									
P	B-19985 JCO	15.01.15	dr	J. FABRE	13.01.07						
R	F-23053 AMA	16.01.15	engr	J. FABRE	13.01.07						
K	B-16048 JCO	13.10.14	appr	J.M.C	13.01.07						
sheet index	revision	R	A								
sheet index	revision	R	A								

FCI logo

91269

CUSTOMER Drawing

sheet 1 of 2 size A3


type




FCJconnect.com

Copyright FCJ

form: A3



RECOMMENDATION TO PLACE THE CONNECTOR ONTO THE PCB



mat'l. code	N/A	ISO 1302	ISO 406 ISO 101	projection	product family	MINITEK
litr ecn no	dr date	tolerances unless otherwise specified			title	MINITEK TMT HDR SR POLARIZATION & LATCHING
A	B-19986 JCO 15.01.13	angles	linear	mm	scale	1:1
		0° f.x'	.000±.00x			
		dr	J.FABRE	15.01.07	dwg no	91269
		engr	L.MULLN	15.01.07	sheet	2 of 2 size
		chf	J.COMPAIGNON	15.01.12	type	Product Customer Drawing
		appd	JCO	15.01.13	index	
sheet	revision					

STATUS:Released Printed: Feb 12, 2016

PDS: Rev :R

6 5 4 3 2 1 6 5 4 3 2 1

D C B A D C B A

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Headers & Wire Housings](#) category:*

*Click to view products by [Amphenol](#) manufacturer:*

Other Similar products are found below :

[95000-104TRLF](#) [10135584-644402LF](#) [DF62W-EP2022PCA](#) [95000-106TRLF](#) [DF62W-2022SCA](#) [DF62W-EP2022PC](#) [2203348](#) [DF62W-2022SC](#) [1084018](#) [1029039](#) [1084017](#) [802-10-012-10-002000](#) [1112640](#) [1112639](#) [891-007-9SS-BST1T](#) [000-34000](#) [0008550134](#) [0009482033](#) [0009507031](#) [57102-F02-18ULF](#) [57102-S06-03LF](#) [57202-S52-04LF](#) [PCN6-15S-2.5E](#) [0039019024](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [0009508121](#) [0022285053](#) [0050291907](#) [018731A](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#) [60101931](#) [60598-1 \(Cut Strip\)](#) [M1625-3R/100](#) [61062-3](#) [61082-181009](#) [CSU011177004](#) [636-1427](#) [638009-1](#) [641938-9](#) [641991-4](#) [644168-1](#) [644827-2](#) [647662-1](#) [65039-019ELF](#) [65692-001LF](#) [65781-018](#) [65781-047](#)