

LC Cable Assemblies

Features/ Benefits

- Small form factor LC connector enables high panel densities
- LC assemblies available with standard, short or flexible boot options
- LC push/pull tab option on clip
- Available in a variety of lengths
- RoHS compliant



Specifications

Insertion Loss:

≤ 0.15dB typical, 0.3dB maximum Singlemode UPC
≤ 0.35dB typical, 0.5dB maximum Multimode PC

Return Loss: Ultra (UPC) ≤ -55dB

Durability: < 0.2dB change, 500mating cycles

Temperature: -20 to +75°C

Intermateability:

Amphenol duplex LC assemblies are mechanically and optically intermateable with industry standard LC connectors and adapters and conform to TIA/EIA, IEC, and Telcordia specifications.

LC Cable Assemblies Ordering Information*

LC Flex Boot Assemblies		Cable Diameter	Boot
Part #	Description		
943-226DD-60001	Jumper, LC(D), Flex boot, 2mm OM3 zip, 1m	2.0mm	Flex , White
943-226DD-60003	Jumper, LC(D), Flex boot, 2mm OM3 zip, 3m	2.0mm	Flex , White
943-226DD-60005	Jumper, LC(D), Flex boot, 2mm OM3 zip, 5m	2.0mm	Flex , White
943-22BDD-60001	Jumper, LC(D), Flex boot, 2mm OM4 zip, 1m	2.0mm	Flex , White
943-22BDD-60003	Jumper, LC(D), Flex boot, 2mm OM4 zip, 3m	2.0mm	Flex , White
943-22BDD-60005	Jumper, LC(D), Flex boot, 2mm OM4 zip, 5m	2.0mm	Flex , White
942-98348-10001	Jumper, LC/UPC(D), Flex boot, 2mm SM zip, 1m	2.0mm	Flex , White
942-98348-10003	Jumper, LC/UPC(D), Flex boot, 2mm SM zip, 3m	2.0mm	Flex , White
942-98348-10005	Jumper, LC/UPC(D), Flex boot, 2mm SM zip, 5m	2.0mm	Flex , White
LC Push pull tab assemblies		Cable Diameter	Boot
Part #	Description		
943-99694-10001	Jumper, LC(D), 2mm OM3 zip w / push pull tab, 1m	2.0mm	Standard, White
943-99694-10003	Jumper, LC(D), 2mm OM3 zip w / push pull tab, 3m	2.0mm	Standard, White
943-99694-10005	Jumper, LC(D), 2mm OM3 zip w / push pull tab, 5m	2.0mm	Standard, White
943-99693-10001	Jumper, LC(D), 2mm OM4 zip w / push pull tab, 1m	2.0mm	Standard, White
943-99693-10003	Jumper, LC(D), 2mm OM4 zip w / push pull tab, 3m	2.0mm	Standard, White
943-99693-10005	Jumper, LC(D), 2mm OM4 zip w / push pull tab, 5m	2.0mm	Standard, White
942-98272-10001	Jumper, LC/UPC(D), 2mm SM zip w / push pull tab, 1m	2.0mm	Standard, White
942-98272-10003	Jumper, LC/UPC(D), 2mm SM zip w / push pull tab, 3m	2.0mm	Standard, White
942-98272-10005	Jumper, LC/UPC(D), 2mm SM zip w / push pull tab, 5m	2.0mm	Standard, White

*Please contact Amphenol for other configurations



LC Duplex Connector with Standard 2.0mm boot



with 1.6/2.0mm Short Boot



LC Duplex Connector with Flex Boot

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Fibre Optic Cable Assemblies](#) category:

Click to view products by [Amphenol](#) manufacturer:

Other Similar products are found below :

[7-21002-9](#) [760-1518](#) [FA04390-50-M-72-LC-N](#) [MLB 501 V RED](#) [MLB 501 V YELLOW](#) [1-3636-600-5208](#) [2061529-7](#) [1-6693182-0](#)
[1754898-1](#) [21055-6](#) [FXBSCSCE2LM002](#) [3-21053-2](#) [MLB 200/1 V BLACK](#) [MLB 2001 V RED](#) [MLB 2001 V YELLOW](#) [MLB 501 V](#)
[BLACK](#) [5492011-6](#) [106284-7000](#) [5492011-5](#) [5492011-8](#) [5492011-9](#) [8-21007-5](#) [2123524-2](#) [2123524-1](#) [106386-4447](#) [DFSM-SCSC-2M](#)
[2123909-4](#) [2123909-8](#) [106273-0629](#) [2125046-1](#) [2821236-3](#) [2821310-2](#) [2821310-3](#) [2821313-4](#) [FX2ERLNLNSNM0.5](#) [CF-980062-074](#) [CF-](#)
[901200-394](#) [CF-980062-073](#) [CF-980062-071](#) [CF-980062-075](#) [CF-980062-072](#) [17-300310-100](#) [2821236-2](#) [2821313-1](#) [G-FC-FC-S-002.0-DX-](#)
[A-18-Y](#) [G-E2A-E2A-S-003.0-SX-A-18-Y](#) [956-322-502214](#) [FA04474](#) [1111540](#) [1111843](#)