


Ø39.7 BUSHING **BACKSHELL** 2X SCREW AND -LOCK WASHER 2X LATCH SEGMENT 2X RECOMMENDED TORQUE: 1.5-2.0 NM-




NOTES: UNLESS OTHERWISE SPECIFIED


1. RECEPTACLE MATERIAL: SHELL: ZINC ALLOY, NICKEL PLATED INSERT AND RETAINING RING: THERMOPLASTIC SEAL: SILICONE RUBBER

2. BACKSHELL MATERIAL:

SHELL: ALUMINIUM ALLOY, NICKEL PLATED; LATCH SEGMENT: ALUMINIUM ALLOY, NICKEL PLATED; SCREW AND LOCK WASHER: STAINLESS STEEL; BUSHING: EPDM.

- 3. SPECIFICATIONS:
  - 3.1 OPERATING TEMPERATURE: -55°C TO +125°C.
  - 3.2 DIELECTRIC WITHSTANDING VOLTAGE: LESS THAN 2 MILLIAMPS CURRENT LEAKAGE @ 1500 VOLTS AC.
  - 3.3 INSULATION RESISTANCE: 1000 MEGOHM MIN @ 25°C.
  - 3.4 MOISTURE RESISTANCE: IP67 & IP69K (MATED CONDITION).
  - 3.5 MATING CYCLE DURABILITY: 100 CYCLES
  - 3.6 RoHS COMPLIANT
- 4. APPLY TO CABLE OD SIZE: Ø11.20-Ø24.08 . CAN BE USED:
- 4.1. WITH LARGE AND SMALL BUSHINGS IN PLACE.
- 4.2. WITH ONLY LARGE BUSHING IN PLACE.
- 4.3. WITH BOTH BUSHINGS REMOVED.
- 5. ALL DIMENSIONS ARE FOR REFERENCE USE ONLY.
- 6. SEE SPECIFIC RECEPTACLE DRAWING FOR:
- 6.1 CONTACT SIZE AND WIRE RANGE.
- 6.2 RETAINING RING COLOR.
- 6.3 MATING PART(S).
- 6.4 CONTACT LAYOUT AND ALL OTHER SPECIFICATIONS.





|                                  | AHDM04-2  | 24-19PN-059    | н     | D34-24-19PN-059                       |  |                      |          | 9      |       |                |    |   |
|----------------------------------|---|----------------|-------|---------------------------------------|--|----------------------|----------|--------|-------|----------------|----|---|
|                                  | PART N  | PART NUMBER    |       | DESCRIPTION                           |  |                      |          | ITE    | М     |                |    |   |
| QUANTITY                         |   | MA             | T     | ERI                                   | ALS  | ; LI                 | ST       |        |       |                |    | 7 |
| 1) All dimensions a              |   | SIGNATURI      | ES    | DATE                                  |  | $\overline{\Lambda}$ | mp       | sha    | n     | $\overline{A}$ |    |   |
| 2) Tolerances are a              |   | DRAWN: J. HEAD |       | 16MAR2020                             |  |                      | 71 1 1 F | או וכ  | 7 I I | O I            |    |   |
| 2 PL DEC ±0.15<br>3 PL DEC ±0.08 | Angles ±1°  | CHECKED:       |       |                                       | Sine Systems - www.amphenol-sine.com             |                      |          |        |       |                |    |   |
| 3) Note reference                | - 🗴   | ENGINEER:      |       |                                       | 44724 Morley Drive<br>Clinton Township, MI 48036 |                      |          |        |       |                |    |   |
| MATERIAL SPECIFICA               | TIONS:  | APPROVAL:      |       |                                       |  |                      |          |        |       |                |    | + |
|                                  |   | CUSTOMER:      |       |                                       | DURAMATE AHDM RECEPT, SIZE 24, WD T              |                      |          |        |       |                | ), |   |
| PROCESS SPECIFICA                | THE DRAWING IS SUPPLED FOR MORPHISM OF THE PROCESS SPECIFICATIONS.  SPECIFICATIONS.  SPECIFICATIONS AND PERFORMAN SHOWN HEREON ARET THE PROPER HER AMPHENIC LOOPOWATION IN OF REPRODUCTION ARE THE PROPE.  MEXIT ASSY:  MANUFACTURING VARIATIONS. |                |       |                                       | KIT W  | // CABLE             | CLAMP    | BACK   | SHELI | -              |    |   |
| PROCESS SPECIFICA                |   |                | E PRO | DPERTY OF<br>N. NO RIGHTS<br>IED. ALL | В  | C-                   | AHDM     | 04-24- | 19PN  | -059           | A' | 1 |
| NEXT ASS'Y:                      |   |                | i.    | SCALE: NO                             | ONE  |                      |          | SHEET  | 1 (   | DF 1           |    |   |

DWG NO: AHDM04-24-19PN-059

REV: A1 SH:

## **AT Series™** - Contact Size 16 Options

|                   | Machined Contacts, Sockets & Pins      |    |       |          |  |  |  |
|-------------------|--|----|-------|----------|--|--|--|
| Part Number       | Part Number Description                |    |       | Туре     |  |  |  |
| AT60-215-1631     | Male Contact - Pin, Gold-plated        | 16 | 14    | Machined |  |  |  |
| AT62-209-1631     | Female Contact - Socket, Gold-plated   | 16 | 14    | Machined |  |  |  |
| AT60-215-16141    | Male Contact - Pin, Nickel-plated      | 16 | 14    | Machined |  |  |  |
| AT62-209-16141    | Female Contact - Socket, Nickel-plated | 16 | 14    | Machined |  |  |  |
| AT60-202-1631     | Male Contact - Pin, Gold-plated        | 16 | 16-20 | Machined |  |  |  |
| AT62-201-1631     | Female Contact - Socket, Gold-plated   | 16 | 16-20 | Machined |  |  |  |
| AT60-202-16141    | Male Contact - Pin, Nickel-plated      | 16 | 16-20 | Machined |  |  |  |
| AT62-201-16141    | Female Contact - Socket, Nickel-plated | 16 | 16-20 | Machined |  |  |  |
| AT60-202-1631-22  | Male Contact - Pin, Gold-plated        | 16 | 22-24 | Machined |  |  |  |
| AT62-201-1631-22  | Female Contact - Socket, Gold-plated   | 16 | 22-24 | Machined |  |  |  |
| AT60-202-16141-22 | Male Contact - Pin, Nickel-plated      | 16 | 22-24 | Machined |  |  |  |
| AT62-201-16141-22 | Female Contact - Socket, Nickel-plated | 16 | 22-24 | Machined |  |  |  |

|      | Tooling - Machined Contacts |  |  |  |  |
|------|-----------------------------|--|--|--|--|
| Part | Part Number                 | Description  |  |  |  |
|      | CA-5D12                     | Universal Hand Crimp Tool, Size 12/16/20<br>(Machined contacts only) |  |  |  |
| 3    | CA-5E12                     | Pneumatic Crimp Tool, Size 12/16/20<br>(Machined contacts only)      |  |  |  |

|      | Contact Removal Tools |   |  |  |  |
|------|-----------------------|---|--|--|--|
| Part | Part Number           | Description   |  |  |  |
| 3    | ATRT-100              | Used for removal of contacts for A Series™ products |  |  |  |
|      | AT11-310-1605         | Contact Removal Tool, Plastic, Size 16              |  |  |  |
|      | A114017               | Sealing Plug, Size 16, White                        |  |  |  |

|              | Stamped & Formed Contacts, Sockets & Pins |      |       |                  |  |  |  |
|--------------|---|------|-------|------------------|--|--|--|
| Part Number  | Description                               | Size | AWG   | Type             |  |  |  |
| AT60-14-0144 | Male Contact - Pin, Gold-plated           | 16   | 14-16 | Stamped & Formed |  |  |  |
| AT62-14-0144 | Female Contact - Socket, Gold-plated      | 16   | 14-16 | Stamped & Formed |  |  |  |
| AT60-14-0122 | Male Contact - Pin, Nickel-plated         | 16   | 14-16 | Stamped & Formed |  |  |  |
| AT62-14-0122 | Female Contact - Socket, Nickel-plated    | 16   | 14-16 | Stamped & Formed |  |  |  |
| AT60-16-0144 | Male Contact - Pin, Gold-plated           | 16   | 16-18 | Stamped & Formed |  |  |  |
| AT62-16-0144 | Female Contact - Socket, Gold-plated      | 16   | 16-18 | Stamped & Formed |  |  |  |
| AT60-16-0122 | Male Contact - Pin, Nickel-plated         | 16   | 16-18 | Stamped & Formed |  |  |  |
| AT62-16-0122 | Female Contact - Socket, Nickel-plated    | 16   | 16-18 | Stamped & Formed |  |  |  |
| AT60-16-0644 | Male Contact - Pin, Gold-plated           | 16   | 18-20 | Stamped & Formed |  |  |  |
| AT62-16-0644 | Female Contact - Socket, Gold-plated      | 16   | 18-20 | Stamped & Formed |  |  |  |
| AT60-16-0622 | Male Contact - Pin, Nickel-plated         | 16   | 18-20 | Stamped & Formed |  |  |  |
| AT62-16-0622 | Female Contact - Socket, Nickel-plated    | 16   | 18-20 | Stamped & Formed |  |  |  |
| AT60-16-0844 | Male Contact - Pin, Gold-plated           | 16   | 20-22 | Stamped & Formed |  |  |  |
| AT62-16-0844 | Female Contact - Socket, Gold-plated      | 16   | 20-22 | Stamped & Formed |  |  |  |
| AT60-16-0822 | Male Contact - Pin, Nickel-plated         | 16   | 20-22 | Stamped & Formed |  |  |  |
| AT62-16-0822 | Female Contact - Socket, Nickel-plated    | 16   | 20-22 | Stamped & Formed |  |  |  |

|      | Tooling - Stamped & Formed Contacts |   |  |  |  |
|------|-------------------------------------|---|--|--|--|
| Part | Part Number                         | Description   |  |  |  |
|      | MFX-3950                            | Crimp Die - Size 16, 18-20AWG (S&F contacts only)       |  |  |  |
|      | MFX-3953                            | Crimp Die - Size 16, 16-18AWG (S&F contacts only)       |  |  |  |
|      | MFX-3975                            | Crimp Die - Size 16, 14-16AWG (S&F contacts only)       |  |  |  |
|      | MFX-3990                            | Crimp Die - Size 16, 20-22AWG (S&F contacts only)       |  |  |  |
|      | ATT-16-00                           | Hand Crimp Tool - Size 16, 14-16AWG (S&F contacts only) |  |  |  |
|      | ATT-16-01                           | Hand Crimp Tool - Size 16, 18-20AWG (S&F contacts only) |  |  |  |
|      | ATT-1612-03                         | Hand Crimp Tool - Size 16, 20-22AWG (S&F contacts only) |  |  |  |

Amphenol Sine Systems 44724 Morley Drive Clinton Township, MI 48036 USA www.amphenol-sine.com 09/2021

## **ATP Series™** - Contact Size 12 Options

| Machined Contacts, Sockets & Pins |   |    |          |          |  |  |
|-----------------------------------|---|----|----------|----------|--|--|
| Part Number                       | Number Description                                |    |          | Туре     |  |  |
| AT60-204-12141-10                 | Male Contact - Pin, Nickel-plated                 | 12 | 10-12    | Machined |  |  |
| AT62-203-12141-10                 | Female Contact - Socket, Nickel-plated            |    | 10-12    | Machined |  |  |
| AT60-220-1231                     | Male Contact - Pin, Gold-plated                   |    | 12-14    | Machined |  |  |
| AT62-210-1231                     | Female Contact - Socket, Gold-plated              | 12 | 12-14    | Machined |  |  |
| AT60-204-12141                    | -204-12141 Male Contact - Pin, Nickel-plated      |    | 12-14    | Machined |  |  |
| AT62-203-12141                    | Female Contact - Socket, Nickel-plated 12 12-14 M |    | Machined |          |  |  |

| Smaller AWG for    | DiagnosticGrade™ Machined Contacts, Sockets & Pins  • Smaller AWG for Diagnostic Applications • Gold-plated • Increased Mating Cycles • Cost-effective |      |     |          |  |  |
|--------------------|--|------|-----|----------|--|--|
| Part Number        | Description  | Size | AWG | Туре     |  |  |
| 65-54749           | Male Contact - DiagnosticGrade™, Pin, Gold-plated  | 12   | 20  | Machined |  |  |
| AT62-210-1231-1820 | Female Contact - DiagnosticGrade™, Socket,<br>Gold-plated  | 12   | 20  | Machined |  |  |

| Tooling - Machined Contacts |             |  |  |  |
|-----------------------------|-------------|--|--|--|
| Part                        | Part Number | Description  |  |  |
|                             | CA-5D12     | Universal Hand Crimp Tool, Size 12/16/20<br>(Machined contacts only) |  |  |
|                             | CA-5E12     | Pneumatic Crimp Tool, Size 12/16/20<br>(Machined contacts only)      |  |  |

| Contact Removal Tools |               |   |  |  |
|-----------------------|---------------|---|--|--|
| Part                  | Part Number   | Description   |  |  |
| refer turbs           | ATRT-100      | Used for removal of contacts for A Series™ products |  |  |
|                       | AT11-337-1205 | Contact Removal Tool, Plastic, Size 12              |  |  |
|                       | A114017       | Sealing Plug, Size 12, White                        |  |  |

| Stamped & Formed Contacts, Sockets & Pins |  |      |       |                  |  |  |
|---|--|------|-------|------------------|--|--|
| Part Number                               | Description                            | Size | AWG   | Туре             |  |  |
| AT60-12-0244                              | Male Contact - Pin, Gold-plated        | 12   | 10-12 | Stamped & Formed |  |  |
| AT62-12-0244                              | Female Contact - Socket, Gold-plated   | 12   | 10-12 | Stamped & Formed |  |  |
| AT60-12-0222                              | Male Contact - Pin, Nickel-plated      | 12   | 10-12 | Stamped & Formed |  |  |
| AT62-12-0222                              | Female Contact - Socket, Nickel-plated | 12   | 10-12 | Stamped & Formed |  |  |
| AT60-12-0144                              | Male Contact - Pin, Gold-plated        | 12   | 12-14 | Stamped & Formed |  |  |
| AT62-12-0144                              | Female Contact - Socket, Gold-plated   | 12   | 12-14 | Stamped & Formed |  |  |
| AT60-12-0166                              | Male Contact - Pin, Nickel-plated      | 12   | 12-14 | Stamped & Formed |  |  |
| AT62-12-0166                              | Female Contact - Socket, Nickel-plated | 12   | 12-14 | Stamped & Formed |  |  |

|      | Tooling - Stamped & Formed Contacts |   |  |  |  |
|------|-------------------------------------|---|--|--|--|
| Part | Part Number                         | Description   |  |  |  |
|      | MFX-3973                            | Crimp Die - Size 12 (S&F contacts only)                       |  |  |  |
|      | MFX-3985                            | Crimp Die - Size 12 (S&F contacts only) 10-12AWG -02XX Series |  |  |  |
|      | ATT-12-00                           | Hand Crimp Tool - Size 12, 12AWG (S&F contacts only)          |  |  |  |

Amphenol Sine Systems 44724 Morley Drive Clinton Township, MI 48036 USA www.amphenol-sine.com 09/2021

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Standard Circular Connector category:

Click to view products by Amphenol manufacturer:

Other Similar products are found below:

5M2530B10P 600259N006 600273N007 6134-336-13149 6134-337-11149 6134-337-2390 6134-341-17149 6280-4SG-516 6280-7SG-3DC 6290 6291A 66200A-10 680-SMG 681-PMG CXS3102A14S2P CXS3102A181S 7251-6SG-300 7271-6SG-300 7282-3PG-300-CH3 75-474014-05S 75-474618-01S 75-474618-04P 75-474618-04S 799539-000 MI8-SE 805-005-07NF11-19PC 805-005-07NF15-7PA 8280-4PG-516 8280-7PG-519 8282-5PG-519 836783-1 MP-4102-25P-C 862256-1 864019-2 866857-1 867865-1 PT01SP-14-18P PT08P-14-5S PTSF06SE-14-12S 120-1833-000 QCM019PC2DC012B 1-2069279-1 121583-0217 121667-0020 129591AU 1000B BULK RD10A16-19-P6CS051/1 RD10A20-31-P8CS051/1 RD16A14-12-S6CS051/2 1301240290 1301240347