



	REVISIONS									
REV	ECO	DESCRIPTION	DATE	BY	APPR					
A1	-	RELEASE NEW DRAWING	11APR18	ROOKIE	TOMMY					
A2	-	REVISED DESCRIPTION	12JUN19	JAH	DH					








NOTES: UNLESS OTHERWISE SPECIFIED


A SEE SHEET 2 FOR KEY ARRANGEMENTS AND COLORS.

2. MATERIAL: HOUSING: THERMOPLASTIC SEAL:SILICONE RUBBER CONTACT: COPPER ALLOY

- 3. MODIFICATIONS: 4 PIECES OF 3 PIN BUSBAR WITH NICKEL PLATED
- 4. SPECIFICATIONS:
 - 4.1 CURRENT RATING: 13 AMPS MAXIMUM FOR THE 3 PIN BUSBAR
 - 4.2 OPERATING TEMPERATURE: -55°C TO +125°C.
 - 4.3 DIELECTRIC WITHSTANDING VOLTAGE: LESS THAN 2 MILLIAMPS CURRENT LEAKAGE @ 1500 VOLTS AC.
 4.4 INSULATION RESISTANCE: 1000 MEGOHM MIN @ 25°C.

 - 4.5 MOISTURE RESISTANCE: IP67 (MATED CONDITION).
 - 4.6 MATING CYCLE DURABILITY: 100 CYCLES
 - 4.7 RoHS COMPLIANT
- 5. MATING PART: AT06-12SX* PLUG (X=A,B,C,D KEYS * = AVAILABLE MODIFICATIONS)
- 6 ORIENTATION OF "Amphenol" AND "-P030" TO BE OPTIONAL
- A. BORDERS SIGINIFY THAT EACH GROUP OF PINS (PINS 1,11,12, PINS 2,3,10, PINS 4,8,9 AND PINS 5,6,7) ARE BUSSED TOGETHER WITH A 3 PIN BUSBAR
- 8. ALL DIMENSIONS ARE FOR REFERENCE USE ONLY.





		SEE SHEET 2 PART NUMBER			REF: DT04-12PA	-P030 & DT04-12PB-P030		5
					DESCRIPTION			~
QU	ANTITY			MAT	TERI/	ALS LIST		
_		WISE SPECIFIED	SIGNATURES		S DATE	Amphonol		
2) Tol	All dimensions are in metric(mm) Tolerances are as follows: PL DEC ±0.30 Fractions ±1/6		DRAWN:	ROOKIE	11APR18	Amphenol		
2 PL	DEC ±0.15 DEC ±0.08	Angles ±1"	CHECKED:	CHECKED: ORION		Sine Systems - www.amphenol-sine.com	_	
3) No	te reference :	- /x	ENGINEER:			44724 Morley Drive		

TOMMY 11APR18 MATERIAL SPECIFICATIONS THIS DRAWING IS SUPPLIED FOR INFORMATION ONLY. DESIGN FEATURES, SPECIFICATIONS AND PERFORMANCE DATA SHOWN HEREON ARE THE PROPERTY OF THE AMPHENOL CORPORATION NO RIGHTS OF REPRODUCTION ARE IMPLIED ALL DIMENSIONS ARE SUBJECT O NORMAL MANUFACTURING VARIATIONS. NEXT ASS'Y:

Clinton Township, MI 48036 HYPERBUSS AT 12WAY RECEPTACLE (4)3 PIN BUSBAR NICKEL-PLATED

AT04-12PX-P030 В CALE:NONE or 2 SHEET 1

HYPERBUSS AT 12WAY RECP,(4)3 PIN BUSBAR NI-PLATED

DWG NO:

AT04-12PX-P030 REV: A2 SH:


		REVISIONS									
REV ECO		ECO	DESCRIPTION	DATE	BY	APPR					
	A1	-	RELEASE NEW DRAWING	11APR18	ROOKIE	TOMMY					
	A2	-	REVISED DESCRIPTION	12JUN19	JAH	DH					


P/N AT04-12PA-P030 **KEY-A CONFIGURATION** STANDARD COLOR: GREY


P/N AT04-12PB-P030 **KEY-B CONFIGURATION** STANDARD COLOR: BLACK


P/N AT04-12PC-P030 **KEY-C CONFIGURATION** STANDARD COLOR: GREEN

P/N AT04-12PD-P030 **KEY-D CONFIGURATION** STANDARD COLOR: BROWN









		PART N	NUMBER			DESCRIPTION				ITEM	7			
	QUANTITY	MATERIALS LIST								-				
	UNLESS OTHERWISE SPECIFIED 1) All dimensions are in metric(mm). 2) Tolerances are as follows: 1 PL DEC +0.30				11APR18		Α	mpl	ne	n	O	I		
3	2 PL DEC ±0.15 3 PL DEC ±0.08	2 PL DEC ±0.15 Angles ±1"		ORION	11APR18	Sine Systems - www.amphenol-sine.com 44724 Morley Drive Clinton Township, MI 48036								
	MATERIAL SPECIFIC	TIONS:	APPROVAL: CUSTOMER: THIS DRAWING	TOMMY S IS SUPPLIED	11APR18	F		BUSS AT 12	WAY F	RECE				
	PROCESS SPECIFICA	TIONS:	SHOWN HERE THE AMPHENC OF REPRODUC DIMENSIONS A	NS AND PERF ON ARE THE F OL CORPORAT CTION ARE IMI ARE SUBJECT	ORMANCE DATA PROPERTY OF FION. NO RIGHTS PLIED. ALL TO NORMAI	B	Č-	AT04-	12PX	-P03	30	F	A2	
	NEAT ASSY:		MANUFACTUR	ING VARIATIO	INS.	SCALE: N	ONE			SHEET	2	OF	2	

TITLE: HYPERBUSS AT 12WAY RECP.(4)3 PIN BUSBAR NI-PLATED AT04-12PX-P030 REV: A2

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Automotive Connectors category:

Click to view products by Amphenol manufacturer:

Other Similar products are found below:

003-018-000 60403001 60993906-B M902-2131 M902-2161 72.330.1035.1 73.353.4028.0 F119300-B F166900 F258300-B F358300-B F407400 F444110 F487000 F509500B-B 827153-1 8N1515-32-24P 9-1326729-8 925474-1 928905-1 964562-4 968782-1 GT17SA-8DS-HU 98891-1012 98947-1016 12004475-L 12010290 12010309-B 12015454 12020219-B 12020308 12041318-B 12052225-L 12052466 12059125 12064869 12004327-B 12010503-B 12015308 12015384 12015909 1-21030-1 12041254 12041318 12047946-B 12047957 12047957-L 12059473 12066261 12110546