






THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. IT IS CONFIDENTIAL AND A PROPERTY OF AMPHENOL LTW. DISCLOSURE TO THIRD PARTY HAS TO BE AUTHORIZED BY AMPHENOL LTW.


REV.	ECN NO.	DATE	SIGN	DESCRIPTION
B	LE31570310~11	2015/06/26	Lu Di	Change To Common drawing
C	LEN15B0346~350	2015/11/07	Joy	Add 7-8 And 9 Pin To The Common Drawing



CD-XXAFFM-RL7000
Color:Black



Conn



Note:

- * \varnothing Important Dimension To Check.
- * Waterproof Rate: IP67
- * \triangle Housing: 2~6Pin M-PPE, Black.
7~9Pin Nylon+GF, Black.
- * Female Pin: Copper Alloy, Gold Plated.
- * Cable: UL2464 20#, PVC Jacket UV Resistant, Black.
- * Cable Length Tolerance: 01M:±40mm
02M~05M:±60mm
06M~10M:±100mm
11M~30M:±200mm
31M~99M:±500mm
- * Prohibiting the use of place in oils

\triangle \triangle

CD-02AFFM-RL7AXX	
CD-03AFFM-RL7AXX	∅ 5.5
CD-04AFFM-RL7AXX	
CD-05AFFM-RL7AXX	∅ 6.0
CD-06AFFM-RL7AXX	∅ 6.5
CD-07AFFM-RL7AXX	
CD-08AFFM-RL7AXX	∅ 6.8
CD-09AFFM-RL7AXX	∅ 7.4
Part No.	Cable OD

UNIT:mm		
TOLERANCE	±0.5	

TITLE MIDDLE RBL F CONN F PIN CABLE		
SCALE 3:4	SIZE A4	SHEET 1 OF 2
REV. C	WC-REV. A.3	\varnothing : Inspection item

Amphenol LTW
安費諾亮泰企業股份有限公司

ITEM NO.	DRAWN BY Joy	DATE 2015-11-07
DWG NO. CD-XXAFFM-RL7AXX	CHECKED BY Lu Di	DATE 2015-11-07
CUSTOMER ALTW	APPROVED BY Jerry	DATE 2015-11-07

THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. IT IS CONFIDENTIAL AND A PROPERTY OF Amphenol LTW. DISCLOSURE TO THIRD PARTY HAS TO BE AUTHORIZED BY Amphenol LTW.

CD-XXAFFM-RL7A XX

Middle Size Current Rating 5A

XX: No. Of Pin (Pin 數)

A: Cable With S/R (線端帶網尾)

F: Female Connector (母座)

F: Female Pin (母Pin)

M: Molding Type (射出成型)

XX: 01~99 Meter

01: 01 Meter

02: 02 Meter

...

99: 99 Meter

A: UL 2464 Cable

7: IP67 (防水等級 67)

L: Straight (180°)

R: Snap In With Latch (彈臂卡合)

9 Pin	8 Pin
-------	-------

	Pin Out	4 -- 3 White 白 2 -- 1 Black 黑	4 Blue 藍 3 White 白 2 -- 1 Black 黑	4 Blue 藍 3 White 白 2 Brown 棕 1 Black 黑	6 Green 綠 5 -- 4 Black 黑 3 Blue 藍 2 White 白 1 Brown 棕	6 Grey 灰 5 Yellow 黃 4 Green 綠 3 White 白 2 Blue 藍 1 Brown 棕	9 -- 8 -- 7 Red 紅 6 Green 綠 5 Yellow 黃 4 Blue 藍 3 Orange 橘 2 Brown 棕 1 Black 黑
	Pin Assignments Front View						

UNIT:mm		TITLE MIDDLE RBL F CONN F PIN CABLE	<h1 style="margin: 0;">Amphenol LTW</h1> <p style="margin: 0;">安費諾亮泰企業股份有限公司</p>	ITEM NO	DRAWN BY	DATE	
TOLERANCE ±0.5		SCALE 3:4	SIZE A4	SHEET 2 OF 2	DWG NO CD-XXAFFM-RL7AXX	CHECKED BY Lu Di	DATE 2015-11-07
		REV. C	WC-REV. A.3	☉: Inspection item	CUSTOMER ALTW	APPROVED BY Jerry	DATE 2015-11-07

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Sensor Cables / Actuator Cables](#) category:

Click to view products by [Amphenol](#) manufacturer:

Other Similar products are found below :

[60963](#) [60964](#) [M83513/19-F01CP](#) [703000D02F2002](#) [703001D02F0602](#) [703001D02F300](#) [704000D02F120](#) [773032K02F030](#) [802027107404-1](#)
[802027213811-1](#) [804001A09M150](#) [805001A09M0502](#) [84914-0235](#) [84914-0237](#) [885030A09M020](#) [8R4J30E03C3003](#) [1200651332](#)
[1200651713](#) [1200660844](#) [1200660845](#) [1200661173](#) [1200680071](#) [1200720053](#) [1200720081](#) [1200720099](#) [1200720217](#) [1200800231](#)
[1200860125](#) [1200870123](#) [1200980102](#) [1200650267](#) [1200650298](#) [1200660183](#) [1200660782](#) [1200660849](#) [1200661295](#) [1200661297](#)
[1200661342](#) [1200661343](#) [1200670080](#) [1200670220](#) [1200680331](#) [1200720252](#) [1200730184](#) [1200860344](#) [1200870359](#) [1200870643](#)
[1200980008](#) [1200980031](#) [1210502211](#)