#### **Terminal Junction Splices**



## **Terminal Junction Splices**

Single/ Dual/ Diode M81714/11, /12,/24 Series I

#### **Operating Range**

Temperature: -65°C to 200°C Insulation Resistance: 5000 Megaohms Min. Dielectric Withstanding Voltage: 1500 VRMS at Sea Level 200 VRMS at 100,000 ft. Vibration & Shock: Per AS-81714 Paragraph 3.5.5 & 3.5.8

#### Materials

Insulator Body: Polyethermide per ASTM-D-5205 Grommet: Silicone Rubber per A-A-59588 Internal Contact: Copper Alloy, Gold Finish Accordance with MIL-G-45204

### Product Description

Single and Dual Splices and Electronic Splices are designed to provide a quick and efficient solution to customer wiring requirements.

Single and Dual Wire Splices meet MIL-T-81714/11 &12 requirements and are highly resistant to temperature and fluids.

TJSE electronic modules can be supplied with a wide variety of diodes, resistors, capacitors, and fuses within the splice itself. TJSE electronic splices meet the electronic parameters of MIL-81714/24 and allow customers to incorporate system modifications into a wire bundle, avoiding changes in panels or boards.

Typical examples are represented to the right, but customer specific designs are welcomed, and an extensive list of existing splices are available on the next page.

**Amphenol Pcd** 

#### Single Wire Splices


	Conta	cts	Part Numbers				
	Military P/N	APCD P/N	Quantity	Size*	Part No.		
	M81714/11-22D	TJS322700	2	16/22	M39029/1-100		
$\left( \circ \right)$	M81714/11-20D	TJS320700	2	16/20	M39029/1-101		
	M81714/11-12D	TJS316700	2	14/16	M39029/1-102		
	M81714/11-16D	TJS312700	2	12/12	M39029/1-103		

#### **Dual Wire Splices**

	Bussing	Part Nu	Imbers		Diameter					
	Туре	MIL P/N 81714	APCD P/N	Quantity	Size*	P/N M39029	Α	В		
0	ര	/12-22D-1	TJS322701	4	16/22	/1-100	.400	.275		
		/12-20D-1	TJS320701	4	16/20	/1-101	.400	.275		
	$\square$	/12-16D-1	TJS316701	4	14/16	/1-102	.500	.300		
0	6	/12-22D-2	TJS322702	4	16/22	/1-100	.400	.275		
		/12-20D-2	TJS320702	4	16/20	/1-101	.400	.275		
	$\bigcirc$	/12-16D-2	TJS316702	4	14/16	/1-102	.500	.300		

Electronic Splices										
Circuit Type	Part Numbers APCD P/N	Dio Diode P/N	de Quantity	Contacts Size* Quantity P/N M39029						
<u> </u>	TJSE22707	JANTX1N5622	1	16/22	4	1-100				
	TJSE20705	JANTX1N5622	1	16/20	4	1-101				
$\bigcirc$										
	TJSE22709	JANTX1N5622	2	16/22	4	1-100				
$\square$	TJSE20705	JANTX1N5622	2	16/20	4	1-101				
$\bigcirc$					*M	lating Pin Wire Barrrel				

#### **Relay Socket Dimensions**



# **Electronic Terminal Junction Splices**

### MIL-T-81714/24 Compatible Class D

Amphenol Pcd's Electronic Terminal Junction Splices are available with a variety of components and in a wide range of configurations. Components available include but are not limited to diodes, resistors, fuses, capacitors, thyristors, and inductors, and are also available with multiple components within one module. The following are currently available Electronic Terminal Junction Splices, although there are new configurations produced regularly and customized components are also available.

#### **Amphenol Pcd Terminal Junction Splices**

Circuit Diagram	APCD P/N	Part	Part P/N	Quantity	Circuit Diagram	APCD P/N	Part	Part P/N	Quantity
A.	TJSE20501	Inductor	1 100µH	1	A C	TJSE20599	Diode	JANTX1N5554	1
, <sup>O</sup> D					BD				
A. B	TJSE20503	Fuse	5 AMP 125V	1	A→+−C	TJSE20602	Diode	JANTX1N5618	2
					<b>B</b> →+-D	)			
A	TJSE20505	Resistor	RW81 38Ω 1W	1	A → C	TJSE20703	Diode	1N5819	2
B					B <b>→</b> -D	)			
A	TJSE20506	Resistor	120 Ω 1/4W	2		TJSE20705	Diode	JANTX1N5622	1
BD					(A) <b>→</b> →(C)				
A-~~B	TJSE20509	Diode	5 Amp	2	A → C	TJSE20706	Diode	JANTX1N5622	2
$\bigcirc - \bigcirc - \bigcirc \bigcirc$					B <b>→</b> -D	)			
A~	TJSE20510	Diode	1 Amp 125V	1	A C	TJSE20710	Diode	1N5622	1
B					B ← D	)			
A C	TJSE20513	Capacitor	620pF	1	A → C	TJSE20711	Diode	1N4006	2
					₿-▶-0	)			
₽ <b>"</b> ©	TJSE20520	Capacitor	390pF	5	A	TJSE22503	Fuse	5 AMP 125V	1
BD					C B				
Q <sub></sub> Q	TJSE20523	Resistor	15KΩ 1/4W	1		TJSE22514	Resistor	10K Ω,1/4 W	1
B D						1			
A	TJSE20525	Resistor	10K Ω 1/4W	1	A W C	TJSE22517	Resistor	120 Ω,1 W	1
B					BD				
(A)(C)	TJSE20526	Resistor	910 Ω 1/4W	1	AC	TJSE22523	Resistor	75K Ω,1/2 W	2
0					BD	)			
A_M_B	TJSE20553	Resistor	1KΩ 1/2W	1	(A <b>→</b> +–C	TJSE22707	Diode	JANTX1N5622	2
B					₿ <b>→</b> +_₽				
_₩_©	TJSE20554	Resistor	18KΩ 1/2W	2	Q A	TJSE20599	Diode	1N5622	1
B					BD				
A_M_B	TJSE20555	Resistor	18KΩ 1/2W	1	A	TJSE20599	Resistor	78.7 Ω,1/4 W	2
B					BD	1			



## **Amphenol Pcd**

### **Terminal Junction Modules**

### **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Junction System Tools & Accessories category:

Click to view products by Amphenol manufacturer:

Other Similar products are found below :

 YCTJ-3D-12V0030000
 YCTJ-3A-08C0560000
 RBD20-1
 00111922302
 00111922402
 00172023200
 PCL03ANZ04
 PCL03AHZ08

 PCL03ANZ05
 PCL03AHZ16
 PCL03AHZ12
 YCTJ-2A-01V0030000
 00326120059
 00611420007
 00611405118
 00611421005
 00611420004

 AMY7200T1L72
 00326116859
 00610100200
 00326110959
 00326117359
 00111920102
 M81714/67-12
 00111920202
 591637-2

 00111920402
 00118400034
 M6106/31-001
 TJT703002
 TJT703017
 M6106/32-001
 RBMT2
 591637-5
 592104-1
 592104-2
 YCTJ-3A 

 03C0160000
 YDCR-1A-02V0030000
 YDCR-1A-06V0030000
 YDCR-1A-09V0030000
 00111920302
 RBMT4
 591637-1
 591638-1