



REVISIONS						
REV	ECO	DESCRIPTION	DATE	BY	APPR	
A1	-	FIRST RELEASE	Feb.25,2016	Drack	Tommy	





P type, Normal Key (P型, 0转位角)





Item	Part number	Cable OD Range	
1	MA7CAP1200-S1	4.5~7.5 mm	
2	MA7CAP1200-S2	7.5~11.0 mm	
3	MA7CAP1200-S3	11.0~15.0 mm	

NOTES: UNLESS OTHERWISE SPECIFIED

1. MATERIAL:

INSULATION INSERT: PA66,UL94 V0

SEAL: VITON, EPDM

HOUSING BODY: ZINC DIE CAST, NICKEL PLATED COUPLING NUT: COPPER ALLOY, NICKEL PLATED

2. SPECIFICATIONS:

2.1 CURRENT RATING: 10 AMPS

2.2 VOLTAGE RATING: 160 V AC/DC

2.3 OPERATING TEMPERATURE: -20°C TO +130°C

2.4 DIELECTRIC WITHSTANDING VOLTAGE: LESS THAN 2 MILLIAMPS CURRENT LEAKAGE @ 2500 VOLTS AC.

2.5 DEGREE OF PROTECTION: IP67 (MATED CONDITION)

M23A,PLUG,STR,12P,P TYPE

MA7CAP1200-Sx

2.6 DEGREE OF POLLUTION: 3 PER UL840

2.7 OVERVOLTAGE CATEGORY: III PER UL840

2.8 MATING CYCLE DURABILITY: >500 CYCLES

2.9 RoHS COMPLIANT

3. ALL DIMENSIONS ARE FOR REFERENCE USE ONLY.

	OEE DAD	TNUMBER T						
		HART						
QUANTITY	PART N	ÍÚMBER		DESCRIPTION	ITEM			
MATERIALS LIST								
UNLESS OTHERWISE SPECIFIE 1) All dimensions are in metric(mm)		SIGNATURE	S DATE	Amphonol				
Tolerances are a PL DEC +0.30		Drack Drack	Feb.20,2016	Amphenol				
2 PL DEC ±0.15 3 PL DEC ±0.08 Angles ±1° CHECKED: BIGINEER: APPROVAL: MATERIAL SPECIFICATIONS: CUSTOMER: THIS DRAWING IS SUPPLIED				Sine Systems - www.amphenol-sine.com 44724 Morley Drive Clinton Township, MI 48036				
				MOOA PLUG OTD 40D D TVD5				
		THIS DRAWING IS SUPPLIED FOR INFORMATION ONLY, DESIGN FEATURES.		M23A,PLUG,STR,12P,P TYPE				
		FORMANCE DATA PROPERTY OF ATION. NO RIGHTS MPLIED. ALL	D 0 MAZOAD4000 0	A1				
NEXT ASS'Y:	MANUFACTURING VARIATIONS.			SCALE: NONE SHEET 1 OF	1			

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Circular Metric Connectors category:

Click to view products by Amphenol manufacturer:

Other Similar products are found below:

600X518037X 6STD15PCR99B70A 8R4000A16M020 8R5000A16M005 1200910002 1203580030 1200910008 1200910011 1300140094 130203-0054 1300140026 1300150099 1-3637-600-5205 1612618 21036836414 8R4006A16M010 1R3006A20M005 41-40011 42-00006 42-01015 4-22279-4 4-22281-1 4-22284-9 43-00113 43-01088 43-01203 41-40013 42-00008 43-00343 43-01026 43-01162 43-01173 43-10000 XS3P-M421-2 600X518050X 8R5006A16M020 8R4000A16M010 6-22279-3 1605332 N03FA03144 1300140077 43-16213 43-01338 XS2RD4265 XS2R-D426-1 XS8A-0441 859RD04-103R004 860RD04-113R004 860RD04-213R004 1-213245-2