


MRD Series Rugged Circular Locking Connectors

IP67 HARSH INDUSTRIAL CONNECTORS

MRD series connectors are available in 2, 3, 4, 5, 6, 8 and 9 position form factors. Housing options include all plastic constructions as well as metal locking bodies for greater durability. Locking options include 1/3 turn bayonet locking as well as quick release metal latches. Panel mount and cable termination options are available with or without finger proof protection.

- IP67 in the mated conditions water/dust Proof
- Power or signal connections
- Available in 2, 3, 4, 5, 6, 8 and 9 position form factors
- Circular shape
- Locking option



FEATURES

- Sealed connectors
- Available in 2, 3, 4, 5, 6, 8 and 9 positions
- Up to 10A current rating
- Circular connector
- Locking option
- RoHS compliant

BENEFITS

- IP67 in the mated conditions water/dust proof
- Design flexibility
- Supports high power applications
- Supports various industrial applications
- Secured connection and avoids data/power interruption
- Meets environmental, health and safety requirements

► MRD Series Rugged Circular Locking Connectors

TECHNICAL INFORMATION

MATERIAL

- Contacts: Copper Alloy with gold flash over $50\mu^{\prime\prime}$ (1.27µm) min. Nickel
- Housing: Engineering thermoplastic, UL94V-0 rated, Black
- Metal Shell: Die cast Zinc alloy, chrome plated

ELECTRICAL PERFORMANCE

- Current Rating: 5A per contact for 1mm contacts,
 10A per contact for 1.5mm contact size
- Voltage Rating: 300 VAC for 1.0mm contacts, 500 VAC for 1.5mm contact size
- Wire Gauge: Up to #18AWG for 1.0mm contact, Up to 16AWG for 1.5mm contact size

MECHANICAL PERFORMANCE

• Durability: 500 mating cycles

ENVIRONMENTAL

- RoHS: this product is compatible according to the European Union Directive 2011/65/EU
- Operating Temperature: -55°C to +105°C
- Salt Spray: Per EIA364-26, 250 Hrs

■ Temperature Rise: 30°C

APPROVALS & CERTIFICATION

- RoHS
- REACH/SVHC

PACKAGING

Box

TARGET MARKETS/APPLICATIONS



Robotics Power Generation Smart Grid LED Lighting



CT MRI Ultrasonic

PART NUMBERS

Description	Part Numbers
MRD series male 2 position socket connector with metal latch lock	MRD-BN02-M17-000
MRD series female 2 position pin connector with metal latch lock	MRD-BG02-M17-000
MRD series panel mount, female 2 position pin connector with metal latch lock	MRD-BG02-L13-000
MRD series male 3 position socket connector with metal latch lock	MRD-BN03-M17-000
MRD series female 3 position pin connector with metal latch lock	MRD-BG03-M17-000
MRD series panel mount, female 3 position pin connector with metal latch lock	MRD-BG03-L13-000
MRD series male 4 position socket connector with metal latch lock	MRD-BN04-M17-000
MRD series female 4 position pin connector with metal latch lock	MRD-BG04-M17-000
MRD series panel mount, female 4 position pin connector with metal latch lock	MRD-BG04-L13-000
MRD series female 3 position socket connector with plastic latch lock	MRD-AH03-M15-000
MRD series panel mount, female 3 position socket connector with plastic latch lock	MRD-AH03-L13-000
MRD series male 3 position pin connector with plastic latch lock	MRD-AP03-M15-000

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Standard Circular Connector category:

Click to view products by Amphenol manufacturer:

Other Similar products are found below:

5M2530B10P 600259N006 600273N007 6134-336-13149 6134-337-11149 6134-337-2390 6134-341-17149 6280-4SG-516 6280-7SG-3DC 6290 6291A 66200A-10 680-SMG 681-PMG CXS3102A14S2P CXS3102A181S 7251-6SG-300 7271-6SG-300 7282-3PG-300-CH3 75-474014-05S 75-474618-01S 75-474618-04P 75-474618-04S 799539-000 MI8-SE 805-005-07NF11-19PC 805-005-07NF15-7PA 8280-4PG-516 8280-7PG-519 8282-5PG-519 836783-1 MP-4102-25P-C 862256-1 864019-2 866857-1 867865-1 PT01SP-14-18P PT08P-14-5S PTSF06SE-14-12S 120-1833-000 QCM019PC2DC012B 1-2069279-1 121583-0217 121667-0020 129591AU 1000B BULK RD10A16-19-P6CS051/1 RD10A20-31-P8CS051/1 RD16A14-12-S6CS051/2 1301240290 1301240347