


# M12 X-Code Series

Comprehensive Product Lines For Your High Data Transmission Demand



## Key Features

- ✓ Cat. 6A Data Transmission Rate Up To 10 Gbps
- ✓ 360° Shielding Design
- ✓ UL 94V-0 Rated Material
- ✓ Compliant With IEC 61076-2-109



Harsh Environment



Private Labeling Available



IP67/IP68



UL 94V-0



Data Transmission



Space Saving



Corrosion Resistant



Fully Shielded

## Applications



Broadband Wireless Access



Industrial Automation



Surveillance Systems

















MRT / Railway







## Specifications

	General Characteristics
Number of Contacts	8Pin
Connector Type	Male and Female
Current Rating	0.5A
Voltage Rating	50 V ac, 60V dc
Waterproof Rating	IP67, Mated
Durability	100 cycles
Transmission Performance	Cat.6A
Locking Mechanism	M12 Screw
Temperature Range	Receptacle: -40°C ~ 105°C
	Overmolded Cable : -20°C ~ 80°C
	Field Installable : -40°C ~ 105°C

**Specifications**

Connector Type	PCB 90° Receptacle (Front Fastened, 2 Pcs )	PCB 90° Receptacle (Front Fastened, 1 Piece)	PCB 90° Receptacle (Rear Fastened, 1 Piece)	PCB 90° Receptacle (Rear Fastened, 1 Piece)
Ordering Information	MSXS-08PFFR-SF7001 (PG9) MSXS-08PFFR-SF7002 (M16)	MSXS-08PFFR-SF7003 (M12)	MSXS-08PFFR-SH7001 (PG9) MSXS-08PFFR-SH7002 (M16)	MSXS-08PFFR-SH7003 (M12)
Product Image				
Dimension				

Connector Type	PCB 180° Receptacle	SMT	IDC Type Field Installable
Ordering Information	MSXS-08PFFP-SF7001	MSXS-08PFFT-EE0001	MSXS-08BMMD-SL8001
Product Image			
Dimension			

Connector Type	Single/Double Ended Cable	Right Angle Cable	X-Code To RJ45 Adapter
Ordering Information	MSXS-08BMMM-SL7XXX (Single) MSXS08ML-SXSML-SGXXX (Double)	MSXS-08BMMM-SR7XXX	RJS-12X08FF-LS7001 (Straight) RJS-12X08FF-RS7001 (Right Angle)
Product Image	 Single Double		 Straight Right Angle
Dimension			



## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Circular Metric Connectors](#) category:*

*Click to view products by [Amphenol](#) manufacturer:*

Other Similar products are found below :

[600X518037X](#) [MA1EAF1200](#) [6STD15PCR99B70A](#) [8R4000A16M020](#) [8R4A00A18M020](#) [8R5000A16M005](#) [1200910008](#) [1200910011](#)  
[1300140094](#) [130203-0054](#) [1300150099](#) [RF-12S1N8A90DU](#) [1-3637-600-5205](#) [1612618](#) [8R4006A16M010](#) [8R5006A18A120](#) [1604232](#)  
[1R3006A20M005](#) [RF-12P1N8A80DU](#) [RF-12P1N8A90DU](#) [41-01016](#) [41-40011](#) [41-40017](#) [42-01015](#) [4-22279-4](#) [4-22281-1](#) [4-22284-9](#) [43-](#)  
[00002](#) [43-01166](#) [41-40005](#) [41-40016](#) [43-00161](#) [43-01191](#) [XS3P-M421-2](#) [600X518050X](#) [SACC-DSI-FS-5P-PG9-L180 SC](#) [8R4006A16A120](#)  
[8R4000A16M010](#) [RKC 50/16](#) [1R3004A20A1201](#) [6-22279-3](#) [N03FA03144](#) [1300140077](#) [XS8A-0441](#) [859RD04-103R004](#) [860RD04-113R004](#)  
[860RD04-213R004](#) [860-X08-213R004](#) [1-213245-2](#) [2273142-2](#)