

REV. A		SHEET 1 OF 2		DOCUMENT NO. RVPX-PE216DXX	
REVISIONS M					
LTR	DESCRIPTION			DATE	
A	PRELIMINARY			5-OCT-18	





TABLE 1
INTERCONNECTIONS WITH BACKPLANE
CONNECTOR RVPX-JE216MXX

TYPICAL INTERCONNECTIONS FOR COLUMN (WAFER): 2, 4, 6, 8, 10, 12, 14, 16		
CONTACT USAGE	DAUGHTERCARD CONNECTOR PIN	BACKPLANE CONNECTOR PIN
SIGNAL PAIR	bx	cx
	cx	dx
SIGNAL PAIR	ex	gx
	fx	hx
GROUPS	ax, dx, gx, (ALL COMMONED)	ax, bx, ex, fx, ix

TYPICAL INTERCONNECTIONS FOR COLUMN (WAFER): 1, 3, 5, 7, 9, 11, 13, 15		
CONTACT USAGE	DAUGHTERCARD CONNECTOR PIN	BACKPLANE CONNECTOR PIN
SIGNAL PAIR	ax	ax
	bx	bx
SIGNAL PAIR	dx	ex
	ex	fx
SIGNAL	gx	ix
GROUPS	cx, fx, (ALL COMMONED)	cx, dx, gx, hx

NOTE: "x" DESIGNATES THE COLUMN NUMBER

TABLE 2

PLATING THICKNESS AND MATERIAL BY PART NUMBER			
PART NUMBER	GOLD IN CONTACT AREA	COMPLIANT	NICKEL OVERALL
RVPX-PE216DM1	50 μ-INCH MIN	50 μ-INCH MIN TIN	50 μ-INCH MIN
RVPX-PE216DM2	50 μ-INCH MIN	50 μ-INCH MIN TIN-LEAD	50 μ-INCH MIN
RVPX-PE216DC1	30 μ-INCH MIN	50 μ-INCH MIN TIN	50 μ-INCH MIN
RVPX-PE216DC2	30 μ-INCH MIN	50 μ-INCH MIN TIN-LEAD	50 μ-INCH MIN

4 SEE TABLE 2 FOR PART NUMBER AND FINISHES

3 SEE TABLE 1 FOR INTERCONNECTIONS TO BACKPLANE CONNECTOR

2 PTH CALLOUT
TYPICAL HOLE
Ø0.38-.43 DRILL
Ø0.31 ±.05 FINISH HOLE
Ø0.66 PAD

1 HOUSING: GLASS FILLED LCP, UL94 - V0
CONTACT: Cu ALLOY
POST: STAINLESS STEEL, PASSIVATED

THE USE OF THIS DOCUMENT IS UNLIMITED. HOWEVER, DOCUMENTS REFERENCED HEREON MAY CONTAIN LIMITED RIGHTS DATA.

RELEASED / Jan. 14 2020, 1:50:16 PM

DOCUMENT NO. RVPX-PE216DXX

SHEET 1 OF 2

REV. A

N/A


NEXT ASSEMBLY

PRO/ENGINEER INFORMATION

Pro/e Model Used:
P1233-426-0008-001.ATCS.PART
Drawing Name:
RVPX-PE216DXX

UNLESS OTHERWISE SPECIFIED	SPECIFICATIONS	POS	QTY	PART NUMBER	DESCRIPTION	NOTE
LINEAR DIMENSIONS ARE IN MILLIMETERS TOLERANCES: .XXXX = ±. - ANGLES = ±1° .XXX = ±. - .XX = ±.13 .X = ±.5	MATERIAL SPEC. N/A	APPROVALS		DATE	PARTS LIST	
	PROCESS SPEC. 9-3895 9-3856-5	PREPARED BY S. LANGELIER	ENGINEER IN CHARGE S. LANGELIER	DESIGN MANAGER G. PECK	17-DEC-19	AMPHENOL CORPORATION 40-60 DELAWARE AVENUE SIDNEY, N.Y. 13858
DIM. & TOL. PER ASME Y14.5M; DRM PER MIL-DTL-31000; OTHER Amphenol Stds. PER 9-3800	LEGENDS: =FLAG NOTE CALL OUT REFERENCE ONLY	THIRD ANGLE PROJECTION		RIGHT-ANGLE PLUG ASSEMBLY CENTER, RVPX EVO 2 DAUGHTERCARD CONNECTOR, DIFFERENTIAL		
		SIZE C		CAGE CODE 77820	DOCUMENT NO. RVPX-PE216DXX	REV. A
		SCALE: 5.0		REF. NONE	SHEET 1 OF 2	

RVPX-PE216DXX
 SHEET 2 OF 2
 REV. A
 C
 B
 A



NOTES: SEE SHEET 1

THE USE OF THIS DOCUMENT IS UNLIMITED. HOWEVER, DOCUMENTS REFERENCED HEREON MAY CONTAIN LIMITED RIGHTS DATA.

RELEASED / Jan. 14 2020, 1:50:16 PM

SIZE C	CAGE CODE 77820	DOCUMENT NO. RVPX-PE216DXX	REV. A
SCALE: 5.0		REF: NONE	SHEET 2 OF 2

RVPX-PE216DXX
 SHEET 2 OF 2
 REV. A
 Eng. PDM Information For Reference Only
 REVISION A
 VERSION 0

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [High Speed/Modular Connectors](#) category:

Click to view products by [Amphenol](#) manufacturer:

Other Similar products are found below :

[650827-1](#) [74040-1346](#) [1410191-1](#) [1410337-1](#) [1410368-3](#) [1410367-3](#) [1410971-4](#) [1467833-1](#) [2000877-1](#) [2000878-1](#) [2041314-1](#) [2065387-1](#)
[2187307-1](#) [163P](#) [1934290-1](#) [2000875-1](#) [2065799-1](#) [2065917-1](#) [2102736-2](#) [FSR-40](#) [2169868-2](#) [22354-8](#) [437-5040-000](#) [039-0246-000](#)
[0740618502](#) [0761601016](#) [73774-1000](#) [030-2415-003/100 PK](#) [030-7380-004](#) [030-2494-001](#) [532939-1](#) [5532901-3](#) [3-1469268-7](#) [UMK-SE](#)
[11,25-1](#) [74748-102LF](#) [10041743-101LF](#) [10066670-100002LF](#) [1-533915-1](#) [249-4515-000](#) [7-1469373-3](#) [DL2-2J/S](#) [2000713-8](#) [2000713-7](#)
[10124313-101LF](#) [1410189-2](#) [3011-21](#) [EBTF-4-10-2.0-S-RA-1](#) [430305-001](#) [4395800100](#) [8140115](#)