

Data Sheet

24 GHz VCO and PGA with 2-Channel PA Output

ADF5901

FEATURES

24 GHz to 24.25 GHz voltage controlled oscillator (VCO) 2-channel 24 GHz power amplifier (PA) with 8 dBm output **Single-ended outputs** 2-channel muxed outputs with mute function Programmable output power N divider output (frequency discriminator) 24 GHz local oscillator (LO) output buffer 250 MHz signal bandwidth Power control detector **Auxiliary 8-bit ADC** ±5°C temperature sensor 4-wire serial peripheral interface (SPI) Electrostatic discharge (ESD) performance Human body model (HBM): 2000 V Charged device model (CDM): 250 V **Qualified for automotive applications**

APPLICATIONS

Automotive radars Industrial radars Microwave radar sensors Industrial sensors Precision instrumentation Tank level sensors Smart sensors Door opening Energy saving Commercial sensors: object detection and tracking Cars, boats, aircraft, and UAVs (drones): collision avoidance Intelligent transportation systems: intelligent traffic monitoring and control Surveillance and security


GENERAL DESCRIPTION

The ADF5901 is a 24 GHz Tx monolithic microwave integrated circuit (MMIC) with an on-chip, 24 GHz VCO with PGA and dual Tx channels for radar systems. The on-chip, 24 GHz VCO generates the 24 GHz signal for the two Tx channels and the LO output. Each Tx channel contains a power control circuit. There is also an on-chip temperature sensor.

Control of all the on-chip registers is through a simple 4-wire interface.

The ADF5901 comes in a compact 32-lead, 5 mm × 5 mm LFCSP package.





Rev. B

Document Feedback

Information furnished by Analog Devices is believed to be accurate and reliable. However, no responsibility is assumed by Analog Devices for its use, nor for any infringements of patents or other rights of third parties that may result from its use. Specifications subject to change without notice. No license is granted by implication or otherwise under any patent or patent rights of Analog Devices. Trademarks and registered trademarks are the property of their respective owners.

One Technology Way, P.O. Box 9106, Norwood, MA 02062-9106, U.S.A. Tel: 781.329.4700 ©2015-2017 Analog Devices, Inc. All rights reserved. Technical Support www.analog.com

TABLE OF CONTENTS

Features 1
Applications1
General Description1
Functional Block Diagram1
Revision History 2
Specifications
Timing Specifications4
Absolute Maximum Ratings
ESD Caution
Pin Configuration and Function Descriptions7
Typical Performance Characteristics9
Theory of Operation11
Reference Input Section11
RF INT Divider11
INT, FRAC, and R Relationship11
R Counter11
Input Shift Register11
Program Modes11
Register Maps13
Register 0 15
Register 1

Application of the ADF5901 in FMCW Radar 25

REVISION HISTORY

8/2017—Rev. A to Rev. B	
Changes to Figure 17	13
Changes to Figure 20	17
Updated Outline Dimensions	27
Changes to Ordering Guide	27

7/2016-Rev. 0 to Rev. A

Changes to Applications Sec	tion 1
-----------------------------	--------

Changes to Initialization Sequence Section and Recalibration	
Sequence Section 2	23

12/2015—Revision 0: Initial Version

SPECIFICATIONS

 $AHI = TX_AHI = RF_AHI = VCO_AHI = DVDD = 3.3 V \pm 5\%$, AGND = 0 V, dBm referred to 50Ω , $T_A = T_{MAX}$ to T_{MIN} , unless otherwise noted. Operating temperature range is $-40^{\circ}C$ to $+105^{\circ}C$.

Table 1.				r	
Parameter	Min	Тур	Max	Unit	Test Conditions/Comments
OPERATING CONDITIONS					
RF Frequency Range	24		24.25	GHz	
VCO CHARACTERISITICS					
V _{TUNE}	1		2.8	V	
V _{TUNE} Impedance		100		kΩ	
VCO Phase Noise Performance					
At 100 kHz Offset		-88		dBc/Hz	
At 1 MHz Offset		-108		dBc/Hz	
At 10 MHz Offset		-128		dBc/Hz	
Amplitude Noise		-150		dBc/Hz	At 1 MHz offset
Static Pulling f_{VCO} Change vs. Load		±2		MHz	Open-loop into 2:1 voltage standing wave ratic (VSWR) load
Dynamic Pulling Tx On/Off Switch Change		±10		MHz	Open-loop
Dynamic Pulling Tx to Tx Switch Change		±5		MHz	Open-loop
Pushing fvco Change vs. AHI Change		±5		MHz/V	Open-loop
Spurious Level Harmonics		-30		dBc	
Spurious Level Nonharmonics		<-70		dBc	
POWER SUPPLIES					
AHI, TX_AHI, RF_AHI, VCO_AHI, DVDD	3.135	3.3	3.465	v	
Total Current, I _{TOTAL} ¹		170		mA	
Software Power-Down Mode		500		μA	
Hardware Power-Down Mode		200		μA	
TX OUTPUT				P	
Output Power	2	8	10	dBm	
Output Impedance	-	50		Ω	
On/Off Isolation		30		dB	Single Tx output switched on/off
Tx to Tx Isolation		25		dB	Single ix output sintelled on, on
Power-Up/Power-Down Time		200		ns	
LO OUTPUT		200		115	
Output Power	-7	-1	+5	dBm	
Output Impedance	,	50	15	Ω	
On/Off Isolation		30		dB	
AUX PIN OUTPUT		50		ub	
Output Power	-9	-5	0	dBm	Single-ended
Output Frequency	-9	-5	0	UDITI	Single-ended
Divide by 2 Output	12		12 125	GHz	
			12.125 6.0625	GHZ	
Divide by 4 Output	6	200	0.0025		Differential
Output Impedance On/Off Isolation		200		Ω	Differential
On/Off Isolation AUX to LO Isolation		30 30		dB dB	
		50		UD	
TEMPERATURE SENSOR				°C	
Analog Accuracy		±5		°C °C	Following one-point calibration
Digital Accuracy		±5		°C	Following one-point calibration
Sensitivity		6.4		mV/°C	

Parameter	Min	Тур	Max	Unit	Test Conditions/Comments
ADC					
Resolution		8		Bits	
Integral Nonlinearity (INL)		±1		LSB	
Differential Nonlinearity (DNL)		±1		LSB	
Least Significant Bit (LSB)		7.4		mV	
REFIN CHARACTERISITICS					
REF _{IN} Input Frequency	10		260	MHz	-5 dBm minimum to +9 dBm maximum biased at AHI/2 (ac coupling ensures 1.8/2 bias); for frequencies < 10 MHz, use a dc-coupled, CMOS- compatible square wave with a slew rate > 25 V/μs
REF _{IN} Input Capacitance			1.2	pF	
REF _{IN} Input Current			±100	μΑ	
LOGIC INPUTS					
Input Voltage					
High (V⊮)	1.4			V	
Low (V _{IL})			0.6	V	
Input Current (I _{INH} , I _{INL})			±1	μΑ	
Input Capacitance (C _{IN})			10	pF	
LOGIC OUTPUTS					
Output Voltage					
High (V _{он})²	V _{DD} – 0.4			V	
Low (V _{OL})			0.4	v	
Output Current					
High (І _{он})			500	μA	
Low (I _{OL})			500	μA	

 $^{1}T_{A} = 25^{\circ}C$; AHI = 3.3 V; f_{REFIN} = 100 MHz; RF = 24.125 GHz following initialization sequence in the Initialization Sequence section.

 2 V_{DD} selected from IO level bit (DB11 in Register 3).

TIMING SPECIFICATIONS

AHI = TX_AHI = RF_AHI = VCO_AHI = DVDD = 3.3 V \pm 5%, AGND = 0 V, dBm referred to 50 Ω , T_A = T_{MIN} to T_{MAX}, unless otherwise noted. Operating temperature range is -40°C to +105°C.

Parameter	Limit at T _{MIN} to T _{MAX}	Unit	Description						
t ₁	20	ns min	LE setup time						
t ₂	10	ns min	DATA to CLK setup time						
t ₃	10	ns min	DATA to CLK hold time						
t4	25	ns min	CLK high duration						
t ₅	25	ns min	CLK low duration						
t ₆	10	ns min	CLK to LE setup time						
t7	20	ns min	LE pulse width						
t ₈	10	ns max	LE setup time to DOUT						
t9	15	ns max	CLK setup time to DOUT						

Table 2. Write Timing

Write Timing Diagram




Figure 3. Load Circuit for DOUT/MUXOUT Timing, $C_L = 10 \, pF$

ABSOLUTE MAXIMUM RATINGS

Table 3.

1 4010 01						
Parameter	Rating					
AHI to GND	–0.3 V to +3.9 V					
AHI to TX_AHI	–0.3 V to +0.3 V					
AHI to RF_AHI	–0.3 V to +0.3 V					
AHI to VCO_AHI	–0.3 V to +0.3 V					
AHI to DVDD	–0.3 V to +0.3 V					
V _{TUNE} to GND	–0.3 V to +3.6 V					
Digital Input/Output Voltage to GND	-0.3 V to DVDD + 0.3 V					
Operating Temperature Range	-40°C to +105°C					
Storage Temperature Range	–65°C to +150°C					
Maximum Junction Temperature	150°C					
θ _{JA} Thermal Impedance ¹ (Paddle Soldered)	40.83 °C/W					
Reflow Soldering						
Peak Temperature	260°C					
Time at Peak Temperature	40 sec					
Transistor Count						
CMOS	177,381					
Bipolar	2315					
ESD						
Charged Device Model	250 V					
Human Body Model	2000 V					

Stresses at or above those listed under Absolute Maximum Ratings may cause permanent damage to the product. This is a stress rating only; functional operation of the product at these or any other conditions above those indicated in the operational section of this specification is not implied. Operation beyond the maximum operating conditions for extended periods may affect product reliability.

ESD CAUTION



ESD (electrostatic discharge) sensitive device. Charged devices and circuit boards can discharge without detection. Although this product features patented or proprietary protection circuitry, damage may occur on devices subjected to high energy ESD. Therefore, proper ESD precautions should be taken to avoid performance degradation or loss of functionality.

¹ Two signal planes (that is, on top and bottom surfaces of the board), two buried planes, and nine vias.

PIN CONFIGURATION AND FUNCTION DESCRIPTIONS




Figure 4. Pin Configuration

Table 4. Pin Function Descriptions

Pin No.	Mnemonic	Description
1, 3, 6, 8, 10, 12, 13, 19	GND	RF Ground. Tie all ground pins together.
2	TX _{OUT} 1	24 GHz Tx Output 1.
4, 5	TX_AHI	Voltage Supply for the Tx Section. Connect decoupling capacitors (0.1 μF, 1 nF, and 10 pF) to the ground plane as close as possible to this pin. TX_AHI must be the same value as AHI.
7	TX _{OUT} 2	24 GHz Tx Output 2.
9	ATEST	Analog Test Pin.
11	LOOUT	LO Output.
14	RF_AHI	Voltage Supply for the RF Section. Connect decoupling capacitors (0.1 µF, 1 nF, and 10 pF) to the ground plane as close as possible to this pin. RF_AHI must be the same value as AHI.
15	REFIN	Reference Input. This pin is a CMOS input with a nominal threshold of DVDD/2 and a dc equivalent input resistance of 100 k Ω . See Figure 14. This input can be driven from a TTL or CMOS crystal oscillator, or it can be ac-coupled.
16	AHI	Voltage Supply for the Analog Section. Connect decoupling capacitors (0.1 µF, 1 nF, and 10 pF) to the ground plane as close as possible to this pin.
17	DVDD	Digital Power Supply. This supply may range from 3.135 V to 3.465 V. Place decoupling capacitors (0.1 µF, 1 nF, and 10 pF) to the ground plane as close as possible to this pin. DVDD must be the same value as AHI.
18	VREG	Internal 1.8 V Regulator Output. Connect a 220 nF capacitor to ground as close as possible to this pin.
20	CE	Chip Enable. A logic low on this pin powers down the device. Taking the pin high powers up the device, depending on the status of the power-down bit, PD1.
21	CLK	Serial Clock Input. This serial clock input clocks in the serial data to the registers. The data is latched into the 32-bit shift register on the CLK rising edge. This input is a high impedance CMOS input.
22	DATA	Serial Data Input. The serial data is loaded MSB first with the four LSBs as the control bits. This input is a high impedance CMOS input.
23	LE	Load Enable, CMOS Input. When LE goes high, the data stored in the shift registers is loaded into one of the 16 latches with the latch selected via the control bits.
24	DOUT	Serial Data Output.
25	MUXOUT	Multiplexer Output. This multiplexer output allows either the scaled RF or the scaled reference frequency to be accessed externally.
26	Rset	Resistor Setting Pin. Connecting a 5.1 k Ω resistor between this pin and GND sets an internal current. The nominal voltage potential at the R _{SET} pin is 0.62 V.
27	AUX	Auxiliary Output. The VCO/2 output or VCO/4 is available.
28	AUX	Complementary Auxiliary Output. The VCO/2 output or VCO/4 is available.

Pin No.	Mnemonic	Description
29	VTUNE	Control Input to the VCO. This voltage determines the output.
30	VCO_AHI	Voltage Supply for the VCO Section. Connect decoupling capacitors (0.1 μ F, 1 nF, and 10 pF) to the ground plane as close as possible to this pin. VCO_AHI must be the same value as AHI.
31	C1	Decoupling Capacitor 1. Place a 47 nF capacitor to ground as close as possible to this pin.
32	C2	Decoupling Capacitor 2. Place a 220 nF capacitor to ground as close as possible to this pin.
	EP	Exposed Pad. The LFCSP has an exposed pad that must be connected to GND.

TYPICAL PERFORMANCE CHARACTERISTICS




Figure 5. Tx Output Power vs. Output Frequency




Figure 6. Transmitter 1 (Tx1) Output Power Variation with Temperature and Supply vs. Output Frequency





Figure 7. Tx Output Power vs. Tx Amplitude Calibration Reference Code






Figure 9. AUX/AUX Output Power vs. Output Frequency with Divide by 2 Selected





Figure 10. AUX/AUX Output Power vs. Output Frequency with Divide by 4 Selected








Figure 13. ATEST Voltage and ADC Code vs. Temperature




Figure 12. Open-Loop Phase Noise on Tx1 Output at 24.125 GHz

THEORY OF OPERATION REFERENCE INPUT SECTION

The reference input stage is shown in Figure 14. SW1 and SW2 are normally closed switches. SW3 is normally open. When power-down is initiated, SW3 is closed and SW1 and SW2 are opened. This configuration ensures that there is no loading of the REF_{IN} pin on power-down.




Figure 14. Reference Input Stage

RF INT DIVIDER

The RF INT counter allows a division ratio in the RF feedback counter. Division ratios from 75 to 4095 are allowed.

INT, FRAC, AND R RELATIONSHIP

Generate the RF VCO frequency (RF_{OUT}) using the INT and FRAC values in conjunction with the R counter, as follows:

$$RF_{OUT} = f_{REF} \times (INT + (FRAC/2^{25})) \times 2$$
(1)

where:

*RF*_{OUT} is the output frequency of internal VCO.

 f_{REF} is the internal reference frequency.

INT is the preset divide ratio of the binary 12-bit counter (75 to 4095).

FRAC is the numerator of the fractional division (0 to $2^{25} - 1$).

$$f_{REF} = REF_{IN} \times ((1+D)/(R \times (1+T)))$$
(2)


where:

*REF*_{IN} is the reference input frequency.

D is the REF_{IN} doubler bit (0 or 1).

R is the preset divide ratio of the binary, 5-bit, programmable reference counter (1 to 32).

T is the REF_{IN} divide by 2 bit (0 or 1).






Figure 16. Reference Divider

R COUNTER

The 5-bit R counter allows the input reference frequency (REF_{IN}) to be divided down to supply the reference clock to the VCO calibration block. Division ratios from 1 to 32 are allowed.

INPUT SHIFT REGISTER

The ADF5901 digital section includes a 5-bit RF R counter, a 12-bit RF N counter, and a 25-bit FRAC counter. Data is clocked into the 32-bit input shift register on each rising edge of CLK. The data is clocked in MSB first. Data is transferred from the input shift register to one of 12 latches on the rising edge of LE. The destination latch is determined by the state of the five control bits (C5, C4, C3, C2, and C1) in the input shift register. These are the five LSBs (DB4, DB3, DB2, DB1, and DB0, respectively), as shown in Figure 2. Table 5 shows the truth table for these bits. Figure 17 and Figure 18 show a summary of how the latches are programmed.

PROGRAM MODES

Table 5 and Figure 19 through Figure 30 show how to set up the program modes in the ADF5901.

Several settings in the ADF5901 are double buffered. These include the LSB fractional value, R counter value (R divider), reference doubler, clock divider, RDIV2, and MUXOUT. This means that two events must occur before the device uses a new value for any of the double-buffered settings. First, the new value is latched into the device by writing to the appropriate register. Second, a new write must be performed on Register R5.

For example, updating the fractional value can involve a write to the 13 LSB bits in Register R6 and the 12 MSB bits in Register R5. Write to Register R6 first, followed by the write to Register R5. The frequency change begins after the write to Register R0. Double buffering ensures that the bits written to in Register R6 do not take effect until after the write to Register R5.

Table 5. C5, C4, C3, C2, and C1 Truth Table

Control Bits C5 (DB4) C4 (DB3) C3 (DB2) C2 (DB1) C1 (DB0) 0 0 0 0 0 0 0 0 0 1											
C5 (DB4)	C4 (DB3)	C3 (DB2)	C2 (DB1)	C1 (DB0)	Register						
0	0	0	0	0	RO						
0	0	0	0	1	R1						
0	0	0	1	0	R2						
0	0	0	1	1	R3						
0	0	1	0	0	R4						
0	0	1	0	1	R5						
0	0	1	1	0	R6						
0	0	1	1	1	R7						
0	1	0	0	0	R8						
0	1	0	0	1	R9						
0	1	0	1	0	R10						
0	1	0	1	1	R11						

REGISTER MAPS

	REGISTER 0 (R0)																														
$\left[\right]$	RESERVED AUX BUFFER GAIN RESERVED						PUP RCNTR	PUP NCNTR	RESERVED	Tx2 AMP CAL	Tx1 AMP CAL	PUP VCO	VCO CAL	PUP ADC	PUP Tx2	PUP Tx1	PUP LO		с	ONTRO BITS	DL										
DB31	DB30	DB29	DB28	DB27	DB26	DB25	DB24	DB23	DB22	DB21	DB20	DB19	DB18	DB17	DB16	DB15	DB14	DB13	DB12	DB11	DB10	DB9	DB8	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
	0	0	0	0	0	0	0	AG2	AG1	AG0	AD	1	1	1	1	PRC	PNC	1	Tx2C	Tx1C	PVCO	VCAL	PADC	PTx2	PTx1	PLO	C5(0)	C4(0)	C3(0)	C2(0)	C1(0)

REGISTER 1 (R1)

Τ

																												CC	ONTRO)L	
								RESER	VED												Tx AM	P CAL	REF	CODE					BITS		
DB31	DB30	DB29	DB28	DB27	DB26	DB25	DB24	DB23	DB22	DB21	DB20	DB19	DB18	DB17	DB16	DB15	DB14	DB13	DB12	DB11	DB10	DB9	DB8	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	1	1	1	1	TAR7	TAR6	TAR5	TAR4	TAR3	TAR2	TAR1	TAR0	C5(0)	C4(0)	C3(0)	C2(0)	C1(1)

$\left[\right]$							RESEF	RVED								ADC START	AI	DC RAGE			ADC	CLOC	K DIVI	DER				C	ONTRO	DL	
DB31	DB30	DB29	DB28	DB27	DB26	DB25	DB24	DB23	DB22	DB21	DB20	DB19	DB18	DB17	DB16	DB15	DB14	DB13	DB12	DB11	DB10	DB9	DB8	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	AS	AA0	AA0	AC7	AC6	AC5	AC4	AC3	AC2	AC1	AC0	C5(0)	C4(0)	C3(0)	C2(1)	C1(0)

																	,														
\int																				LEVEL									ONTRO		
						R	ESERVI	ED								1	Μυχοι	JT DB	R ¹	₽	F F	READE	BACK	CONT	ROL			U	BITS		
DB31	DB30	DB29	DB28	DB27	DB26	DB25	DB24	DB23	DB22	DB21	DB20	DB19	DB18	DB17	DB16	DB15	DB14	DB13	DB12	DB11	DB10	DB9	DB8	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
0	0	0	0	0	0	0	1	1	0	0	0	1	0	0	1	M3	M2	M1	мо	IOL	RC5	RC4	RC3	RC2	RC1	RC0	C5(0)	C4(0)	C3(0)	C2(1)	C1(1)

														RE	GISTE	R 4 (R4	¥)														
						RE	ESERVI	ĒD		N DIV TO MUXOUT EN		RESE	RVED		TEST BUS TO ADC	TEST BUS TO PIN				AN	ALOG	TEST	BUS					с	ONTRO BITS		
DB31	DB30	DB29	DB28	DB27	DB26	DB25	DB24	DB23	DB22	DB21	DB20	DB19	DB18	DB17	DB16	DB15	DB14	DB13	DB12	DB11	DB10	DB9	DB8	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
C	0	0	0	0	0	0	0	0	0	NDM	0	0	0	0	тва	твр	AB9	AB8	AB7	AB6	AB5	AB4	AB3	AB2	AB1	AB0	C5(0)	C4(0)	C3(1)	C2(0)	C1(0)

														R	EGISTI	ER 5 (R	:5)														
\bigcap																															
R	ESERVE	ED					IN	TEGER	WORD)								_		FRAC	MSB V	VORD						С	BITS		
DB31	DB30	DB29	DB28	DB27	DB26	DB25	DB24	DB23	DB22	DB21	DB20	DB19	DB18	DB17	DB16	DB15	DB14	DB13	DB12	DB11	DB10	DB9	DB8	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
C	0	0	N11	N10	N9	N8	N7	N6	N5	N4	N3	N2	N1	N0	F24	F23	F22	F21	F20	F19	F18	F17	F16	F15	F14	F13	C5(0)	C4(0)	C3(1)	C2(0)	C1(1)

														R	EGIST	ER 6 (R	:6)															
\bigcap																																1
					R	ESERV	ΈD												FRAG	C LSB \	NORD	DBI	२ 1					С	ONTRO)L		
DB31	DB30	DB29	DB28	DB27	DB26	DB25	DB24	DB23	DB22	DB21	DB20	DB19	DB18	DB17	DB16	DB15	DB14	DB13	DB12	DB11	DB10	DB9	DB8	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0	
0	0	0	0	0	0	0	0	0	0	0	0	0	0	F12	F11	F10	F9	F8	F7	F6	F5	F4	F3	F2	F1	F0	C5(0)	C4(0)	C3(1)	C2(1)	C1(0)	5
1DBR	= DO	UBLE	BUFI	ERE	D REG	ISTE	R—BL	JFFEF	ED B	Y THE		ТЕ ТО	REG	ISTEF	1 5.						•											13336-0

Figure 17. Register Summary (Register 0 to Register 6)

н

REGISTER 3 (R3)

														R	EGISTE	R 7 (R	7)														
		RESE	RVED			MASTER RESET	RESERVED					CLOCI	K DIVIE	DER	DE	BR ¹				RDIV2 DBR ¹	REF DOUBLER DBR ¹		r divi	DER	DBR	1		с	ONTRO BITS)L	
DB31	DB30	DB29	DB28	DB27	DB26	DB25	DB24	DB23	DB22	DB21	DB20	DB19	DB18	DB17	DB16	DB15	DB14	DB13	DB12	DB11	DB10	DB9	DB8	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
C	0	0	0	0	0	MR	1	C1D11	C1D10	C1D9	C1D8	C1D7	C1D6	C1D5	C1D4	C1D3	C1D2	C1D1	C1D0	RD2	RD	R4	R3	R2	R1	R0	C5(0)	C4(0)	C3(1)	C2(1)	C1(1)

\int																															
							RE	SERVE	D											FREQ		AL DI	VIDER	2				C	DNTRO	L	
DB31	DB30	DB29	DB28	DB27	DB26	DB25	DB24	DB23	DB22	DB21	DB20	DB19	DB18	DB17	DB16	DB15	DB14	DB13	DB12	DB11	DB10	DB9	DB8	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
C	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	FC9	FC8	FC7	FC6	FC5	FC4	FC3	FC2	FC1	FC0	C5(0)	C4(1)	C3(0)	C2(0)	C1(0)

														RI	GISTE	ER 9 (R9)														
\bigcap																															
														RESE	RVED													С	ONTRO BITS	DL	
DB31	DB30	DB29	DB28	DB27	DB26	DB25	DB24	DB23	DB22	DB21	DB20	DB19	DB18	DB17	DB16	DB15	DB14	DB13	DB12	DB11	DB10	DB9	DB8	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
C	0	1	0	1	0	1	0	0	0	1	0	0	0	0	0	1	0	1	1	1	0	0	1	0	0	1	C5(0)	C4(1)	C3(0)	C2(0)	C1(1)

														R	EGISTE	ER 10 (K10)														
\bigcap																															
													R	ESER	VED													с	ONTRO BITS		
DB31	DB30	DB29	DB28	DB27	DB26	DB25	DB24	DB23	DB22	DB21	DB20	DB19	DB18	DB17	DB16	DB15	DB14	DB13	DB12	DB11	DB10	DB9	DB8	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
0	0	0	1	1	1	0	1	0	0	1	1	0	0	1	0	1	0	1	0	0	1	1	0	0	1	0	C5(0)	C4(1)	C3(0)	C2(1)	C1(0)

	REGISTER II (RTI)																															
													F	ESER	/ED											CNTR RESET		с	ONTRO			
DB31	DB30	DB29	DB28	DB27	DB26	DB25	DB24	DB23	DB22	DB21	DB20	DB19	DB18	DB17	DB16	DB15	DB14	DB13	DB12	DB11	DB10	DB9	DB8	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0	
O	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	CR	C5(0)	C4(1)	C3(0)	C2(1)	C1(1)	-018
¹ DBR	= DO	UBLE	BUFF	ERED	REG	ISTE	R—BU	FFER	ED B	Y THE	WRIT	ГЕ ТО	REG	STER	5.																	13336

Figure 18. Register Summary (Register 7 to Register 11)

REGISTER 10 (R10)

REGISTER 11 (R11)

Data Sheet




Figure 19. Register 0 (R0)

REGISTER 0

Control Bits

With Bits[C5:C1] set to 00000, Register R0 is programmed. Figure 19 shows the input data format for programming this register.

Auxiliary Buffer Gain

Bits[DB23:DB21] set the auxiliary output buffer gain (see Figure 19).

Auxiliary Divide by 2

Bit DB20 selects the auxiliary output divider. Setting this bit to 0 selects divide by 2 (6 GHz output). Setting the bit to 1 selects divide by 1 (12 GHz output).

Power-Up R Counter

Bit DB15 provides the power-up bit for the R counter block. Setting this bit to 0 performs a power-down of the counter block. Setting this bit to 1 returns the counter block to normal operation.

Power-Up N Counter

Bit DB14 provides the power-up bit for the N counter block. Setting this bit to 0 performs a power-down of the counter block. Setting this bit to 1 returns the counter block to normal operation.

Tx2 Amplitude Calibration

Bit DB12 provides the control bit for amplitude calibration of the Transmitter 2 (Tx2) output. Set this bit to 0 for normal operation. Setting this bit to 1 performs an amplitude calibration of the Tx2 output.

Tx1 Amplitude Calibration

Bit DB11 provides the control bit for amplitude calibration of the Tx1 output. Set this bit to 0 for normal operation. Setting this bit to 1 performs an amplitude calibration of the Tx1 output.

Power-Up VCO

Bit DB10 provides the power-up bit for the VCO. Setting this bit to 0 performs a power-down of the VCO. Setting this bit to 1 performs a power-up of the VCO.

VCO Calibration

Bit DB9 provides the control bit for frequency calibration of the VCO. Set this bit to 0 for normal operation. Setting this bit to 1 performs a VCO frequency and amplitude calibration.

Power-Up ADC

Bit DB8 provides the power-up bit for the ADC. Setting this bit to 0 performs a power-down of the ADC. Setting this bit to 1 performs a power-up of the ADC.

Power-Up Tx2 Output

Bit DB7 provides the power-up bit for the Tx2 output. Setting this bit to 0 performs a power-down of the Tx2 output. Setting this bit to 1 performs a power-up of the Tx2 output. Only one Tx output can be powered up at any time, either Tx1 (DB6) or Tx2 (DB7).

Power-Up Tx1 Output

Bit DB6 provides the power-up bit for the Tx1 output. Setting this bit to 0 performs a power-down of the Tx1 output. Setting this bit to 1 performs a power-up of the Tx1 output. Only one Tx output can be powered up at any time, either Tx1 (DB6) or Tx2 (DB7).

Power-Up LO Output

Bit DB5 provides the power-up bit for the LO output. Setting this bit to 0 performs a power-down of the LO output. Setting this bit to 1 performs a power-up of the LO output.


REGISTER 1

Control Bits

With Bits[C5:C1] set to 00001, Register R1 is programmed. Figure 20 shows the input data format for programming this register.

Tx Amplitude Calibration Reference Code

Bits[DB12:DB5] set the Tx amplitude calibration reference code (see Figure 20) for the two Tx outputs during calibration. Calibrate the output power on the Tx outputs from –20 dBm to 8 dBm by setting the Tx amplitude calibration reference code (see Figure 7).



				,	
(TAR7	TAR6	 TAR1	TAR0	Tx AMP CAL REF CODE
ſ	0	0	 0	0	0
	0	0	 0	1	1
	0	0	 1	0	2
	0	0	 1	1	3
	1	1	 0	0	252
	1	1	 0	1	253
	1	1	 1	0	254
	1	1	 1	1	255

3336-020

Figure 20. Register 1 (R1)

Data Sheet

ADF5901




Figure 21. Register 2 (R2)

REGISTER 2

Control Bits

With Bits[C5:C1] set to 00010, Register R2 is programmed. Figure 21 shows the input data format for programming this register.

ADC Start

Bit DB15 starts the ADC conversion. Setting this bit to 1 starts an ADC conversion.

ADC Average

Bits[DB14:DB13] program the ADC average, which is the number of averages of the ADC output (see Figure 21).

ADC Clock Divider

Bits[DB12:DB5] program the clock divider, which is used as the sampling clock for the ADC (see Figure 21). The output of the R divider block clocks the ADC clock divider. Program a divider value to ensure the ADC sampling clock is 1 MHz.




Figure 22. Register 3 (R3)

REGISTER 3

Control Bits

With Bits[C5:C1] set to 00011, Register R3 is programmed. Figure 22 shows the input data format for programming this register.

MUXOUT Control

Bits[DB15:DB12] control the on-chip multiplexer of the ADF5901. See Figure 22 for the truth table.

Input/Output (IO) Level

Bit DB11 controls the DOUT logic levels. Setting this bit to 0 sets the DOUT logic level to 1.8 V. Setting this bit to 1 sets the DOUT logic level to 3.3 V.

Readback Control

Bits[DB10:DB5] control the readback data to DOUT on the ADF5901. See Figure 22 for the truth table.

Data Sheet

ADF5901




Figure 24. Register 5 (R5)

REGISTER 4

Control Bits

With Bits[C5:C1] set to 00100, Register R4 is programmed. Figure 23 shows the input data format for programming this register.

N Divider to MUXOUT Enable

Bit DB21 controls the internal N divider signal for MUXOUT. Setting this bit to 0 enables the internal N divider signal to MUXOUT. Setting this bit to 1 returns the device to normal operation.

Test Bus to ADC

Bit DB16 controls the ATEST pin. Set this bit to 0 for normal operation. Setting this bit to 1 connects the analog test bus to the ADC input.

Test Bus to Pin

Bit DB15 controls the ATEST pin. Setting this bit to 0 sets the ATEST pin to high impedance. Setting this bit to 1 connects the analog test bus to the ATEST pin.

Analog Test Bus

Bits[DB14:DB5] control the analog test bus. This analog test bus allows access to internal test signals for the temperature sensor. See Figure 23 for the truth table.

REGISTER 5

Control Bits

With Bits[C5:C1] set to 00101, Register R5 is programmed. Figure 24 shows the input data format for programming this register.

12-Bit Integer Value (INT)

These 12 bits (Bits[DB28:DB17]) set the INT value, which determines the integer part of the RF division factor. This INT value is used in Equation 5. See the RF Synthesis: a Worked Example section for more information. All integer values from 75 to 4095 are allowed.

12-Bit MSB Fractional Value (FRAC)

These 12 bits (Bits[DB16:DB5]), together with Bits[DB17:DB5] (FRAC LSB word) in Register R6, control what is loaded as the FRAC value into the fractional interpolator. This FRAC value partially determines the overall RF division factor. It is also used in Equation 1. These 12 bits are the most significant bits (MSB) of the 25-bit FRAC value, and Bits[DB17:DB5] (FRAC LSB word) in Register R6 are the least significant bits (LSB). See the RF Synthesis: a Worked Example section for more information.

REGISTER 6

Control Bits

With Bits[C5:C1] set to 00110, Register R6 is programmed. Figure 25 shows the input data format for programming this register.

13-Bit LSB FRAC Value

These 13 bits (Bits[DB17:DB5]), together with Bits[DB16:DB5] (FRAC MSB word) in Register R5, control what is loaded as the FRAC value into the fractional interpolator. This FRAC value partially determines the overall RF division factor. It is also used in Equation 1. These 13 bits are the least significant bits (LSB) of the 25-bit FRAC value, and Bits[DB14:DB3] (FRAC MSB word) in Register R5 are the most significant bits (MSB). See the RF Synthesis: a Worked Example section for more information.

F12	F11	 F1	F0	FRAC LSB WORD (FRAC)*
0	0	 0	0	0
0	0	 0	1	1
0	0	 1	0	2
0	0	 1	1	3
•	•		•	
			-	
1	1	 0	0	8188
1	1	 0	1	8189
1	1	 1	0	8190
1	1	 1	1	8191

*THE FRAC VALUE IS MADE UP OF THE 12-BIT MSB STORED IN REGISTER R5, AND THE 13-BIT LSB REGISTER STORED IN REGISTER R6. FRAC VALUE = 13-BIT LSB + 12-BIT MSB \times 2¹³.

¹DBR = DOUBLE-BUFFERED REGISTER.

Figure 25. Register 6 (R6)

Data Sheet

ADF5901




Figure 26. Register 7 (R7)

REGISTER 7

Control Bits

With Bits[C5:C1] set to 00111, Register R7 is programmed. Figure 26 shows the input data format for programming this register.

Master Reset

Bit DB25 provides a master reset bit for the device. Setting this bit to 1 performs a reset of the device and all register maps. Setting this bit to 0 returns the device to normal operation.

Clock Divider

Bits[DB23:DB12] set a divider for the VCO frequency calibration. Load the divider such that the time base is 10 μ s (see Figure 26).

Divide by 2 (RDIV2)

Setting the DB11 bit to 1 inserts a divide by 2 toggle flip flop between the R counter and VCO calibration block.

Reference Doubler

Setting DB10 to 0 feeds the REF_{IN} signal directly to the 5-bit R counter, disabling the doubler. Setting this bit to 1 multiplies the REF_{IN} frequency by a factor of 2 before the REF_{IN} signal is fed into the 5-bit R counter.

The maximum allowable REF_{IN} frequency when the doubler is enabled is 50 MHz.

5-Bit R Divider

The 5-bit R counter allows the input reference frequency (REF_{IN}) to be divided down to produce the reference clock to the VCO calibration block. Division ratios from 1 to 31 are allowed.

13336-027

\int																															
							RE	SERVE	D											FREQ		CAL DI	VIDEF	ł				C	DNTRO	L	
DB31	DB30	DB29	DB28	DB27	DB26	DB25	DB24	DB23	DB22	DB21	DB20	DB19	DB18	DB17	DB16	DB15	DB14	DB13	DB12	DB11	DB10	DB9	DB8	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
\bigcirc	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	FC9	FC8	FC7	FC6	FC5	FC4	FC3	FC2	FC1	FC0	C5(0)	C4(1)	C3(0)	C2(0)	C1(0)
																											,				

						•	
FC9	FC8	 FC4	FC3	FC2	FC1	FC0	FREQUENCY CAL DIVIDER
0	0	 0	0	0	0	0	0
0	0	 0	0	0	0	1	1
0	0	 0	0	0	1	0	2
		 •	•	•	•	•	
			•			•	
1	1	 1	1	1	0	1	1021
1	1	 1	1	1	1	0	1023
1	1	 1	1	1	1	1	1024

Figure 27. Register 8 (R8)




Figure 28. Register 9 (R9)

REGISTER 8

Control Bits

With Bits[C5:C1] set to 01000, Register R8 is programmed. Figure 27 shows the input data format for programming this register.

Frequency Calibration Clock

Bits[DB14:DB5] set a divider for the VCO frequency calibration clock. Load the divider such that the time base is 10 μs (see Figure 27).

REGISTER 9

Control Bits

With Bits[C5:C1] set to 01001, Register R9 is programmed. Figure 28 shows the input data format for programming this register.

Data Sheet

ADF5901

3336-030

	RESERVED																CONTROL BITS														
DB31	DB30	DB29	DB28	DB27	DB26	DB25	DB24	DB23	DB22	DB21	DB20	DB19	DB18	DB17	DB16	DB15	DB14	DB13	DB12	DB11	DB10	DB9	DB8	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
C	0	0	1	1	1	0	1	0	0	1	1	0	0	1	0	1	0	1	0	0	1	1	0	0	1	0	C5(0)	C4(1)	C3(0)	C2(1)	C1(0)
	Figure 29. Register 10 (R10)																														




Figure 30. Register 11 (R11)

REGISTER 10

Control Bits

With Bits[C5:C1] set to 01010, Register R10 is programmed. Figure 29 shows the input data format for programming this register.

REGISTER 11

Control Bits

With Bits[C5:C1] set to 01011, Register R11 is programmed. Figure 30 shows the input data format for programming this register.

Counter Reset

Bit DB5 provides a counter reset bit for the counters. Setting this bit to 1 performs a counter reset of the device counters. Setting this bit to 0 returns the device to normal operation.

INITIALIZATION SEQUENCE

After powering up the device, administer the following programming sequence. The following sequence locks the VCO to 24.125 GHz with a 100 MHz reference and a 50 MHz reference divider frequency:

- 1. Write 0x02000007 to Register R7 to perform a master reset.
- 2. Write 0x0000002B to Register R11 to reset the counters.
- 3. Write 0x000000B to Register R11 to enable the counters.
- 4. Write 0x1D32A64A to Register R10.
- 5. Write 0x2A20B929 to Register R9.
- 6. Write 0x40003E88 to Register R8 to set the frequency calibration divider clock to 100 kHz.
- 7. Write 0x809FE520 to Register R0 to power up the device and LO (10 $\mu s).$
- 8. Write 0x011F4827 to Register R7 to set the R counter clock to 50 MHz and the calibration clock to 100 kHz.
- 9. Write 0x00000006 to Register R6 to set the LSB FRAC = 0.

10. Write 0x01E28005 to Register R5 to set INT = 241 and MSB FRAC = 1024. Therefore, N = 240.25.

n

DISABLED

ENABLED

- 11. Write 0x00200004 to Register R4 to set the ATEST pin to high impedance.
- 12. Write 0x01890803 to Register R3 to set the IO level to $V_{\rm DD}$ = 3.3 V.
- 13. Write 0x00020642 to Register R2 to set the ADC clock to 1 MHz.
- 14. Write 0xFFF7FFE1 to Register R1 to set the Tx amplitude level.
- 15. Write 0x809FE720 to Register R0 to set the VCO frequency calibration (800 μs).
- 16. Write 0x809FE560 to Register R0 to power Tx1 on, Tx2 off, and LO on.
- 17. Write 0x809FED60 to Register R0 to set the Tx1 amplitude calibration (400 $\mu s).$
- 18. Write 0x809FE5A0 to Register R0 to turn Tx1 off, Tx2 on, and LO on.
- 19. Write 0x809FF5A0 to Register R0 to set the Tx2 amplitude calibration (400 μ s).
- 20. Write 0x2800B929 to Register R9.
- 21. Write 0x809F25A0 to Register R0 to disable the R and N counters.

RECALIBRATION SEQUENCE

The ADF5901 can be recalibrated after the initialization sequence is complete and the device is powered up. The recalibration sequence must be run for every 10°C temperature change; the temperature can be monitored using the temperature sensor (see the Temperature Sensor section).

- Write 0x809FE520 to Register R0 to enable the counters. Tx1 and Tx2 are off, and LO is on.
- 2. Write 0x2A20B929 to Register R9.

- 3. Write 0xFFF7FFE1 to Register R1 to set the Tx amplitude level.
- 4. Write 0x809FE720 to Register R0 to set the VCO frequency calibration (800 μs).
- 5. Write 0x809FE560 to Register R0 to power Tx1 on, Tx2 off, and LO on.
- 6. Write 0x809FED60 to Register R0 to set the Tx1 amplitude calibration (400 μ s).
- Write 0x89FE5A0 to Register R0 to power Tx1 off, Tx2 on, and LO on.
- 8. Write 0x809FF5A0 to Register R0 to set the Tx2 amplitude calibration (400 μ s).
- 9. Write 0x2800B929 to Register R9.
- 10. Write 0x809F25A0 to Register R0 to disable the R and N counters.

TEMPERATURE SENSOR

The ADF5901 has an on-chip temperature sensor that can be accessed on the ATEST pin or as a digital word on DOUT following an ADC conversion. The temperature sensor operates over the full operating temperature range of -40° C to $+105^{\circ}$ C. The accuracy can be improved by performing a one-point calibration at room temperature and storing the result in memory.

With the temperature sensor on the analog test bus and test bus connected to the ATEST pin (Register 4 set to 0x0000A064) the ATEST voltage can be converted to temperature with the following equation:

Temperature (°C) =
$$\frac{\left(V_{ATEST} - V_{OFF}\right)}{V_{GAIN}}$$
 (3)

where:

 V_{ATEST} is the voltage on the ATEST pin. $V_{OFF} = 0.699$ V, the offset voltage.

 $V_{GAIN} = 6.4 \times 10^{-3}$, the voltage gain.

The temperature sensor result can be converted to a digital word with the ADC and readback on DOUT with the following sequence:

- 1. Write 0x809FA5A0 to Register R0 to enable the counters.
- 2. Write 0x00012064 to Register R4 to connect the analog test bus to the ADC and V_{TEMP} to the analog test bus.
- 3. Write 0x00028C82 to Register R2 to start the ADC conversion.
- 4. Write 0x018902C3 to Register R3 to set the output ADC data to DOUT.
- 5. Read back DOUT.
- 6. Write 0x809F25A0 to Register R0 to disable R and N counters.

Convert the DOUT word to temperature with the following equation:

Temperature (°C) =
$$\frac{\left(\left(ADC \times V_{LSB}\right) - V_{OFF}\right)}{V_{GAIN}}$$
(4)

where:

ADC is the ADC code read back on DOUT.

 V_{LSB} = 7.33 mV, the ADC LSB voltage. V_{OFF} = 0.699 V, the offset voltage.

 $V_{GAIN} = 6.4 \times 10^{-3}$, the voltage gain.

RF SYNTHESIS: A WORKED EXAMPLE

The following equation governs how to program the ADF5901:

$$RF_{OUT} = (INT + (FRAC/2^{25})) \times (f_{REF}) \times 2$$
(5)

where:

*RF*_{OUT} is the RF frequency output.

INT is the integer division factor.

FRAC is the fractionality.

$$f_{REF} = REF_{IN} \times ((1+D)/(R \times (1+T)))$$
(6)

where:

REF_{IN} is the reference frequency input.

D is the reference doubler bit, DB10 in Register R7 (0 or 1).

R is the reference division factor.

T is the reference divide by 2 bit, DB11 in Register R7 (0 or 1).

For example, in a system where a 24.125 GHz RF frequency output (RF_{OUT}) is required and a 100 MHz reference frequency input (REF_{IN}) is available, f_{REF} is set to 50 MHz.

From Equation 6,

 $f_{REF} = (100 \text{ MHz} \times (1 + 0)/(1 \times (1 + 1))) = 50 \text{ MHz}$

From Equation 5,

24.125 GHz = 50 MHz ×
$$(N + FRAC/2^{25}) \times 2$$

Calculating the N and FRAC values,

 $N = int(RF_{OUT}/(f_{REF} \times 2)) = 241$ $FRAC = F_{MSB} \times 2^{13} + F_{LSB}$ $F_{MSB} = int(((RF_{OUT}/(f_{REF} \times 2)) - N) \times 2^{12}) = 1024$ $F_{LSB} = int(((((RF_{OUT}/(f_{REF} \times 2)) - N) \times 2^{12}) - F_{MSB}) \times 2^{13}) = 0$

where:

 F_{MSB} is the 12-bit MSB FRAC value in Register R5. F_{LSB} is the 13-bit LSB FRAC value in Register R6. int() makes an integer of the argument in parentheses.

APPLICATIONS INFORMATION APPLICATION OF THE ADF5901 IN FMCW RADAR

Figure 31 shows the application of the ADF5901 in a frequency modulated continuous wave (FMCW) radar system.

In the FMCW radar system, the ADF4159 generates the sawtooth or triangle ramps necessary for this type of radar to operate.

The ADF4159 controls the V_{TUNE} pin on the ADF5901 (Tx) MMIC and thus the frequency of the VCO and the Tx output signal on TX_{OUT}1 or TX_{OUT}2. The LO signal from the ADF5901 is fed to the LO input on the ADF5904.

The ADF5904 downconverts the signal from the four receiver antennas to baseband with the LO signal from the Tx MMIC.

The downconverted baseband signals from the four receiver channels on the ADF5904 are fed to the ADAR7251 4-channel, continuous time, Σ - Δ analog-to-digital converter (ADC).

A digital signal processor (DSP) follows the ADC to handle the target information processing.





Figure 31. FMCW Radar with ADF5901

OUTLINE DIMENSIONS



CP-32-12)

ORDERING GUIDE

Model ¹	Temperature Range	Package Description	Package Option
ADF5901ACPZ	-40°C to +105°C	32-Lead Lead Frame Chip Scale Package [LFCSP]	CP-32-12
ADF5901ACPZ-RL7	-40°C to +105°C	32-Lead Lead Frame Chip Scale Package [LFCSP]	CP-32-12
ADF5901WCCPZ	-40°C to +105°C	32-Lead Lead Frame Chip Scale Package [LFCSP]	CP-32-12
ADF5901WCCPZ-RL7	-40°C to +105°C	32-Lead Lead Frame Chip Scale Package [LFCSP]	CP-32-12
EV-ADF5901SD2Z		Evaluation Board	

¹ Z = RoHS Compliant Part.

AUTOMOTIVE PRODUCTS

The ADF5901W models are available with controlled manufacturing to support the quality and reliability requirements of automotive applications. Note that these automotive models may have specifications that differ from the commercial models; therefore, designers should review the Specifications section of this data sheet carefully. Only the automotive grade products shown are available for use in automotive applications. Contact your local Analog Devices account representative for specific product ordering information and to obtain the specific Automotive Reliability reports for these models.

©2015-2017 Analog Devices, Inc. All rights reserved. Trademarks and registered trademarks are the property of their respective owners. D13336-0-8/17(B)



www.analog.com

Rev. B | Page 26 of 26

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Distance Sensor Development Tool category:

Click to view products by Analog Devices manufacturer:

Other Similar products are found below :

 SEN0004
 MIKROE-2509
 172
 DFR0315
 SEN0006
 SEN0007
 SEN0008
 SEN0187
 SEN0202
 SEN0208
 DM160234
 SEN0143
 SEN-13968

 3316
 SEN-08504
 SEN-08502
 DFR0445
 3317
 984
 SEN0014
 SEN0171
 3942
 979
 981
 982
 985
 TMF8701-DB
 TMF8801-DB

 TMF8801-EVM
 AD8283CP-EBZ
 AD8285CP-EBZ
 ADUX1020-EVAL-SDP
 SEN0245
 EVALBGT24LTR22TOBO1
 DM160238
 MIKROE

 3339
 MIKROE-3439
 MIKROE-1589
 MIKROE-1991
 MIKROE-2086
 MIKROE-3103
 SECO-RANGEFINDER-GEVK
 PIM058
 PIM062

 PIM373
 101020083
 101020353
 101020532
 101020617