

Low loss



Xinger III

Xinger III brand passive components

- > 3rd generation version of still-popular Xinger® and Xinger®-II SMT components = high-performance option
- > At 1/4 the size (as small as 0.25 x 0.20"), same power handling as previous generations – plus lower loss, higher isolation, better phase/amplitude balance, and other performance advantages
- > Supports complete range of bands, including WiMax, 3G, 4G, LTE, among many others
- > Superior CTE characteristics relative to ceramics – no solder cracking, no need for costly high-performance PCB
- > 100% RF-tested
- > Shipped on tape and reel for automated, high-volume assembly
- > RoHS compliant
- > More!

Small footprint

Anaren®

What'll we think of next?®

800-411-6596 > www.anaren.com

Third generation. Four times smaller. One powerful option.



Lower-loss, higher isolation, and superior CTE properties make tiny Xinger-III couplers an excellent alternative to ceramics in today's more demanding base station equipment applications.

- > **Xinger-III hybrids offer** up to 5.35 times the power-handling ability; 52-66% lower insertion loss (down to 0.12dB); 25-28% higher isolation; and 63-71% better amplitude balance.
- > **Xinger-III directionals offer** 37-64% lower insertion loss (down to 0.05dB); same directivity; and 50% higher power handling at 1/4 the size.

Best of all, Xinger-III technology now makes softboard THE best

alternative for all power levels, including very high-power applications over 200W. And because our CTE characteristics match those of your board (unlike ceramic couplers!), you don't have to worry about CTE mismatch and solder joint cracking that can result with ceramic coupler implementations.

Interested in leveraging the latest generation of Xinger-brand SMT softboard couplers from the company who invented them in the first place? Email, call, or visit our website today for samples, a quote, or applications assistance.



All Xinger®-brand components can be shipped to you on time – and on tape and reel for easy implementation in your automated assembly process.

Introducing the Xinger®-III brand family of surface-mount hybrid and directional couplers, our latest, innovation-driven reinvention of the SMT RF coupler – and designed especially for today's higher-power, more compact, and hotter-running equipment.

Matter of fact, inch for inch, watt for watt, the Xinger-III family offers the highest performance of any softboard coupler on the market... even when compared to similarly sized members of our own category-leading, Xinger-II family.



Count on Anaren's long heritage of providing 100% RF-tested, high-quality, and genuine Xinger®-brand components – offering unit-to-unit consistency and performance unmatched in the SMT coupler category.

Anaren®


What'll we think of next?®

800-411-6596 > www.anaren.com

Learn how to put our latest generation Xinger®-brand components to work for your latest-generation design! Email, call, or visit our website today for samples, a quote, or applications assistance.

Anaren®
What'll we think of next?®
800-411-6596 > www.anaren.com

High-performance option



Superior CTE properties

Also available from Anaren!

Beyond our ever-popular Xinger®-brand components, count on Anaren's 40+ years of RF/microwave experience for these other wireless solutions:

- > **Xinger®-brand, subminiature components** – sized for today's compact wireless infrastructure and consumer electronics – including couplers, balun transformers, and power dividers.
- > **Anaren Integrated Radio (AIR) modules** – an easier, more elegant, and cost-effective way for E-OEM design engineers to bring RF/wireless capability to new or existing devices.
- > **Wireless resistive components** – 'lowest-cost' line of terminations, attenuators, and resistors for high-volume application; available in a wide range of form factors, all of them constructed of RoHS compliant material.
- > **Military and instrumentation resistive components** – high-performance, high-powerhandling resistive parts suitable to your toughest application. Choose from chip, SMT, flanged, flangeless.
- > **Components, assemblies & custom solutions for defense** – including military-grade Xinger®-brand SMT couplers, cased/caseless components, ferrites, DRFMs, DFDs, multi-chip RF modules, IMAs, and more!
- > **Custom wireless assemblies** – including splitter/combiners, RF backplanes, ferrites, more!

To learn more about Anaren – a leading, worldwide provider of high-frequency technology to the wireless, consumer electronics, aerospace, medical device, and other industries – email sales@anaren.com or visit our website today.

Higher isolation

Anaren®

What'll we think of next?®

800-411-6596 > www.anaren.com

Anaren, Inc.
6635 Kirkville Road
East Syracuse, NY 13057
Tel: 315-432-8909
Toll free: 800-411-6596
Email: sales@anaren.com



Printed on recycled paper with environmentally friendly inks.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Signal Conditioning](#) category:

Click to view products by [Anaren](#) manufacturer:

Other Similar products are found below :

[MAPDCC0004](#) [PD0409J5050S2HF](#) [880157](#) [HHS-109-PIN](#) [DC1417J5005AHF](#) [DC4859J5005AHF](#) [AFS14A30-2185.00-T3](#) [AFS14A35-1591.50-T3](#) [DS-323-PIN](#) [DSS-313-PIN](#) [B39321R801H210](#) [B39321R821H210](#) [B39921B4317P810](#) [1A0220-3](#) [2089-6207-00](#) [JP510S](#) [LFB212G45SG8C341](#) [LFB322G45SN1A504](#) [LFL182G45TC3B746](#) [SF2159E](#) [30057](#) [1P510S](#) [CER0813B](#) [3A325](#) [40287](#) [41180](#) [ATB3225-75032NCT](#) [B69842N5807A150](#) [BD0810N50100AHF](#) [BD2326L50200AHF](#) [BD2425J50200AHF](#) [HMC189AMS8TR](#) [C5060J5003AHF](#) [JHS-114-PIN](#) [JP503AS](#) [DC0710J5005AHF](#) [DC2327J5005AHF](#) [DC3338J5005AHF](#) [43020](#) [LFB2H2G60BB1C106](#) [LFL15869MTC1B787](#) [X3C19F1-20S](#) [XC3500P-20S](#) [10013-20](#) [SF2081E](#) [SF2194E](#) [SF2238E](#) [CDBLB455KCAX39-B0](#) [RF1353C](#) [PD0922J5050D2HF](#)