

PRODUCT

Integrity Autoclavable Cleanroom Paper

600-0620



DESCRIPTION

The polymer impregnated substrate surrounds and bonds each individual cellulose fibre resulting in a cleanroom paper. The cellulose fibre core provides true paper characteristics giving problem free writing, printing and photocopying. Autoclavable, and benefits from extremely low static build-up and particulate generation.

FEATURES

- Latex Free
- The paper has a high degree of chemical resistance. The maximum loss of strength was 21% after soaking in the following 5% v/v H²SO₄ 2% w/w NaOH, Acetone, Ethanol and water. Tensile test on air-dried sheets.
- Can be sterilised by gamma irradiation, ETO or steam without seriously impairing the sheet. The particle count remains at the normal, low level.
- Microbe Testing – The yielded four colony forming units (CFU) according to micro pore filtration methodology and zero CFU according to Rodac plate methodology.
- The paper has a flammability rating of “moderately flammable” Classification 2, according to the National Fire Protection agency (NFPA-702)
- Using tests similar to those methods described in Federal Substances Act, CFR 16, Section 1500.41, it was determined that this paper would not be classified as primary skin irritant.
- Tests from NAMSA state that the paper is nancytotoxic (MEM elution with I929 mice fibre blast cells)

To request a quotation or for more information, please call **+44 (0)1473 836205**
email info@integritycleanroom.com or visit www.integritycleanroom.co.uk

PROPERTY	TARGET	LIMITS
Basis Weight (3300 Sq. ft)	45.2	42.2 - 49.3
Basis Weight (gsm)	66.9	62.4 - 72.9
Caliper (Mils)	4.2	3.7 - 4.7
Caliper (mm)	0.107	0.094 - 0.119
Dry Tensile (lbs/inch) MD	28.7	20.1 min
Dry Tensile (lbs/15mm) MD	7.7	5.4 min
Dry Tensile (lbs/inch) CD	18.7	13.1 min
Dry Tensile (lbs/15mm) CD	5.0	3.5
Elmendorf Tear MD	64	44 min
(g/16 sht.) CD	68	47 min
Gurley Porosity - 8 Sht. (sec/100cc)	35.0	20.0 min

PRODUCT CODE	DESCRIPTION	SIZE (INCH)	COLOUR	WEIGHT (gsm)	QUANTITY (sheets)
600-0620	Autoclavable Cleanroom Paper	A4 - 8.3 x 11.7	White	70	250
600-0621	Autoclavable Cleanroom Paper	A4 - 8.3 x 11.7	White	85	250
600-0622	Autoclavable Cleanroom Paper	A4 - 8.3 x 11.7	Blue	85	250
600-0623	Autoclavable Cleanroom Paper	A3 - 11.69 x 16.53	White	104	250

To request a quotation or for more information, please call **+44 (0)1473 836205**
 email info@integritycleanroom.com or visit www.integritycleanroom.co.uk

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Antistat](#) manufacturer:

Other Similar products are found below :

[001-0001](#) [001-0003](#) [001-0008](#) [001-0009](#) [001-0014](#) [001-0017](#) [001-0020](#) [001-0021](#) [001-0023](#) [001-0028](#) [001-0029](#) [003-0001](#) [003-0002](#) [003-0003](#) [003-0011](#) [010-0001](#) [010-0005](#) [010-0006](#) [010-0008](#) [010-0011](#) [010-0012](#) [010-0013](#) [010-0014](#) [010-0015](#) [010-0016](#) [010-0025](#) [010-0028](#) [010-0029](#) [010-0035](#) [010-0041](#) [010-0042](#) [010-0047](#) [010-0055](#) [010-0058](#) [010-0060](#) [013-0001](#) [013-0003](#) [013-0005](#) [013-0006](#) [013-0007](#) [013-0008](#) [019-0003](#) [025-0003](#) [025-0004](#) [025-0026](#) [025-0111](#) [026-0062](#) [026-0065](#) [026-0071](#) [026-0072](#)