

Specification Sheet

USB3.0 Flash Drive





Apacer Technology Inc.

1F., No. 32, Zhongcheng Rd., Tucheng Dist., New Taipei City 236, Taiwan Tel: +886-2-2267-8000 Fax: +886-2-2267-2261 www.apacer.com



Table of Contents

1. Product Introduction	3
2. Product Features	3
3. Specification	4
4. Physical Dimension	
5. Revision History	5



1. Product Introduction

Apacer AH355 flash drive is designed through comfortable touch for its unique rounded appearance and pebble-like contour, drawing people to play around. In addition to its compact size for portability, its maximum capacity can reach up to 64GB, realizing portable bulk storage.

AH355 flash drive features comfortable touch for its unique rounded appearance and pebble-like contour, drawing people to play around. In addition, its compact size makes itself as portable as a truthful digital partner. The stylish simple body, in mysterious black, is capped with a unique arc stripe in understated ruby blue, radiating elegance in its low profile!

AH355 brings user an easy and efficient data transferring experience to reach the Read/Write speed higher than USB 2.0! Equipped with a capacity up to 64GB, AH355 relieves people's information anxiety by rendering MP3 songs, HD movies, photos, e-books and working files portable!

2. Features


- SuperSpeed USB3.0 and backwards compatible with Hi-speed USB 2.0 interface
- Easy plug & play
- USB powered. No external power or battery required
- Unique stripe design and pebble-like contour
- Built-in strap hole for easy carry
- RoHS compliant



3. Specifications

Specifications			
Interface	Super Speed USB3.0, backwards compatible with USB 2.0 & 1.1		
Device Interface Transfer Rate	USB 3.0 interface: up to 5Gbit/second USB 2.0 interface: up to 480Mbit/second		
Power supply	USB bus powered No external power required		
Power consumption	115mA (max.)		
Operating Systems	Windows XP/ Vista/ 7 / 8, Mac 10.4 or above		
Supported	Linux Kernel 2.6.33 or above		
Capacity	8GB~64GB		
Operating Temperature	0° C to +60° C (32° F to 140° F)		
Storage Temperature	-20° C to +60° C (-4° F to +140° F)		
Dimensions	(L)56.05 x (W)18 x (H)8.5mm		
Weight	7.8g		
Certificate	CE, FCC, BSMI, C-Tick		

4. Physical Dimension



Unit: mm



5. Revision History

Revision No	History	Date	Remarks
1.0	Official Release	Mar. 04, 2015	

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for USB Flash Drives category:

Click to view products by Apacer manufacturer:

Other Similar products are found below:

UCL3-0640K0R11 UCL3-1280K0R11 UCO2-0160KWR11 UCO2-1280KWR11 UCU2-0320K0R11 UMM3-0320K0R11 UMM3
1280K0R11 UPI2-0160K0R11 UTS2-0160K0R11 UTS2-0160W0R11 UTS3-0080K0R11 UTS3-0080R0R11 UTS3-0160K0R11 UTS3
0160R0R11 UTS3-0320K0R11 UTS3-0640K0R11 UTS3-1280R0R11 UUN2-0080S0R11 SDCZ50-016G-B35 SDCZ50-032G-B35

SDCZ60-064G-B35 SDDD3-064G-G46 ODD3-0640B0R11 UUN2-0320S0R11 UUN2-0160S0R11 UTS3-1280K0R11 UTS3-0640R0R11

UTS3-0320R0R11 UTS2-1280K0R11 UTS2-0640K0R11 UTS2-0320K0R11 UTS2-0160B0R11 UTS2-0080K0R11 UTS2-0080B0R11

UMM3-0640K0R11 UMM3-0160K0R11 UCU2-0320E0R11 UCU2-0160K0R11 UCU2-0080K0R11 UCO2-0640KWR11 UCO2
0320KWR11 UCL3-0320K0R11 UCL3-0160K0R11 SDCZ430-016G-G46 SDCZ430-032G-G46 SDCZ430-064G-G46 SDCZ430-128G-G46

SDCZ430-256G-G46 SDCZ48-256G-U46 SDCZ60-128G-B35