

Specification Sheet

USB2.0 Flash Drive AH333



Apacer
Access the best

Apacer Technology Inc.

1F., No. 32, Zhongcheng Rd., Tucheng Dist., New Taipei City 236, Taiwan

Tel: +886-2-2267-8000 Fax: +886-2-2267-2261

www.apacer.com

Table of Contents

| | |
|--------------------------------------|---|
| <u>1. Product Introduction</u> | 3 |
| <u>2. Product Features</u> | 3 |
| <u>3. Specification</u> | 4 |
| <u>4. Physical Dimension</u> | 4 |
| <u>5. Revision History</u> | 5 |

1. Product Introduction

Apacer AH333 flash drive employs a pebble-like rounded contour which creates perfectly firm and comfortable hold. A unique sense of design is shown in the two colors available: chic ivory white and mysterious black, with an arc stripe in ruby red. In addition to its compact size for portability, its maximum capacity can reach up to 64GB, realizing portable bulk storage. Round and firm, stylish and gracious and embodying a sense of generosity, AH333 certainly is the most perfect digital partner!

AH333 flash drive features comfortable touch for its unique rounded appearance and pebble-like contour, drawing people to play around. In addition, its compact size makes itself as portable as a truthful digital partner. The stylish simple body, either in ivory white or mysterious black, is capped with a unique arc strip in ruby red, radiating elegance in its low profile!

AH333 not only features perfect hand-feel with its rounded appearance, but demonstrates Apacer's consistent focus on thoughtful and intricate design. Its compact body gives the user a firm grip with perfect hand-feel and makes it easier for plugging/unplugging. The hidden built-in strap hole at the rear allows users to freely attach individual straps showing their personal style!


2. Features

- Hi-speed USB 2.0 interface and backward compatible with USB1.1
- Easy plug & play
- USB powered. No external power or battery required
- Strap hole for easy carry
- RoHS compliant

3. Specifications

| Specifications | |
|-----------------------------|------------------------------------------------------------------------------|
| Interface | High-speed USB 2.0 certified Backwards compatible with USB 1.1 |
| Power supply | USB bus powered No external power required |
| Operating Systems Supported | Windows XP/ Vista/ 7 / 8, Mac 10.4.x or above Linux Kernel 2.6.x or above |
| Capacity | 4GB ~64 GB |
| Operating Temperature | 0° C to +60° C (32° F to 140° F) |
| Storage Temperature | -20° C to +60° C (-4° F to +140° F) |
| Dimensions | (L)56.05 x (W)18 x (H)8.5mm |
| Weight | 7.8g |
| Certificate | CE, FCC, BSMI, C-Tick |

4. Physical Dimension



Unit: mm

5. Revision History

| Revision No | History | Date | Remarks |
|-------------|------------------|---------------|---------|
| 1.0 | Official Release | July 24, 2014 | |
| | | | |
| | | | |

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [USB Flash Drives](#) category:

Click to view products by [Apacer](#) manufacturer:

Other Similar products are found below :

[100014877](#) [6921734937223](#) [6921734937209](#) [USB-FLASH-8GB \(THN-U202W0080E4\)](#) [UPI2-0160K0R11](#) [UTS2-0160K0R11](#) [UTS3-0160K0R11](#) [UTS3-0320K0R11](#) [UTS3-0640K0R11](#) [SDDD3-064G-G46](#) [UUN2-0320S0R11](#) [UUN2-0160S0R11](#) [UTS3-1280K0R11](#) [UTS2-1280K0R11](#) [UTS2-0640K0R11](#) [UTS2-0080K0R11](#) [UCU2-0160K0R11](#) [SDUFD51-032G](#) [2402809](#) [SDUFD33-032G](#) [APHA016GAG0CG-3TM](#) [APHA001GR13CG-6T](#) [SDUFDEC-016G](#) [SDUFD33-016G](#) [SDCZ430-032G-G46](#) [SDCZ430-064G-G46](#) [SDCZ430-128G-G46](#) [SDCZ430-256G-G46](#) [SDCZ48-256G-U46](#) [SDCZ73-032G-G46](#) [SDCZ73-064G-G46](#) [SDCZ73-128G-G46](#) [SDDD3-256G-G46](#) [SDDDC2-032G-G46](#) [SDDDC2-064G-G46](#) [SDDDC2-128G-G46](#) [SDDDC2-256G-G46](#) [SDDD3-032G-G46](#) [SDDD3-128G-G46](#) [SDCZ48-032G-U46](#) [SDCZ48-064G-U46](#) [SDCZ48-128G-U46](#) [AP64GAH355B](#) [USB3FKEY16B](#) [USB3FKEY256B](#) [USB3FKEY64B](#) [USB3FTVKEY6A128ZNCAPAPAUV](#) [USB3FTVKEY6A32ZNCAPAPAUV](#) [USB3FTVKEY6A256ZNCAPAPAUV](#) [USB3FTVKEY6A128GCAPAPAUV](#)