


# Apacer



The Most **Reliable**  
Storage For Industries



Industrial SD card



## Industrial SD card ISD H1-M

### Overview

Apacer Industrial Secure Digital 3.0 card is ideal for its high performance, good reliability and wide compatibility. Not to mention that it's well adapted for hand-held applications in semi-industrial/medical markets already. Apacer industrial SD card H1-M series providing wide range capacities from 4GB to 128GB fully compliant to SD3.0, and SD2.0 specifications are built with MLC NAND Flash and the latest firmware including read disturb , wear Leveling & Bad Block Management algorithms .Furthermore, by adapting very particular flash IC and IC packaging configuration, this product also has an optional industrial -45C to 85C extended temperature range version.



### Feature

- Compliant with SD 3.0 Specification
- S.M.A.R.T supported
- Wear-Leveling and Block Management
- Support Class 10 with UHS-I
- Low Power Consumption
- Wide Temperature Support(Optional)

## Specifications

<b>Model</b>	Industrial SD
<b>Interface</b>	SD3.0
<b>NAND Flash Type</b>	MLC
<b>Capacity</b>	SDHC:4GB~128GB
<b>Sustained Read Performance (MB/sec)</b>	Up to 43
<b>Sustained Write Performance (MB/sec)</b>	Up to 25
<b>ECC Engine*</b>	Built-in 42-bit per 1K bytes BCH ECC
<b>Standard Operating Temperature ( °C )</b>	-25 ~ + 85
<b>Extended Operating Temperature ( °C )</b>	-40 ~ + 85
<b>Storage Temperature ( °C )</b>	-40 ~ + 85
<b>Shock</b>	1,500G, 0.5ms
<b>Vibration</b>	20Hz~80Hz/1.52mm (frequency/displacement) 80Hz~2,000Hz/20G (frequency/accelerate)
<b>Humidity</b>	95%
<b>Operating Voltage</b>	3.3 V ± 5%
<b>Low Power Consumption</b>	Active mode: 145 mA & Idle mode: 235 uA
<b>Dimension (L x W x H )</b>	24x32x2.1 (mm)
<b>MTBF (hours)</b>	>3,000,000
<b>Features / Technology</b>	S.M.A.R.T./Wide Temp.
<b>Applications</b>	Military/Cloud Computing/In-Vehicle/Gaming/HealthCare/Embedded System

## Ordering Info

Model	Standard temp: -25~85	Extended temp: -40~85
4G	AP-ISD004GCA-1GTM	AP-ISD004GIA-1GTM
8G	AP-ISD008GCA-1GTM	AP-ISD008GIA-1GTM
16G	AP-ISD016GCA-1GTM	AP-ISD016GIA-1GTM
32G	AP-ISD032GCA-1GTM	AP-ISD032GIA-1GTM
64G	AP-ISD064GCA-1FTM	AP-ISD064GIA-1FTM
128G	AP-ISD128GCA-1FTM	AP-ISD128GIA-1FTM

## Global Presence

Taiwan (Headquarters)  
Apacer Technology Inc.  
Tel: +886-2-2267-8000  
Fax: +886-2-2267-2261

Japan  
Apacer Technology Corp.  
Tel: +81-3-5419-2668  
Fax: +81-3-5419-0018

Europe  
Apacer Technology B.V.  
Tel: +31-40-267-0000  
Fax: +31-40-290-0686

India  
Apacer Technologies Pvt. Ltd.  
Tel: +91-80-41529061~3  
Fax: +91-80-41700215

U.S.A.  
Apacer Memory America, Inc.  
Tel: +1-408-518-8699  
Fax: 1-510-249-9551

China  
Apacer Electronic(Shanghai)  
Co., Ltd.  
Tel: +86-21-6228-9939

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Memory Cards](#) category:*

*Click to view products by [Apacer](#) manufacturer:*

Other Similar products are found below :

[SQF-ISDS1-8G-21C](#) [USDCOEM-32GB](#) [CAE1B256GTFDWB00EAA0](#) [CAE1B064GTFDWB00EAA0](#) [CAE1B128GTFDWB00EAA0](#)  
[LMEX1L128GG2](#) [LMEX1L256GG2](#) [LMEX1L016GG2](#) [LMEX1L032GG2](#) [LMEX1L064GG2](#) [SDSDQAF4-032G-I](#) [SDSDQAF4-256G-I](#) [AP-](#)  
[CF016GKBNS-ETNRG](#) [CFLSH-002PDG](#) [CFLSH-016SDG](#) [MS-C6-8G](#) [HMC-EF283](#) [SDCFXPS-032G-X46](#) [SDCFXSB-128G-G46](#)  
[5788667-1-CUT-TAPE](#) [RP-SMLE32DA1](#) [SDC4GDPGRB](#) [2729389](#) [VTDCFBPI004G](#) [SDSDAF3-016G-XI](#) [2403484](#) [VTDS41PI008G](#)  
[SDSDAF3-016G-I](#) [VSFCS2CC060G](#) [SDSDAF3-032G-XI](#) [SDSDAD-016G](#) [SDSDAF3-008G-XI](#) [SDSDAF3-008G-I](#) [VTDCFBPI008G](#)  
[M1A0-0320R12](#) [M1A4-0160R12](#) [M1A4-0320R12](#) [M1AA-0160R12](#) [M1AA-0320R12](#) [M1AA-0640R12](#) [M1AA-1280R12](#) [SDCFXPS-256G-](#)  
[X46](#) [SDSDXPK-128G-GN4IN](#) [SDSDXXG-032G-GN4IN](#) [SDSDXXY-064G-GN4IN](#) [SDSDXXY-128G-GN4IN](#) [SDSDXXY-256G-GN4IN](#)  
[SDSDXXY-512G-GN4IN](#) [SDSQXA1-128G-GN6MA](#) [SDSQXA1-256G-GN6MA](#)