





\*\*Note: Natural Convection based on 70°C temp rise above ambient (and based on 1.5 in. length). Source: <<http://www.avid.com/products/extrusion-heatsinks/70920>>



INVERTED THROUGH CIRCUIT BOARD MOUNTING WITH HEAT SINK  
(Patent Pending)



**NOTES:**

1. Unless otherwise noted, all dimensions are in inches.
2. Break all sharp edges, de-burr & remove loose chips.
3. Material: 6063-T5 aluminum alloy. Make from Aavid extrusion 70920
4. Mark with contrasting ink as shown, if specified by P.O.
5. Approximate Weight: 0.22 oz [6.3g]
6. Thermal rating: 28.93°C/W \*\*

TOLERANCES - UNLESS OTHERWISE SPECIFIED  
.XX = ±.01 [.254]  
.XXX = ±.005 [.127]  
ANG. = ±5°



TITLE: **DK & HQ PACKAGE HEATSINK**  
SUBJECT: **MECHANICAL DRAWING**  
ENGINEER: AOL DRAWN BY: J.FAY DCA: 14040 SH: 1 OF 1

MODEL: **HS33**  
FILENAME: HS33 REV: D DATE: 24MAR14

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Heat Sinks](#) category:*

*Click to view products by [Apex Microtechnology](#) manufacturer:*

Other Similar products are found below :

[581102B00000G](#) [656-15ABPE](#) [657-20ABPNE](#) [7020B-TC12-MTG](#) [73452PPBA](#) [7G0011A](#) [PF720G](#) [A22-4026](#) [HAH10L](#) [1542616-1](#) [HS-2506-F1](#) [HS-87M0-F2](#) [218-40CTE3](#) [231-69PAB-15V](#) [25-7520](#) [SW50-4G](#) [231-75PAB-13V](#) [231-75PAB-15V](#) [253-122ABE-22](#) [PSC22CB](#) [CLP212SG](#) [CLP-7701G](#) [HAA083](#) [HAF10L](#) [HAQ10T](#) [D10100-28](#) [TO5-002D](#) [BDN183CBA01](#) [3-21053-4](#) [32438](#) [TX0506-1B](#) [TX1806B](#) [LAE66A3CB](#) [WA-DT2-101E](#) [511-3U](#) [73381PPBA](#) [73403PPBA](#) [7G0047C](#) [COMX-440-HSP](#) [510-12M](#) [D10650-40T5](#) [V8511 Y](#) [APF40-40-13CB/A01](#) [780653U04500G](#) [ATS-54310K-C2-R0](#) [FK 216 CB SA](#) [FK 231 SA 220](#) [648-51AB](#) [657-20ABPESC](#) [2341BG](#)