

MG 130

Product no.: 130-1000-ESDN



Benefits

- › 100–240 power supply for global use
- › Filter alarm and 3 steps speed control
- › Small foot print design
- › The fume extraction unit MG 130 is easy to install and operate. Is supplied complete ready to place close to the workbench.



Technical Data

Dimensions L x W x H (mm)	460 x 210 x 500
Dimensions L x W x H (inches)	18,11 x 8,26 x 19,68
Weight (approx.) in kg	11
Voltage	100 - 240 V, 50/60 Hz
Power	100 W
Noise level (distance 1 m) dB(A)	< 52
Max. vacuum	---
Capacity m ³ /h	140
Pre-filter	Pre filter mat class F7
Compact filter	Particle filter H13, Wide band gas filter (50 % Active carbon + 50 % Chemisorb)
Max. capacity	1-2 workstations
RS232 interface (remote control)	1 x RS232 (TTL)
USB port	---
WX-compatible	---

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Fume Extractors](#) category:

Click to view products by [Apex Tool Group](#) manufacturer:

Other Similar products are found below :

[FP-BVX 2039](#) [MSA-35L-24-PK](#) [BVX-203](#) [MSA-25U-PK](#) [MSA-35L-23-PK](#) [AC-BVX250-OMNI](#) [FIL22H070](#) [T0053657299N](#) [MX-DAH4](#)
[FT91000033](#) [ZEROSMOGELKIT1](#) [0F15](#) [17701](#) [700-3053-ESD](#) [CS-ANAVI-33](#) [CS-ANAVI-34](#) [CS-ANAVI-35](#) [WSA350](#) [17015](#) [BVX-101](#)
[BVX-201](#) [BVX-201-KIT](#) [D00374](#) [SAF-1](#) [910-6RHB](#) [AC-FX1](#) [BVX-250](#) [BVX-250-KIT](#) [BVX-ARM](#) [BVX-ARM-K1](#) [BVX-ARML](#) [BVX-](#)
[CH01](#) [BVX-NOZC](#) [FG-BVX250](#) [FM-BVX250](#) [FM-MSA25U](#) [FM-MSA35](#) [FP-BVX250](#) [MSA-25U](#) [MSA-35L-11](#) [D00682](#) [T0053657199N](#)
[EC234FE](#) [ECMFE](#) [T0058762774](#) [WFE2ESKIT1](#)