





Product no.: 2ASASLT

Precision tweezers with flat rounded tips for gripping components.

Suitable for all standard gripping applications and assembly jobs on printed-circuit boards, e.g. in the goldsmith and jewelry industries

Special stainless steel, nonmagnetic, non-rusting, acid-proof, heat-resistant

Same as 2ASA, but tips are coated with Teflon® for adhesion-free support of self-adhesive components.

TOOLS

source images

The perfect Combination - Precision, design, symmetry and balance

Weller EremTM has a wide range of Tweezers, each designed to be strong, comfortable and precise. Manufactured with uncompromising Swiss quality and created for worldwide applications, including electronics assembly and healthcare, Weller Erem Tweezers are built to last. Feel the difference with Weller Erem Tw - the proven choice. Every time.





Technical Data	
Length mm	123
Length inches	4.843
Tweezer shape	Flat round tips straight
Erem applications	Jewellery making
Material	Special stainless steel
Weight in g	16
Weight in oz	0.564

Weller Tools GmbH Carl-Benz-Straße 2 74354 Besigheim Germany Phone: +49 (0) 7143 / 580-0 Fax.: +49 (0) 7143 / 580-108 Email: info@weller-tools.com Web: www.weller-tools.com

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Pliers & Tweezers category:

Click to view products by Apex Tool Group manufacturer:

Other Similar products are found below :

 0031
 32750
 PN-5050/38D
 PG-TP-30D
 PG-DP-18-N
 G77015
 4-1532129-2
 77
 12
 115
 0037
 T0058765801
 571
 76C
 37
 31
 125
 RX 8130

 37
 33
 125
 DRP10N
 32
 11
 135
 36
 12
 130
 0036
 64
 11
 115
 0032
 6231-08
 PN
 5050/19D
 PNI
 5000
 TP
 5000/15D
 TR
 5000
 PR
 TR
 58
 R
 A
 D

 00
 20
 08
 US2
 13
 01
 614
 87
 28
 250
 SBA
 INCP8
 30993
 011820101
 011830101
 011910110
 003780032
 003780041
 134-69-160
 134-69-180

 135-49-VDE-190
 137-49-VDE-180
 137-49-VDE-200
 137-49-VDE-240
 137-69-180
 137-69-200
 137-69-240
 138-49-VDE-200
 138-69-200

 140-49-VDE-170
 140-49-VDE-205
 140-49-VDE-205
 137-69-240
 137-69-240
 138-49-VDE-200
 138-69-200