



3CS

Product no.: 3CS

Precision tweezers, stainless steel, with long tips, 110 mm, 11 g



For applications in microelectronics, jewelrymaking, watchmaking, medicine and laboratory technology



Suitable for delicate standard applications and precision work on small components or wires



Stainless steel, robust tips, non-rusting, non-reflecting surface



source images

The perfect Combination - Precision, design, symmetry and balance

Weller Erem™ has a wide range of Tweezers, each designed to be strong, comfortable and precise. Manufactured with uncompromising Swiss quality and created for worldwide applications, including electronics assembly and healthcare, Weller Erem Tweezers are built to last. Feel the difference with Weller Erem™ – the proven choice. Every time.

THE PERFECT COMBINATION

Precision, design, symmetry and balance

+ Wide Range
Weller has a wide range of tweezers made from various material and tips, for the right application

+ Comfort
Ergonomically-shaped handles provide superior comfort and fatigue-free handling

+ Precision
Superior symmetrically pointed tips

+ Quality
Uncompromising Swiss quality created to be strong and durable

ESD Safe
Made from ESD-safe material to prevent damage to sensitive components

weller-tools.com **Weller**
Erem





Technical Data

| | |
|-------------------|-----------------------|
| Length mm | 110 |
| Length inches | 4.331 |
| Tweezer shape | Pointed tips straight |
| Erem applications | Watchmaking industry |
| Material | Stainless steel |
| Weight in g | 11 |
| Weight in oz | 0.388 |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Pliers & Tweezers](#) category:

Click to view products by [Apex Tool Group](#) manufacturer:

Other Similar products are found below :

[0031](#) [32750](#) [PN-5050/38D](#) [PG-TP-30D](#) [PG-DP-18-N](#) [G77015](#) [4-1532129-2](#) [77 12 115](#) [0037](#) [T0058765801](#) [571](#) [76C](#) [37 31 125](#) [RX 8130](#)
[37 33 125](#) [DRP10N](#) [32 11 135](#) [36 12 130](#) [0036](#) [64 11 115](#) [0032](#) [6231-08](#) [PN 5050/19D](#) [PNI 5000](#) [TP 5000/15D](#) [TR 30 15 V](#) [TR 5000 PR](#)
[TR 58 R A D](#) [00 20 08 US2](#) [13 01 614](#) [87 28 250 SBA](#) [INCP8](#) [30993](#) [011820101](#) [011830101](#) [011910110](#) [003780032](#) [003780041](#)
[134-69-160](#) [134-69-180](#) [135-49-VDE-190](#) [137-49-VDE-180](#) [137-49-VDE-200](#) [137-49-VDE-240](#) [137-69-180](#) [137-69-200](#) [137-69-240](#) [138-](#)
[49-VDE-200](#) [138-69-200](#) [140-49-VDE-170](#)