



# 544D

Product no.: 544D

Chain nose pliers with inside-serrated jaws for secure handling



Pliers for miniature and standard electronics



Non-reflecting surface, ESD-safe, high grade tool steel



same as 544E, but with inside serrations



source images

## Built to Last - Longest lasting durability on the planet

Weller Erem™ Pliers are designed to ensure an accurate and sure grip every time. Manufactured with uncompromising Swiss quality and created for worldwide applications, including electronics assembly and healthcare, Weller Erem Pliers are built to last. Feel the difference with Weller Erem™ – the proven choice. Every time.

## BUILT TO LAST

Longest lasting durability on the planet

**+ Precision**  
Experience precise bending from the high-precision screw joint that enables a smooth action with no jaw overlap

**+ Quality**  
Uncompromising Swiss quality created to be strong and durable

**+ 1 Million Movements**  
Magic Spring™ design enables maximum durability with constant spring force movements

**+ Comfort, Security and Grip**  
Ergonomically-shaped handles provide superior comfort and fatigue-free handling with Maximum Opening Stop Technology

**ESD Safe**  
Made from ESD-safe material to prevent damage to sensitive components



weller-tools.com

**Weller**  
Erem



PRECISION  
TOOLS



**Technical Data**

Length mm	120
Jaw length in mm	23
Head width mm	11
Head thickness mm	6
Width of tips in mm	1
Total height of both tips in mm	1.4
Length inches	4.724
Jaw length inches	0.906
Head width Inches	0.433
Head thickness Inches	0.236
Width of tips in Inches	0.039
Total height of both tips in Inches	0.055
ESD-safe	on
Erem applications	Microelectronic
Material	Special tool steel
Weight in g	67
Weight in oz	2.363

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Pliers & Tweezers](#) category:*

*Click to view products by [Apex Tool Group](#) manufacturer:*

Other Similar products are found below :

[0031](#) [32750](#) [PN-5050/38D](#) [PG-TP-30D](#) [PG-DP-18-N](#) [G77015](#) [4-1532129-2](#) [77 12 115](#) [0037](#) [T0058765801](#) [571](#) [76C](#) [37 31 125](#) [RX 8130](#)  
[37 33 125](#) [DRP10N](#) [32 11 135](#) [36 12 130](#) [0036](#) [64 11 115](#) [0032](#) [6231-08](#) [PN 5050/19D](#) [PNI 5000](#) [TP 5000/15D](#) [TR 30 15 V](#) [TR 5000 PR](#)  
[TR 58 R A D](#) [00 20 08 US2](#) [13 01 614](#) [87 28 250 SBA](#) [INCP8](#) [30993](#) [011820101](#) [011830101](#) [003780032](#) [003780041](#) [134-69-160](#)  
[134-69-180](#) [135-49-VDE-190](#) [137-49-VDE-180](#) [137-49-VDE-200](#) [137-49-VDE-240](#) [137-69-180](#) [137-69-200](#) [137-69-240](#) [138-49-VDE-200](#)  
[138-69-200](#) [140-49-VDE-170](#) [140-49-VDE-205](#)