







# 549E12

Product no.: 549E12

Distance cutter, cuts wire to a length of 1.2 mm/.047 Inch





























































-  Special tool steel
-  ESD-safe
-  Fixed length distance cutter



[source images](#)

## The Perfect Cut - Strong, sharp and precise, every time

The Weller Erem Series 500 Micro is a full range of medium sized, robust, precision cutters with a wide range of head shapes. The cutters are manufactured from high grade tool steel. The cutting edges are hardened to Rockwell 63-65 HRC. The precision cutters have a nonreflecting surface, are ESD safe and resharable.

| Type  | Type of Cut   | Cutting Capacity  |
|---|---|---|
| <b>Series 500 Medium</b>  |   |   |
|   |   | mm 0,03 0,1 0,2 0,3 0,4 0,5 0,6 0,7 0,8 0,9 1,0 1,1 1,2 1,3 1,4 1,5 1,6 1,7 1,8 1,9 2,0<br>Inch .0001 .0003 .0007 .0011 .0015 .0019 .0023 .0027 .0031 .0035 .0039 .0043 .0047 .0051 .0055 .0059 .0062 .0066 .0070 .0074 .0078 |
|  | 512N  Semi Flush             |   |
|  | 512E  Semi Flush             |   |
|  | 599T  Semi Flush / Carbide   |   |
|  | 522N  Flush                  |   |
|  | 599E  Flush                  |   |
|  | 532N  Super Full Flush       |   |
|  | 576TX1  Flush / Carbide      |   |
|  | 503E  Flush                  |   |
|  | 503ETST 30°  Flush / Carbide |   |
|  | 504AE  Flush                 |   |
|  | 555E 35°  Flush              |   |
|  | 572E 40°  Flush              |   |
|  | 582E 45°  Flush              |   |
|  | 593AE 30°  Flush             |   |
|  | 575E 45°  Flush              |   |
|  | 592E  Flush                  |   |
|  | 792E  Super Full Flush       |   |
|  | 576TX  Flush / Carbide       |   |
|  | 570E  Flush                  |   |
|  | 573E  Flush                  | <br>for vertical tip cutting  |





**Technical Data**

|  |       |
|--|-------|
| Length mm                                    | 120   |
| Length of cutting edges mm                   | 5     |
| Head width mm                                | ---   |
| Head thickness mm                            | ---   |
| Head length mm                               | 26    |
| Max. cutting capability – hard wire mm       | ---   |
| Weight in oz                                 | 2.363 |
| Length of cutting edges Inches               | 0.197 |
| Head width Inches                            | ---   |
| Head thickness Inches                        | ---   |
| Head length Inches                           | 1.024 |
| ESD-safe                                     | on    |
| Cut  | Flush |
| Max. cutting capability – medium hardness mm | ---   |
| Max. cutting capability – copper wire mm     | Ø 1,2 |
| Length inches                                | 4.724 |
| Weight in g                                  | 67    |
| Erem applications                            | ---   |

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Wire Stripping & Cutting Tools](#) category:*

*Click to view products by [Apex Tool Group](#) manufacturer:*

Other Similar products are found below :

[6-690504-4](#) [693855-1](#) [813066-2](#) [844764-5](#) [844765-5](#) [1-240642-7](#) [133900-001](#) [1-356885-4](#) [1424635-1](#) [1424649-1](#) [1424650-1](#) [1440-0013-84](#)  
[1-458031-5](#) [1-458030-5](#) [MT10-250Q](#) [1755](#) [2-539783-7](#) [L-5211](#) [1633578-3](#) [F10-10Q](#) [1-844765-9](#) [251465-1](#) [R282066100](#) [313808-1](#)  
[CST596711](#) [458031-9](#) [462839-1](#) [467281-1](#) [4-690504-2](#) [406339-3](#) [L-4994](#) [45-265](#) [453653-1](#) [45-418](#) [455177-1](#) [455671-4](#) [458144-8](#) [462007-](#)  
[1](#) [462548-1](#) [464661-1](#) [224186-1](#) [679746-1](#) [809687-1](#) [852080-2](#) [856695-8](#) [11-40-4082](#) [458030-1](#) [679326-7](#) [605744-1](#) [690784-2](#)