

DXV 80 Set

Product no.: T0051318299N



Benefits

- › Desoldering Pencil with 80 W, 24 V for WT stations
- › For removal of SMD components
- › For vertical applications
- › Electronically temperature controlled
- › Ceramic heating element is operating with protective low voltage
- › Handle utilizes a tin collector to hold the extracted solder
- › For DX soldering tips



Technical Data

Active Tip heating element technology	---
Power Response heating element technology	---
Silver Line heating element technology	---
Voltage	24 V
Power	80 W
Tip range	DX
Supply unit	WDD 81V, WDD 161V, WR 2, WR 3M, WR 3ME
WX-compatible	---
Temperature range °C	50 - 450
Temperature range °F	150 - 850
Heating time	65
Safety rest	WDH 40 (T0051515399)
Safety rest (optional)	WDH 40 (T0051515399)
Barrel	---
Integrated direct extraction	---

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Soldering Irons](#) category:

Click to view products by [Apex Tool Group](#) manufacturer:

Other Similar products are found below :

[0052918099](#) [0058759725](#) [918100-TE](#) [PTTC-802](#) [SFV-DRK30AR](#) [SMTC-0167](#) [SMTC-1121](#) [SMTC-1169-PK](#) [SMTC-588](#) [SMTC-8170](#) [AC-CK1](#) [AC-CK2](#) [SSC-601A](#) [SSC-625A](#) [SSC-626A](#) [SSC-638A](#) [SSC-726A](#) [FG-BVX](#) [STTC-114](#) [STTC-838P](#) [STV-CH24A](#) [SCP-CH25](#) [SFP-DRH05](#) [SMTC-0115](#) [SMTC-101](#) [SMTC-160-PK](#) [SMTC-1BL250](#) [SSC-645A](#) [SSC-671A](#) [SSC-742A](#) [SSC-745A](#) [SSC-746A](#) [SSC-770A](#) [SSC-772A](#) [STDC-804](#) [STTC-120](#) [STTC-513](#) [STTC-545](#) [STTC-547](#) [1-91362-0](#) [T0054487399](#) [T0054472199](#) [T0054465699](#) [STTC-820](#) [SMTC-004](#) [SCV-CH30AR](#) [T0054440699](#) [PTTC-801B](#) [STTC-845P](#) [RPS-1](#)