

# Zero Smog 4V

Product no.: T0053660699N



## Benefits

- Equipped with HEPA H13 particle filter and Fine dust pre-filter F7
- Constant Flow Control (CFC) guarantees automatic air flow regulation for each working place independent of the connected workplaces
- Electronic filter control with optical and acoustical filter alarm
- Low noise emission levels for quiet workspace
- max. blower capacity 230 m<sup>3</sup>/h
- RS232 port, can be remotely controlled via remote control (optional accessory) or by a PC with RS232 connection
- Efficiency test via USB port
- 4 casters to allow easy movement of the unit
- For connection to a WX / WT station a T0058768767 WT Hub is needed



## Technical Data

Dimensions L x W x H (mm)	345 x 325 x 505
Dimensions L x W x H (inches)	13.58 x 12.79 x 19.88
Weight (approx.) in kg	19
Voltage	220-240 V (50/60 Hz)
Power	275 VA
Noise level (distance 1 m) dB(A)	< 48
Max. vacuum	---
Capacity m <sup>3</sup> /h	230
Pre-filter	Pre filter mat class F7
Compact filter	Particle filter H13, Wide band gas filter (50 % Active carbon + 50 % Chemisorb)
Max. capacity	1-4 workstations
RS232 interface (remote control)	All system functions can be operated and remotely monitored via the RS232 port.
USB port	on
WX-compatible	on

# X-ON Electronics

Largest Supplier of Electrical and Electronic Components

***Click to view similar products for Apex Tool Group manufacturer:***

Other Similar products are found below :

[WESD51D](#) [XNT 6](#) [XNT H](#) [DX114](#) [005 32 566 99](#) [0054465399](#) [CT5C8](#) [M50LLASSM](#) [670EP](#) [7881](#) [99811V](#) [HAP1](#) [BP650MP](#) [HS8](#)  
[NN542](#) [S54NS](#) [9911](#) [9925](#) [9965](#) [ACSA](#) [T0051315099](#) [T0052918499](#) [T0053436699](#) [T0054470200](#) [T0058732869](#) [T0058751880](#) [24SA](#)  
[CN7776](#) [R3163](#) [HLCPI80](#) [CT6E7](#) [4082](#) [52910](#) [LC665J](#) [WPS18MP](#) [WS101](#) [WTA2](#) [XNS100](#) [XPE144](#) [XTC](#) [46CG](#) [DS205](#) [DS227](#) [11494](#)  
[NT1X](#) [T0051502699](#) [T0052920399](#) [T0052920699](#) [T0053439699](#) [T0054414799](#)