Weller

WT1011HN

1-Channel Power Unit, 150 W Product no.: WT1011HN



Benefits

- Power unit WT 1H, 1 channel with soldering iron WP 200 Robust and safety rest WSR 202
- WP 200 High Power soldering iron (200 W) with power response tips. Ideal for applications with high mass applications. Tip Family XHT
- Intuitive use thanks to clear menu structure
- Reduced footprint thanks to stackability
- Grafical backlit LC-Display
- High performance and functionality many connectable tools
- Automatic standby of tool thanks to integrated acceleration sensor in the tool
- > Housing cover useable as storage
- OFF time, Prozess window, Lock function, Offset

For this purpose, we recommend:



Solder fume extractors



Soldering irons



Cleaning



Pre-heating plates



Dimensions L x W x H (mm)	149 x 138 x 101
Dimensions L x W x H (inches)	5.87 x 5.43 x 3.98
Weight (approx.) in kg	3
Voltage	120 V
Power	150 W
Channels	1
Temperature range (depends on tool) °C	50 - 550
Temperature range (depends on tool) °F	150 - 999
Temperature accuracy °C	±9
Temperature accuracy °F	±17
Temperature stability °C	±2
Temperature stability °F	±4
Equipotential bonding socket	Via 3,5 mm pawl socket on front of device
Display	Backlit LCD
Air consumption l/min	
Operating pressure in bar/psi	
Capacity l/min	
Vacuum	

Owning the bench









XCELITE

Phone: +49 (0) 7143 / 580-0 Fax.: +49 (0) 7143 / 580-108 Email: info@weller-tools.com Web: www.weller-tools.com

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Soldering & Desoldering Stations category:

Click to view products by Apex Tool Group manufacturer:

Other Similar products are found below:

GS1116 BH-010 T0058768747 CA0202 CA0201 MFR-CA3 WXD2N Q-7100-9000 T0058757898 WXD2010N T0058768762 145-2000-ESDN T0058758721N WTL1000-1 700-3051-ESD 0051514699N 0051512199N T0058768725N MT-688 202485 ZD-415R ZD-415R-H WELPB102 HR-2550A T130-1.0I T0051011299N 857DW+ ECC92420EU 850A+ ECC168808EU BST-S-120 9SS-968B-HG 5SS-554-POT 5SS-553-POT 5SS-553-POT 5SS-553-H 5PK-366NA-T 5SS-552-POT 5SS-551-POT 5SS-552-H 5SS-551-H 508-366A-T 508-366D-T 5SS-331N1-H 5SI-131-H 5SI-131-3.2D 5SI-131-I CVC-7CN0004P CVC-8CH0010S CV-H5-DSHP