

ARALDITE® 2021-1 A

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/22/2015 400001013351 Date of first issue: 10/22/2015

SECTION 1. IDENTIFICATION

Product name : ARALDITE® 2021-1 A

Manufacturer or supplier's details

Company name of supplier

: Huntsman Advanced Materials Americas LLC

Address

: P.O. Box 4980 The Woodlands,

TX 77387

United States of America
Telephone : Non-Emergency: (800) 257-5547

E-mail address of person responsible for the SDS

: MSDS@huntsman.com

Emergency telephone : Chemtrec: (800) 424-9300 or (703) 527-3887

Recommended use of the chemical and restrictions on use

Recommended use : Adhesives

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 2

Skin corrosion : Category 1A

Serious eye damage : Category 1

Skin sensitization : Category 1

Carcinogenicity : Category 1A

Specific target organ systemic toxicity - single

exposure

: Category 3 (Respiratory system)

Acute aquatic toxicity : Category 3

Chronic aquatic toxicity : Category 3

GHS Label element

Hazard pictograms









Signal Word : Danger



ARALDITE® 2021-1 A

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/22/2015 400001013351 Date of first issue: 10/22/2015

Hazard Statements : H225 Highly flammable liquid and vapour.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation.

H350 May cause cancer.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements

: Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat/sparks/open flames/hot surfaces. -

No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

P308 + P313 IF exposed or concerned: Get medical advice/attention.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.





ARALDITE® 2021-1 A

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/22/2015 400001013351 Date of first issue: 10/22/2015

Other hazards

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: $25.265\,\%$

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
methyl methacrylate	80-62-6	30 - 60
methacrylic acid	79-41-4	7 - 13
Butylated hydroxytoluene	128-37-0	1 - 3
Silicon, amorphous	112945-52-5	1 - 3
Talc (Mg3H2(SiO3)4)	14807-96-6	0.1 - 1
alpha,alpha-dimethylbenzyl hydroperoxide	80-15-9	0.1 - 1

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Consult a physician.

Show this material safety data sheet to the doctor in

attendance.

Move out of dangerous area.

Consult a physician.

Show this material safety data sheet to the doctor in

attendance.

Do not leave the victim unattended.

If inhaled : Move to fresh air.

Consult a physician after significant exposure.

If unconscious place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water.

Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with

difficulty.

Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with

difficulty.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Small amounts splashed into eyes can cause irreversible

tissue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.





ARALDITE® 2021-1 A

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/22/2015 400001013351 Date of first issue: 10/22/2015

Remove contact lenses. Protect unharmed eve.

Keep eye wide open while rinsing.

Small amounts splashed into eyes can cause irreversible

tissue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do NOT induce vomiting.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Take victim immediately to hospital.

Keep respiratory tract clear. Do NOT induce vomiting.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

Most important symptoms and effects, both acute and

delayed

: None known.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : No data is available on the product itself.

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

No data is available on the product itself.

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: High volume water jet

No data is available on the product itself.

High volume water jet

No data is available on the product itself.

Specific hazards during fire : Do not use a solid water stream as it may scatter and spread



ARALDITE® 2021-1 A

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/22/2015 400001013351 Date of first issue: 10/22/2015

fighting fire.

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

: No data is available on the product itself.

No data is available on the product itself.

Specific extinguishing

methods

: No data is available on the product itself.

No data is available on the product itself.

Further information : Use water spray to cool unopened containers.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored

separately in closed containments.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored

separately in closed containments.

Use a water spray to cool fully closed containers.

Special protective equipment

for fire-fighters

: In the event of fire, wear self-contained breathing apparatus.

Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.

Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.

Evacuate personnel to safe areas.

Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform



ARALDITE® 2021-1 A

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/22/2015 400001013351 Date of first issue: 10/22/2015

respective authorities.

Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion

Avoid formation of aerosol. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.

Advice on safe handling

For personal protection see section 8.

Persons with a history of skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Smoking, eating and drinking should be prohibited in the application area.

Take precautionary measures against static discharges. Container may be opened only under exhaust ventilation hood.

To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations.

Avoid formation of aerosol. Do not breathe vapors/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national



ARALDITE® 2021-1 A

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/22/2015 400001013351 Date of first issue: 10/22/2015

regulations.

Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Conditions for safe storage : No smoking.

Store in cool place.

Keep in a well-ventilated place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

No smoking.

Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Observe label precautions.

Electrical installations / working materials must comply with

the technological safety standards.

Materials to avoid : Reducing agents

Strong oxidizing agents

Heavy metal salts

Recommended storage

temperature

: 2-8°C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
methyl methacrylate	80-62-6	TWA	50 ppm	ACGIH
		STEL	100 ppm	ACGIH
		TWA	100 ppm 410 mg/m3	NIOSH REL
		TWA	100 ppm 410 mg/m3	OSHA Z-1
		TWA	100 ppm 410 mg/m3	OSHA PEL
methacrylic acid	79-41-4	TWA	20 ppm	ACGIH
		TWA	20 ppm 70 mg/m3	NIOSH REL
		TWA	20 ppm 70 mg/m3	OSHA PEL
Butylated hydroxytoluene	128-37-0	TWA (Inhalable	2 mg/m3	ACGIH



ARALDITE® 2021-1 A

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/22/2015 400001013351 Date of first issue: 10/22/2015

		fraction and vapor)		
		TWA	10 mg/m3	OSHA PEL
Silicon, amorphous	112945-52-5	TWA (Dust)	20 Million particles per cubic foot (Silica)	OSHA Z-3
		TWA (Dust)	80 mg/m3 / %SiO2 (Silica)	OSHA Z-3

Hazardous components without workplace control parameters

Ingredients	CAS-No.
Talc (Mg3H2(SiO3)4)	14807-96-6
alpha,alpha-dimethylbenzyl hydroperoxide	80-15-9

Personal protective equipment

Respiratory protection : In the case of vapor formation use a respirator with an

approved filter.

Respiratory protection : In the case of vapor formation use a respirator with an

approved filter.

Hand protection

Material : butyl-rubber

Break through time : > 8 h

Solvent-resistant gloves (butyl-rubber)

Nitrile rubber 10 - 480 min

Remarks : Solvent-resistant gloves

The selected protective gloves have to satisfy the

specifications of EU Directive 89/689/EEC and the standard

EN 374 derived from it.

Before removing gloves clean them with soap and water. The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles.

Wear face-shield and protective suit for abnormal processing

problems.

Eye wash bottle with pure water Tightly fitting safety goggles.

Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection : impervious clothing

Choose body protection according to the amount and

concentration of the dangerous substance at the work place.

impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.



ARALDITE® 2021-1 A

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/22/2015 400001013351 Date of first issue: 10/22/2015

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

Wash hands before breaks and at the end of workday.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : paste

Color : white

Odor : like acrylic

Odor Threshold : No data is available on the product itself.

pH : No data is available on the product itself.

Boiling point : > 100 °C

Flash point : 10 °C

Method: closed cup

Evaporation rate : No data is available on the product itself.

Flammability (solid, gas) : No data is available on the product itself.

Upper explosion limit : No data is available on the product itself.

Lower explosion limit : No data is available on the product itself.

Vapor pressure : No data is available on the product itself.

Relative vapor density : No data is available on the product itself.

Relative density : No data is available on the product itself.

Density : No data is available on the product itself.

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data is available on the product itself.

Partition coefficient: n-

octanol/water

: No data is available on the product itself.

Autoignition temperature : No data is available on the product itself.

Thermal decomposition : No data is available on the product itself.

Viscosity

Viscosity, dynamic : 30,000 mPa.s (25 °C)

thixotropic



ARALDITE® 2021-1 A

Version Revision Date: SDS Number: Date of last issue: -

400001013351 1.0 10/22/2015 Date of first issue: 10/22/2015

Self-Accelerating

Chemical stability

decomposition temperature

(SADT)

: No data is available on the product itself.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Stable under recommended storage conditions.

> No decomposition if stored and applied as directed. No decomposition if stored and applied as directed.

No decomposition if stored and applied as directed. Possibility of hazardous

Stable under recommended storage conditions.

No decomposition if used as directed. reactions

Vapors may form explosive mixture with air.

No decomposition if stored and applied as directed.

Vapors may form explosive mixture with air.

Conditions to avoid : Heat, flames and sparks.

Heat, flames and sparks.

Hazardous decomposition

products

: Carbon oxides

Burning produces obnoxious and toxic fumes.

SECTION 11. TOXICOLOGICAL INFORMATION

exposure

Information on likely routes of : No data is available on the product itself.

Acute toxicity

Acute oral toxicity - Product : Acute toxicity estimate : > 5,000 mg/kg

Method: Calculation method

Acute inhalation toxicity -

Product

: Acute toxicity estimate: > 40 mg/l

Exposure time: 4 h

Test atmosphere: vapor Method: Calculation method

Acute dermal toxicity -

Product

: Acute toxicity estimate : > 5,000 mg/kg

Method: Calculation method

Acute toxicity (other routes of : No data available

administration)

Skin corrosion/irritation

Product:

Remarks: Extremely corrosive and destructive to tissue.



ARALDITE® 2021-1 A

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/22/2015 400001013351 Date of first issue: 10/22/2015

Serious eye damage/eye irritation

Product:

Remarks: May cause irreversible eye damage.

Respiratory or skin sensitization

Product:

Remarks: Causes sensitization.

Assessment: No data available

Germ cell mutagenicity

Ingredients:

methacrylic acid:

Genotoxicity in vitro : Concentration: 33 - 4000 ug/plate

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Butylated hydroxytoluene:

Genotoxicity in vitro

: Metabolic activation: with and without metabolic activation

Result: negative

Metabolic activation: Metabolic activation

Result: negative

Concentration: 100 - 1000 ug/plate

Metabolic activation: with and without metabolic activation

Result: negative

Silicon, amorphous:

Genotoxicity in vitro : Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Ingredients:

methacrylic acid:

Genotoxicity in vivo : Cell type: Somatic

Application Route: Inhalation

Exposure time: 2 h Dose: 100 - 1000 ppm

Method: OECD Test Guideline 475

Result: Not classified due to inconclusive data.

GLP: no



ARALDITE® 2021-1 A

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/22/2015 400001013351 Date of first issue: 10/22/2015

Application Route: Inhalation

Exposure time: 6 h Dose: 100 - 9000 ppm

Method: OECD Test Guideline 478

Result: negative

GLP: no

Butylated hydroxytoluene:

Genotoxicity in vivo : Application Route: Intraperitoneal injection

Dose: 75 mg/kg Result: negative

Application Route: Oral Exposure time: 9 Months Dose: ca 750 mg/kg Result: negative

Silicon, amorphous:

Genotoxicity in vivo : Application Route: Inhalation

Dose: 50 mg/m3 Result: negative

Carcinogenicity

Ingredients:

methacrylic acid:

Species: Rat, (male and female) Application Route: Inhalation Exposure time: 24 month(s) Dose: 250 - 1000 ppm

Frequency of Treatment: 5 daily Method: OECD Test Guideline 453

Result: negative

Species: Rat, (male and female)

Application Route: Oral Exposure time: 24 month(s) Dose: 12 - 3300 ppm

Frequency of Treatment: 7 daily

Result: negative

Butylated hydroxytoluene: Species: Rat, (male and female)

Application Route: Oral Result: negative Target Organs: Liver

Silicon, amorphous:

Species: Rat, (male and female)

Application Route: Oral Exposure time: 103 weeks Dose: 1800 - 3200 mg/kg Frequency of Treatment: 7 daily Method: OECD Test Guideline 453

Result: negative



ARALDITE® 2021-1 A

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/22/2015 400001013351 Date of first issue: 10/22/2015

Carcinogenicity - : No data available

Assessment

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHANo ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP Known to be human carcinogen

Talc (Mg3H2(SiO3)4)

Reproductive toxicity

Ingredients:

Butylated hydroxytoluene:

Effects on fertility : Species: Rat, male and female

Application Route: Oral

Ingredients:

Butylated hydroxytoluene: Effects on fetal development

Species: Rat

Application Route: Oral

General Toxicity Maternal: NOAEL (No observed adverse

effect level): 100 mg/kg body weight Result: No teratogenic effects.

Silicon, amorphous:

Species: Mouse

Application Route: Oral

General Toxicity Maternal: NOAEL (No observed adverse

effect level): 1,340 mg/kg body weight Method: OECD Test Guideline 414 Result: No teratogenic effects.

Species: Rabbit Application Route: Oral

General Toxicity Maternal: NOAEL (No observed adverse

effect level): 1,600 mg/kg body weight Method: OECD Test Guideline 414 Result: No teratogenic effects.

Species: Rat

Application Route: Oral

General Toxicity Maternal: NOAEL (No observed adverse

effect level): 1,350 mg/kg body weight Method: OECD Test Guideline 414 Result: No teratogenic effects.

Reproductive toxicity - : No data available



ARALDITE® 2021-1 A

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/22/2015 400001013351 Date of first issue: 10/22/2015

Assessment

STOT-single exposure

Ingredients:

methyl methacrylate:

Routes of exposure: Inhalation Target Organs: Respiratory Tract

Assessment: May cause respiratory irritation.

STOT-repeated exposure

No data available

Repeated dose toxicity

Ingredients:

methacrylic acid:

Species: Rat, male and female

NOEC: 500 ppm Test atmosphere: vapor Exposure time: 2 yr Number of exposures: 5 d

Method: OECD Test Guideline 453

Butylated hydroxytoluene: Species: Rat, male and female

NOAEL (No observed adverse effect level): 25 mg/kg/d

Application Route: Ingestion Method: Chronic toxicity

Silicon, amorphous:

Species: Rat, male and female

NOAEL (No observed adverse effect level): 7950 - 8980 mg/kg

Application Route: Ingestion Exposure time: 4,320 h Number of exposures: 7 d Method: Subchronic toxicity

Species: Rat, male and female NOEC: 4000 - 4500 mg/m3 Application Route: Ingestion Test atmosphere: dust/mist Exposure time: 13 Weeks Number of exposures: 7 d

Method: OECD Test Guideline 413

Repeated dose toxicity -

Assessment

: No data available





ARALDITE® 2021-1 A

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/22/2015 400001013351 Date of first issue: 10/22/2015

Aspiration toxicity

No data available

Experience with human exposure

General Information: No data available

Inhalation: No data available

Skin contact: No data available

Eye contact: No data available

Ingestion: No data available

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

Further information

Product:

Remarks: Solvents may degrease the skin.

Remarks: Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Ingredients:

methyl methacrylate:

Toxicity to fish : LC50: 191 mg/l

Exposure time: 96 h

methacrylic acid:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 85 mg/l

Exposure time: 96 h

Test Type: flow-through test Test substance: Fresh water Method: Fish Acute Toxicity Test

GLP: yes

Remarks: Toxic to aquatic organisms.

Silicon, amorphous:

Toxicity to fish : LL50 (Brachydanio rerio (zebrafish)): > 10,000 mg/l

Exposure time: 96 h



ARALDITE® 2021-1 A

Version Revision Date: SDS Number: Date of last issue: -

400001013351 1.0 10/22/2015 Date of first issue: 10/22/2015

Test Type: static test

Test substance: Fresh water Method: OECD Test Guideline 202

Talc (Mg3H2(SiO3)4):

: LC50 (Brachydanio rerio (zebrafish)): > 100 mg/l Toxicity to fish

Exposure time: 24 h

Ingredients:

methyl methacrylate:

Toxicity to daphnia and other : EC50: 69 mg/l aquatic invertebrates Exposure time: 48 h

methacrylic acid:

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): > 130 mg/l

Exposure time: 48 h

Test Type: flow-through test Test substance: Fresh water

Method: Aquatic Invertebrate Acute Toxicity Test, Freshwater

Daphnids GLP: yes

Butylated hydroxytoluene:

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 0.61 mg/l

Exposure time: 48 h Test Type: static test Test substance: Fresh water Method: OECD Test Guideline 202

Silicon, amorphous:

Toxicity to daphnia and other

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): >= 1,000 mg/l

Exposure time: 24 h Test Type: static test Test substance: Fresh water Method: OECD Test Guideline 202

Ingredients:

methyl methacrylate:

Toxicity to algae : IC50: > 110 mg/l

Exposure time: 72 h

methacrylic acid:

: ErC50 (Selenastrum capricornutum (green algae)): 45 mg/l Toxicity to algae

Exposure time: 72 h Test Type: static test Test substance: Fresh water

Method: OECD Test Guideline 201

GLP: yes

Butylated hydroxytoluene:

Toxicity to algae EC50 (Desmodesmus subspicatus (Scenedesmus

> subspicatus)): > 0.4 mg/l Exposure time: 72 h Test Type: static test

Method: Directive 67/548/EEC, Annex V, C.3.



ARALDITE® 2021-1 A

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/22/2015 400001013351 Date of first issue: 10/22/2015

Silicon, amorphous:

Toxicity to algae : EL50 (Desmodesmus subspicatus (Scenedesmus

subspicatus)): > 10,000 mg/l

Exposure time: 72 h Test Type: static test

Test substance: Fresh water Method: OECD Test Guideline 201

Ingredients:

Butylated hydroxytoluene:

M-Factor (Acute aquatic

toxicity)

: 1

Ingredients:

methacrylic acid:

Toxicity to fish (Chronic

toxicity)

: GLP: yes

NOEC (Brachydanio rerio (zebrafish)): 10 mg/l

Exposure time: 35 d

Test Type: flow-through test Test substance: Fresh water Method: OECD Test Guideline 210

GLP: yes

Butylated hydroxytoluene:

Toxicity to fish (Chronic

toxicity)

: LC0 (Brachydanio rerio (zebrafish)): >= 0.57 mg/l

Exposure time: 96 hrs
Test Type: semi-static test

Method: Directive 67/548/EEC, Annex V, C.1.

Ingredients:

methacrylic acid:

Toxicity to daphnia and other

aquatic invertebrates (Chronic toxicity)

: NOEC (Daphnia magna (Water flea)): 53 mg/l

Exposure time: 21 d

Test Type: flow-through test Test substance: Fresh water Method: OECD Test Guideline 211

Butylated hydroxytoluene:

Toxicity to daphnia and other aquatic invertebrates

aquatic invertebra (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.32 mg/l

Exposure time: 21 d Test Type: semi-static test

Method: OECD Test Guideline 202

EC0 (Daphnia magna (Water flea)): >= 0.31 mg/l

Exposure time: 48 hrs Test Type: static test

Method: Directive 67/548/EEC, Annex V, C.2.

NOEC (Daphnia magna (Water flea)): 0.23 mg/l

Exposure time: 48 hrs Test Type: static test

Method: OECD Test Guideline 202



ARALDITE® 2021-1 A

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/22/2015 400001013351 Date of first issue: 10/22/2015

NOEC (Daphnia magna (Water flea)): 0.316 mg/l

Exposure time: 21 d Test Type: semi-static test

Method: OECD Test Guideline 202

M-Factor (Chronic aquatic

toxicity)

: No data available

Ingredients:

methacrylic acid:

Toxicity to bacteria : EC50 (Pseudomonas putida): 270 mg/l

Exposure time: 17 h
Test Type: static test

Test substance: Fresh water Method: DIN 38 412 Part 8

GLP: yes

Butylated hydroxytoluene:

Toxicity to bacteria : IC50 (activated sludge): > 500 mg/l

Exposure time: 0.5 h

Method: Directive 67/548/EEC, Annex V, C.11.

: EC50 (activated sludge): > 10,000 mg/l

Exposure time: 3 h Test Type: static test

Method: Directive 67/548/EEC, Annex V, B.15.

Toxicity to soil dwelling

organisms

: No data available

Plant toxicity : No data available

Sediment toxicity : No data available

Toxicity to terrestrial

organisms

: No data available

Ecotoxicology Assessment

Acute aquatic toxicity : No data available

Chronic aquatic toxicity : No data available

Toxicity Data on Soil : No data available

Other organisms relevant to

the environment

: No data available

Further information

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 25.265 %

Persistence and degradability

Ingredients:

methyl methacrylate:



ARALDITE® 2021-1 A

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/22/2015 400001013351 Date of first issue: 10/22/2015

Biodegradability : Result: Readily biodegradable.

Biodegradation: > 60 % Exposure time: 28 d

methacrylic acid:

Biodegradability : Inoculum: activated sludge

Concentration: 3 mg/l

Result: Readily biodegradable.

Biodegradation: 86 % Exposure time: 28 d

Method: OECD Test Guideline 301D

Butylated hydroxytoluene:

Biodegradability : Inoculum: activated sludge

Result: Inherently biodegradable.

Biodegradation: 5.2 % Exposure time: 112 d

Biochemical Oxygen

Demand (BOD)

: No data available

Chemical Oxygen Demand

(COD)

: No data available

BOD/COD : No data available

ThOD : No data available

BOD/ThOD : No data available

Dissolved organic carbon

(DOC)

: No data available

Physico-chemical

removability

: No data available

Stability in water : No data available

Ingredients:

methacrylic acid:

Photodegradation : Test Type: Air

Impact on Sewage

Treatment

: No data available

Bioaccumulative potential

Ingredients:

methyl methacrylate:

Bioaccumulation : Bioconcentration factor (BCF): 3

Butylated hydroxytoluene:

Bioaccumulation : Species: Cyprinus carpio (Carp)

Bioconcentration factor (BCF): 330 - 1,800



ARALDITE® 2021-1 A

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/22/2015 400001013351 Date of first issue: 10/22/2015

Exposure time: 28 d Method: flow-through test

Ingredients:

methyl methacrylate:

Partition coefficient: n-

octanol/water

: log Pow: 1.38

methacrylic acid:

Partition coefficient: n-

octanol/water

: log Pow: 0.93 (22 °C)

pH: 2.2

Butylated hydroxytoluene:

Partition coefficient: n-

octanol/water

: log Pow: 5.1

Mobility in soil

Mobility : No data available

Ingredients:

Butylated hydroxytoluene:

Distribution among

: Koc: 8183.

environmental compartments

Stability in soil

: No data available

Other adverse effects

Environmental fate and

pathways

: No data available

Results of PBT and vPvB

assessment

: No data available

Endocrine disrupting

potential

: No data available

Adsorbed organic bound

halogens (AOX)

: No data available

Hazardous to the ozone layer

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82

Protection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was

manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A +

B).

Additional ecological information - Product

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic organisms, may cause long-term adverse

effects in the aquatic environment.



ARALDITE® 2021-1 A

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/22/2015 400001013351 Date of first issue: 10/22/2015

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic life with long lasting effects.

Global warming potential

(GWP)

: No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Offer surplus and non-recyclable solutions to a licensed

disposal company.

The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

Empty remaining contents.

Dispose of as unused product.

Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

International Regulation

IATA

UN/ID No. : UN 2924

Proper shipping name : Flammable liquid, corrosive, n.o.s.

(METHACRYLIC ACID, METHYL METHACRYLATE)

Class : 3
Subsidiary risk : 8
Packing group : II

Labels : Flammable Liquids, Corrosive

363

Packing instruction (cargo

aircraft)

Packing instruction : 352

(passenger aircraft)



ARALDITE® 2021-1 A

Version Revision Date: SDS Number: Date of last issue: -

400001013351 1.0 10/22/2015 Date of first issue: 10/22/2015

IMDG

UN number : UN 2924

Proper shipping name : FLAMMABLE LIQUID, CORROSIVE, N.O.S.

(METHACRYLIC ACID, METHYL METHACRYLATE)

: 3 Class : 8 Subsidiary risk : 11 Packing group Labels : 3 (8) : F-E, S-C EmS Code Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

DOT Classification

UN/ID/NA number : UN 2924

Proper shipping name : FLAMMABLE LIQUIDS, CORROSIVE, N.O.S.

(METHACRYLIC ACID, METHYL METHACRYLATE)

Class 3 Subsidiary risk 8 : 11 Packing group

Labels FLAMMABLE LIQUID, CORROSIVE

ERG Code 132 Marine pollutant : no

SECTION 15. REGULATORY INFORMATION

TSCA - 5(a) Significant New : Not relevant

Use Rule List of Chemicals

EPCRA - Emergency Planning and Community Right-to-Know

SARA 311/312 Hazards : Fire Hazard

Chronic Health Hazard

SARA 313 The following components are subject to reporting levels

established by SARA Title III, Section 313:

methyl methacrylate 80-62-6 58.5426 %

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 12 (40 CFR

61): methyl methacrylate

80-62-6

58.5426 %

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).



ARALDITE® 2021-1 A

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/22/2015 400001013351 Date of first issue: 10/22/2015

Pennsylvania Right To Know

metnyi metnacrylate	80-62-6	50 - 70 %
Ethene, homopolymer, chlorinated,	68037-39-8	20 - 30 %
chlorosulfonated		
methacrylic acid	70-11-1	5 - 10 %

methacrylic acid 79-41-4 5 - 10 % 2-Propenoic acid, 2-methyl-, methyl ester, 25852-37-3 1 - 5 %

polymer with butyl 2-propenoate

California Prop 65 WARNING! This product contains a chemical known in the

State of California to cause cancer.

 1,1,2-trichloroethane
 79-00-5

 cumene
 98-82-8

The ingredients of this product are reported in the following inventories:

TSCA : On TSCA Inventory

DSL

All components of this product are on the Canadian DSL.

On the inventory, or in compliance with the inventory

Con the inventory, or in compliance with the inventory

Con the inventory, or in compliance with the inventory

Con the inventory, or in compliance with the inventory

Con the inventory, or in compliance with the inventory


Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information

NFPA:



HMIS III:

HEALTH	3*
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Revision Date : 10/22/2015

While the information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.



ARALDITE® 2021-1 A

Version Revision Date: SDS Number: Date of last issue: -

1.0 10/22/2015 400001013351 Date of first issue: 10/22/2015

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE. THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE. NO PART OF THIS DATA SHEET MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM, OR BY ANY MEANS, WITHOUT PERMISSION IN WRITING FROM HUNTSMAN. ALL REQUESTS FOR PERMISSION TO REPRODUCE MATERIAL FROM THIS DATA SHEET SHOULD BE DIRECTED TO HUNTSMAN, MANAGER, PRODUCT SAFETY AT THE ABOVE ADDRESS.



ARALDITE® 2021-1 B

Version Revision Date: SDS Number: Date of last issue: -

400001013243 1.0 12/23/2015 Date of first issue: 12/23/2015

SECTION 1. IDENTIFICATION

: ARALDITE® 2021-1 B Product name

Manufacturer or supplier's details

Company name of supplier

: Huntsman Advanced Materials Americas LLC

Address

P.O. Box 4980 The Woodlands,

TX 77387

United States of America

Non-Emergency: (800) 257-5547 Telephone

E-mail address of person responsible for the SDS

: MSDS@huntsman.com

Emergency telephone : Chemtrec: (800) 424-9300 or (703) 527-3887

Recommended use of the chemical and restrictions on use

Recommended use : Adhesives and/or sealants

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 2

Skin irritation : Category 2

Skin sensitization Category 1

Specific target organ systemic toxicity - single

exposure

: Category 3 (Respiratory system)

Acute aquatic toxicity : Category 3

GHS Label element

Hazard pictograms





Signal Word Danger

Hazard Statements H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H335 May cause respiratory irritation.

H402 Harmful to aquatic life.



ARALDITE® 2021-1 B

Version Revision Date: SDS Number: Date of last issue: -

1.0 12/23/2015 400001013243 Date of first issue: 12/23/2015

Precautionary Statements : Prevention:

P210 Keep away from heat/sparks/open flames/hot surfaces. -

No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting/

equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately

all contaminated clothing. Rinse skin with water/shower.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P362 Take off contaminated clothing and wash before reuse. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 21.5 %

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
methyl methacrylate	80-62-6	60 - 100
3,5-diethyl-1,2-dihydro-1-phenyl-2-propylpyridine	34562-31-7	3 - 7

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Consult a physician.



ARALDITE® 2021-1 B

Version Revision Date: SDS Number: Date of last issue: -

1.0 12/23/2015 400001013243 Date of first issue: 12/23/2015

Show this material safety data sheet to the doctor in

attendance.

If inhaled : Move to fresh air in case of accidental inhalation of dust or

fumes from overheating or combustion. If symptoms persist, call a physician.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water. If symptoms persist, call a physician.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do NOT induce vomiting.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Obtain medical attention.

Most important symptoms and effects, both acute and

delayed

: None known.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Alcohol-resistant foam

Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: No data is available on the product itself.

Specific hazards during fire

fighting

: Do not use a solid water stream as it may scatter and spread

fire.

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

: No data is available on the product itself.

No data is available on the product itself.

Specific extinguishing

methods

: No data is available on the product itself.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored



ARALDITE® 2021-1 B

Version Revision Date: SDS Number: Date of last issue: -

1.0 12/23/2015 400001013243 Date of first issue: 12/23/2015

separately in closed containments.

Use a water spray to cool fully closed containers.

Special protective equipment

for fire-fighters

: Wear self-contained breathing apparatus for firefighting if

necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.

Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Environmental precautions

Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion

: Avoid formation of aerosol. Keep away from sources of ignition - No smoking. Take measures to prevent the build up

of electrostatic charge.

Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use only explosion-proof equipment. Keep away from open flames, hot

surfaces and sources of ignition.

Advice on safe handling : Avoid formation of aerosol.

Do not breathe vapors/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Take precautionary measures against static discharges.

Provide sufficient air exchange and/or exhaust in work rooms.

Open drum carefully as content may be under pressure.

Dispose of rinse water in accordance with local and national

regulations.

Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.



ARALDITE® 2021-1 B

Version Revision Date: SDS Number: Date of last issue: -

1.0 12/23/2015 400001013243 Date of first issue: 12/23/2015

Conditions for safe storage : No smoking.

Store in cool place.

Keep in a well-ventilated place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Materials to avoid : Strong oxidizing agents

Strong acids

Strong bases

Recommended storage

temperature

: 2-8°C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
methyl methacrylate	80-62-6	TWA	50 ppm	ACGIH
		STEL	100 ppm	ACGIH
		TWA	100 ppm 410 mg/m3	NIOSH REL
		TWA	100 ppm 410 mg/m3	OSHA Z-1
		TWA	100 ppm 410 mg/m3	OSHA PEL

Personal protective equipment

Respiratory protection : In the case of vapor formation use a respirator with an

approved filter.

Hand protection

Remarks : Solvent-resistant gloves

The selected protective gloves have to satisfy the

specifications of EU Directive 89/689/EEC and the standard

EN 374 derived from it.

Before removing gloves clean them with soap and water. The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles.

Skin and body protection : impervious clothing

Choose body protection according to the amount and

concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.



ARALDITE® 2021-1 B

Version Revision Date: SDS Number: Date of last issue: -

1.0 12/23/2015 400001013243 Date of first issue: 12/23/2015

When using do not smoke.

Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : paste

Color : light yellow

Odor : like acrylic

Odor Threshold : No data is available on the product itself.

pH : No data is available on the product itself.

Boiling point : > 100 °C

Flash point : 10 °C

Method: closed cup

Evaporation rate : No data is available on the product itself.

Flammability (solid, gas) : No data is available on the product itself.

Upper explosion limit : No data is available on the product itself.

Lower explosion limit : No data is available on the product itself.

Vapor pressure : No data is available on the product itself.

Relative vapor density : No data is available on the product itself.

Relative density : No data is available on the product itself.

Density : 0.95 g/cm3

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data is available on the product itself.

Partition coefficient: n-

octanol/water

: No data is available on the product itself.

Autoignition temperature : No data is available on the product itself.

Thermal decomposition : No data is available on the product itself.

Viscosity

Viscosity, dynamic : 15,000 - 20,000 mPa.s (25 °C)

thixotropic

Self-Accelerating

decomposition temperature

(SADT)

: No data is available on the product itself.



ARALDITE® 2021-1 B

Version Revision Date: SDS Number: Date of last issue: -

400001013243 1.0 12/23/2015 Date of first issue: 12/23/2015

SECTION 10. STABILITY AND REACTIVITY

: Stable under recommended storage conditions. Reactivity Chemical stability : No decomposition if stored and applied as directed. : Stable under recommended storage conditions. Possibility of hazardous

reactions No decomposition if used as directed.

Conditions to avoid : Heat, flames and sparks.

Hazardous decomposition

products

: Burning produces obnoxious and toxic fumes.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : No data is available on the product itself.

exposure

Acute toxicity

Acute oral toxicity - Product : Acute toxicity estimate : > 5,000 mg/kg

Method: Calculation method

Ingredients:

methyl methacrylate:

Acute inhalation toxicity : LC50 (Rat, male and female): 29.8 mg/l

> Exposure time: 4 h Test atmosphere: vapor

Method: Directive 67/548/EEC, Annex V, B.2.

Ingredients:

methyl methacrylate:

Acute dermal toxicity : LD50 (Rabbit, male): > 5,000 mg/kg

Method: OECD Test Guideline 402

Acute toxicity (other routes of : No data available

administration)

Skin corrosion/irritation

Product:

Remarks: May cause skin irritation and/or dermatitis.

Serious eye damage/eye irritation

Product:

Remarks: Vapors may cause irritation to the eyes, respiratory system and the skin.

Respiratory or skin sensitization

Product:

Remarks: Causes sensitization.



ARALDITE® 2021-1 B

Version Revision Date: SDS Number: Date of last issue: -

1.0 12/23/2015 400001013243 Date of first issue: 12/23/2015

Assessment: No data available

Germ cell mutagenicity

Genotoxicity in vitro : No data available

Genotoxicity in vivo : No data available

Carcinogenicity

No data available

Carcinogenicity - : No data available

Assessment

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHANo ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Reproductive toxicity

Effects on fertility : No data available

Effects on fetal development : No data available

Reproductive toxicity -

Assessment

: No data available

STOT-single exposure

Ingredients:

methyl methacrylate:

Routes of exposure: Inhalation Target Organs: Respiratory Tract

Assessment: May cause respiratory irritation.

STOT-repeated exposure

No data available

Repeated dose toxicity

No data available

Repeated dose toxicity -

Assessment

: No data available





ARALDITE® 2021-1 B

Version Revision Date: SDS Number: Date of last issue: -

12/23/2015 400001013243 1.0 Date of first issue: 12/23/2015

Aspiration toxicity

No data available

Experience with human exposure

General Information: No data available

Inhalation: No data available

Skin contact: No data available

No data available Eye contact:

Ingestion: No data available

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

Further information

Product:

Remarks: Solvents may degrease the skin.

Remarks: Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Ingredients:

methyl methacrylate:

Toxicity to fish : LC50: 191 mg/l

Exposure time: 96 h

Ingredients:

methyl methacrylate:

Toxicity to daphnia and other : EC50: 69 mg/l aquatic invertebrates Exposure time: 48 h

Ingredients:

methyl methacrylate:

Toxicity to algae : IC50: > 110 mg/l

Exposure time: 72 h

: No data available M-Factor (Acute aquatic



ARALDITE® 2021-1 B

Version Revision Date: SDS Number: Date of last issue: -

400001013243 1.0 12/23/2015 Date of first issue: 12/23/2015

toxicity)

Toxicity to fish (Chronic

toxicity)

: No data available

Toxicity to daphnia and other : No data available

aquatic invertebrates (Chronic toxicity)

M-Factor (Chronic aquatic

toxicity)

: No data available

Toxicity to bacteria : No data available

Toxicity to soil dwelling

organisms

: No data available

Plant toxicity : No data available

Sediment toxicity : No data available

Toxicity to terrestrial

organisms

: No data available

Ecotoxicology Assessment

Acute aquatic toxicity : No data available

Chronic aquatic toxicity : No data available

Toxicity Data on Soil No data available

Other organisms relevant to

the environment

: No data available

Further information

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 21.5 %

Persistence and degradability

Ingredients:

methyl methacrylate:

Biodegradability : Result: Readily biodegradable.

Biodegradation: > 60 % Exposure time: 28 d

Biochemical Oxygen

Demand (BOD)

: No data available

Chemical Oxygen Demand

(COD)

: No data available

BOD/COD : No data available

ThOD : No data available



ARALDITE® 2021-1 B

Version Revision Date: SDS Number: Date of last issue: -

1.0 12/23/2015 400001013243 Date of first issue: 12/23/2015

BOD/ThOD : No data available

Dissolved organic carbon

(DOC)

: No data available

Physico-chemical

removability

: No data available

Stability in water : No data available

Photodegradation : No data available

Impact on Sewage

Treatment

: No data available

Bioaccumulative potential

Ingredients:

methyl methacrylate:

Bioaccumulation : Bioconcentration factor (BCF): 3

Ingredients:

methyl methacrylate:

Partition coefficient: n-

octanol/water

: log Pow: 1.38

Mobility in soil

Mobility : No data available

Distribution among

environmental compartments

: No data available

Stability in soil : No data available

Other adverse effects

Environmental fate and

pathways

: No data available

Results of PBT and vPvB

assessment

: No data available

Endocrine disrupting

potential

: No data available

Adsorbed organic bound

halogens (AOX)

: No data available

Hazardous to the ozone layer

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82

Protection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was

manufactured with a Class I or Class II ODS as defined by the



ARALDITE® 2021-1 B

Version Revision Date: SDS Number: Date of last issue: -

1.0 12/23/2015 400001013243 Date of first issue: 12/23/2015

U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A +

B).

Additional ecological information - Product

: An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic life.

Global warming potential

(GWP)

: No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

International Regulation

IATA

UN/ID No. : UN 1993

Proper shipping name : Flammable liquid, n.o.s.

(METHYL METHACRYLATE)

Class : 3 Packing group : II

Labels : Flammable Liquids

Packing instruction (cargo

aircraft)

: 364: 353

Packing instruction

(passenger aircraft)

IMDG

UN number : UN 1993

Proper shipping name : FLAMMABLE LIQUID, N.O.S.

(METHYL METHACRYLATE)

Class : 3
Packing group : II
Labels : 3
EmS Code : F-E

EmS Code : F-E, <u>S-E</u> Marine pollutant : no



ARALDITE® 2021-1 B

Version Revision Date: SDS Number: Date of last issue: -

400001013243 1.0 12/23/2015 Date of first issue: 12/23/2015

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

DOT Classification

UN/ID/NA number : UN 1993

Proper shipping name : FLAMMABLE LIQUIDS, N.O.S.

(METHYL METHACRYLATE)

Class 3 Packing group : 11

Labels : FLAMMABLE LIQUID

ERG Code 128 Marine pollutant : no

SECTION 15. REGULATORY INFORMATION

TSCA - 5(a) Significant New : Not relevant

Use Rule List of Chemicals

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

Ingredients	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
METHYL METHACRYLATE	80-62-6	1000	1409

SARA 311/312 Hazards : Fire Hazard

SARA 313 : The following components are subject to reporting levels

established by SARA Title III, Section 313:

70.95 % methyl methacrylate 80-62-6

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 12 (40 CFR 61):

methyl methacrylate

80-62-6

70.95 %

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

California Prop 65 This product does not contain any chemicals known to the

State of California to cause cancer, birth, or any other

reproductive defects.

The ingredients of this product are reported in the following inventories:

TSCA On TSCA Inventory

All components of this product are on the Canadian DSL. DSL **AICS** : On the inventory, or in compliance with the inventory





ARALDITE® 2021-1 B

Version Revision Date: SDS Number: Date of last issue: -


1.0 12/23/2015 400001013243 Date of first issue: 12/23/2015

IECSC : On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

Further information

NFPA:



HMIS III:

HEALTH	2
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Revision Date : 12/23/2015

While the information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE. THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE. NO PART OF THIS DATA SHEET MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM, OR BY ANY MEANS, WITHOUT PERMISSION IN WRITING FROM HUNTSMAN. ALL REQUESTS FOR PERMISSION TO REPRODUCE MATERIAL FROM THIS DATA SHEET SHOULD BE DIRECTED TO HUNTSMAN, MANAGER, PRODUCT SAFETY AT THE ABOVE ADDRESS.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Araldite manufacturer:

Other Similar products are found below:

CGM752 CGM268 CGM208 ARALDITE 2004 1.4KG ARALDITE 2014-2 2 KG KIT CGM267 CW1302/HY1300 ARALDITE 2011 2KG CGM103 ARALDITE 2010-1 200ML ARA400001 RX771C/HY1300 CR020-1 ARALDITE 2022-1 50ML ARA400005